Champion Health Plan of Nevada

Renal Payer Solutions, Inc.

2024 Formulary

(Comprehensive List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT
THE DRUGS WE COVER IN THIS PLAN

Formulary 00024131, Version Number 15

This formulary was updated on 08/01/2024. For more recent information or other questions, please contact Champion Health Plan, Member Service at 1-844-282-5341 (TTY users should call 711) between 8 a.m. and 8 p.m. 7 days a week from October 1 through March 31. From April 1 to September 30, hours are 8 a.m. to 8 p.m. Monday through Friday, (messages received on holidays and outside of our business hours will be returned within one business day) or visit www.championhmo.com.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us," or "our," it means Champion. When it refers to "plan" or "our plan," it means Champion.

This document includes list of the drugs (formulary) for our plan which is current as of August 1, 2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the first page.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on August 1, 2024, and from time to time during the year.

What is the Champion Formulary?

A formulary is a list of covered drugs selected by Champion in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Champion will generally cover the drugs listed in our formulary as long as the drug is 2024 Part D Model Formulary (Comprehensive)

medically necessary, the prescription is filled at a Champion network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Champion may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
    - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the Champion's Formulary?"

  Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
    - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Champion's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new

benefit year for any changes to drugs.

The enclosed formulary is current as of August 1, 2024. To get updated information about the drugs covered by Champion please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Champion covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Champion requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Champion before you fill your prescriptions. If you don't get approval, Champion may not cover the drug.

- **Quantity Limits:** For certain drugs, Champion limits the amount of the drug that Champion will cover. For example, Champion provides 18 tablets per 28 days prescription for sumatriptan succinate oral. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, Champion requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Champion may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Champion will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Champion to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Champion formulary?" on page 1 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Champion does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Champion. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Champion.
- You can ask Champion to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Champion Formulary?

You can ask Champion to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

2024 Part D Formulary (Comprehensive)

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Champion limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Champion will only approve your request for an exception if the alternative drugs included on the

plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first *90* days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than *90* days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who change treatment settings due to changes in level of care are also considered in Transition. These members will be provided with an appropriate transition refill.

For more information

For more detailed information about your Champion prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Champion, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day / 7 days a week. TTY users should call 1-877-486-2048. Or visit http://www.medicare.gov.

Champion Formulary

The formulary provides coverage information about the drugs covered by Champion. If you have trouble finding your drug in the list, turn to the Index.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *atorvastatin)*.

The information in the Requirements/Limits column tells you if Champion has any special requirements for coverage of your drug.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

EX: Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

GC: Gap Coverage. We provide coverage of this prescription drug in the Coverage Gap. Please refer to our Evidence of Coverage for more information about this coverage.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

NEDS: Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

Table of Contents

Analgesics 3
Anesthetics 8
Anti-Addiction/Substance Abuse Treatment Agents 8
Antianxiety Agents 9
Antibacterials 10
Anticancer Agents 18
Anticonvulsants 33
Antidementia Agents 38
Antidepressants 38
Antidiabetic Agents 41
Antifungals 46
Antigout Agents 48
Antihistamines 48
Anti-Infectives (Skin And Mucous Membrane) 49
Antimigraine Agents 49
Antimycobacterials 51
Antinausea Agents 51
Antiparasite Agents 53
Antiparkinsonian Agents 54
Antipsychotic Agents 55
Antivirals (Systemic) 61
Blood Products/Modifiers/Volume Expanders 68
Caloric Agents 71
Cardiovascular Agents 73
Central Nervous System Agents 84
Contraceptives 89
Cough And Cold Products 98

Dental And Oral Agents 98
Dermatological Agents 98
Devices 104
Enzyme Replacement/Modifiers 145
Eye, Ear, Nose, Throat Agents 146
Gastrointestinal Agents 151
Genitourinary Agents 154
Heavy Metal Antagonists 155
Hormonal Agents, Stimulant/Replacement/Modifying 156
Immunological Agents 161
Inflammatory Bowel Disease Agents 172
Metabolic Bone Disease Agents 173
Miscellaneous Therapeutic Agents 174
Ophthalmic Agents 176
Replacement Preparations 177
Respiratory Tract Agents 179
Skeletal Muscle Relaxants 184
Sleep Disorder Agents 185
Vasodilating Agents 185
Vitamins And Minerals 186

Drug Name		Drug Tier	Requirements/Limits
Analgesics			
Analgesics, Miscellaneous			
acetaminophen-codeine oral solution 120-12 mg/5 ml		2	NDS; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg		2	NDS; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg		2	NDS; QL (180 per 30 days)
ascomp with codeine oral capsule 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
buprenorphine hcl injection solution 0.3 mg/ml		2	
buprenorphine hcl injection syringe 0.3 mg/ml		2	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg	(Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
codeine sulfate oral tablet 30 mg, 60 mg		2	NDS; QL (180 per 30 days)
codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg	(Ascomp with Codeine)	2	PA-HRM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
endocet oral tablet 10-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg		5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
fentanyl citrate buccal lozenge on a handle 200 mcg	2	PA; NDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	NDS; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NDS; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	2	NDS; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg	2	NDS; QL (240 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	2	NDS; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	NDS; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	NDS; QL (180 per 30 days)
methadone injection solution 10 mg/ml	2	QL (120 per 30 days)
methadone oral solution 10 mg/5 ml	2	NDS; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	2	NDS; QL (1200 per 30 days)
methadone oral tablet 10 mg	2	NDS; QL (120 per 30 days)
methadone oral tablet 5 mg	2	NDS; QL (180 per 30 days)
methadose oral tablet,soluble 40 mg (methadone)	2	NDS; QL (30 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	PA; NDS; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml	2	NDS; QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	2	NDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MORPHINE ORAL TABLET 15 MG		4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG		4	NDS; QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg	(MS Contin)	2	NDS; QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg	(MS Contin)	2	NDS; QL (90 per 30 days)
oxycodone oral capsule 5 mg		2	NDS; QL (180 per 30 days)
oxycodone oral solution 5 mg/5 ml		2	NDS; QL (1300 per 30 days)
oxycodone oral tablet 10 mg, 5 mg		2	NDS; QL (180 per 30 days)
oxycodone oral tablet 15 mg, 30 mg	(Roxicodone)	2	NDS; QL (120 per 30 days)
oxycodone oral tablet 20 mg		2	NDS; QL (120 per 30 days)
oxycodone-acetaminophen oral tablet 10-325 mg	(Endocet)	2	NDS; QL (180 per 30 days)
oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg	(Endocet)	2	NDS; QL (360 per 30 days)
oxycodone-acetaminophen oral tablet 7.5-325 mg	(Endocet)	2	NDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	(oxycodone)	3	NDS; QL (60 per 30 days)
oxymorphone oral tablet 10 mg		2	NDS; QL (120 per 30 days)
oxymorphone oral tablet 5 mg		2	NDS; QL (180 per 30 days)
oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg		2	NDS; QL (60 per 30 days)
oxymorphone oral tablet extended release 12 hr 40 mg		5	NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tramadol oral tablet 50 mg		1	GC; NDS; QL (240 per 30 days)
tramadol-acetaminophen oral tablet 37.5-325 mg		2	NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		3	NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG		5	NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents			
celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg	(Celebrex)	2	QL (60 per 30 days)
diclofenac potassium oral tablet 50 mg		2	QL (120 per 30 days)
diclofenac sodium oral tablet extended release 24 hr 100 mg		2	QL (60 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg		2	QL (150 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg		2	QL (120 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg		1	GC; QL (60 per 30 days)
diclofenac sodium topical drops 1.5 %		2	QL (300 per 30 days)
diclofenac sodium topical gel 1 %	(Aleve (diclofenac))	2	QL (1000 per 30 days)
diclofenac sodium topical gel 3 %		2	PA; QL (100 per 28 days)
diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)	(Pennsaid)	5	PA; NDS; QL (224 per 28 days)
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg	(Arthrotec 50)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg	(Arthrotec 75)	2	
ec-naproxen oral tablet,delayed release (dr/ec) 500 mg	(naproxen)	2	
etodolac oral capsule 200 mg, 300 mg		2	
etodolac oral tablet 400 mg	(Lodine)	2	
etodolac oral tablet 500 mg		2	
flurbiprofen oral tablet 100 mg		2	
ibu oral tablet 400 mg	(ibuprofen)	1	GC; QL (240 per 30 days)
ibu oral tablet 600 mg, 800 mg	(ibuprofen)	1	GC
ibuprofen oral suspension 100 mg/5 ml	(Children's Advil)	2	
ibuprofen oral tablet 400 mg	(IBU)	1	GC; QL (240 per 30 days)
ibuprofen oral tablet 600 mg, 800 mg	(IBU)	1	GC
indomethacin oral capsule 25 mg		1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule 50 mg		1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule, extended release 75 mg		2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
ketorolac oral tablet 10 mg		2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
mefenamic acid oral capsule 250 mg		2	
meloxicam oral tablet 15 mg, 7.5 mg		1	GC
nabumetone oral tablet 500 mg, 750 mg		2	
naproxen oral tablet 250 mg, 375 mg		1	GC
naproxen oral tablet 500 mg	(Naprosyn)	1	GC
naproxen oral tablet,delayed release (dr/ec) 375 mg	(EC-Naprosyn)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
piroxicam oral capsule 10 mg, 20 mg	(Feldene)	2	
sulindac oral tablet 150 mg, 200 mg		2	
Anesthetics			
Local Anesthetics			
glydo mucous membrane jelly in applicator 2 %	(lidocaine hcl)	2	QL (30 per 30 days)
lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)	(Xylocaine-MPF)	1	GC
lidocaine (pf) injection solution 40 mg/ml (4 %)		1	GC
lidocaine hcl 2% 40 mg/2 ml ampule outer,p/f,sdv 20 mg/ml (2 %)	(Xylocaine-MPF)	2	
lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)	(Xylocaine)	2	
lidocaine hcl injection solution 5 mg/ml (0.5 %)	(Xylocaine)	1	GC
lidocaine hcl mucous membrane jelly in applicator 2 %	(Glydo)	2	QL (30 per 30 days)
lidocaine hcl mucous membrane solution 4 % (40 mg/ml)		2	PA
lidocaine topical adhesive patch,medicated 5 %	(DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
lidocaine topical ointment 5 %		2	PA; QL (90 per 30 days)
lidocaine viscous mucous membrane solution 2 %	(lidocaine hcl)	2	
lidocaine-prilocaine topical cream 2.5-2.5 %		2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %		3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents			
Anti-Addiction/Substance Abuse Treatment Agents			
acamprosate oral tablet,delayed release (dr/ec) 333 mg		2	
buprenorphine hcl sublingual tablet 2 mg, 8 mg		2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
buprenorphine-naloxone sublingual film 12-3 mg	(Suboxone)	2	QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg	(Suboxone)	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg		2	QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg		2	
disulfiram oral tablet 250 mg, 500 mg		2	
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION		3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml		1	GC
naloxone injection syringe 0.4 mg/ml, 1 mg/ml		2	
naloxone nasal spray,non-aerosol 4 mg/actuation	(Narcan)	2	QL (4 per 30 days)
naltrexone oral tablet 50 mg		2	
NICOTROL INHALATION CARTRIDGE 10 MG		4	ST; QL (2688 per 365 days)
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML		4	ST; QL (240 per 180 days)
varenicline oral tablet 0.5 mg		2	QL (336 per 365 days)
varenicline oral tablet 1 mg	(Chantix)	2	QL (336 per 365 days)
varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)	(Chantix Starting Month Box)	2	
Antianxiety Agents			
Benzodiazepines			
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg	(Xanax)	1	GC; NDS; QL (120 per 30 days)
alprazolam oral tablet 2 mg	(Xanax)	1	GC; NDS; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg		1	GC; NDS; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg	(Klonopin)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
clonazepam oral tablet 2 mg	(Klonopin)	1	GC; QL (300 per 30 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg		2	QL (90 per 30 days)
clonazepam oral tablet,disintegrating 2 mg		2	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg		2	QL (180 per 30 days)
diazepam injection solution 5 mg/ml		2	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml		2	
diazepam intensol oral concentrate 5 mg/ml	(diazepam)	2	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)		2	QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg	(Valium)	1	GC; QL (120 per 30 days)
lorazepam 2 mg/ml vial 25's,outer	(Ativan)	1	GC
lorazepam 4 mg/ml vial inner	(Ativan)	1	GC
lorazepam injection solution 2 mg/ml	(Ativan)	2	QL (2 per 30 days)
lorazepam injection solution 4 mg/ml	(Ativan)	4	QL (2 per 30 days)
lorazepam injection syringe 2 mg/ml		1	GC; QL (2 per 30 days)
lorazepam oral tablet 0.5 mg, 1 mg	(Ativan)	1	GC; NDS; QL (90 per 30 days)
lorazepam oral tablet 2 mg	(Ativan)	1	GC; NDS; QL (150 per 30 days)
oxazepam oral capsule 10 mg, 15 mg, 30 mg		2	NDS; QL (120 per 30 days)
temazepam oral capsule 15 mg, 30 mg	(Restoril)	1	GC; NDS; QL (30 per 30 days)
Antibacterials			
Aminoglycosides			
gentamicin injection solution 20 mg/2 ml, 40 mg/ml		2	
gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml		2	
gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml		2	
neomycin oral tablet 500 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
streptomycin intramuscular recon soln 1 gram		5	NDS
tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml	(Tobi)	5	PA BvD; NDS
tobramycin inhalation solution for nebulization 300 mg/4 ml	(Bethkis)	5	PA BvD; NDS
tobramycin sulfate injection solution 40 mg/ml		2	
Antibacterials, Miscellaneous			
chloramphenicol sod succinate intravenous recon soln 1 gram		2	
clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg	(Cleocin HCl)	1	GC
clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml		2	
clindamycin pediatric oral recon soln 75 mg/5 ml	(clindamycin palmitate hcl)	2	
clindamycin phosphate injection solution 150 mg/ml	(Cleocin)	2	
colistin (colistimethate na) injection recon soln 150 mg	(Coly-Mycin M Parenteral)	5	NDS
daptomycin intravenous recon soln 500 mg	(Cubicin RF)	5	NDS
linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml	(Zyvox)	2	
linezolid oral suspension for reconstitution 100 mg/5 ml	(Zyvox)	5	NDS
linezolid oral tablet 600 mg	(Zyvox)	2	
methenamine hippurate oral tablet 1 gram	(Hiprex)	2	
metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml	(Metro I.V.)	2	
metronidazole oral tablet 250 mg, 500 mg		1	GC
nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg	(Macrodantin)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
nitrofurantoin monohyd/m-cryst oral capsule 100 mg (Macrobid)	2	QL (60 per 30 days)
polymyxin b sulfate injection recon soln 500,000 unit	2	
trimethoprim oral tablet 100 mg	1	GC
vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg	2	
vancomycin oral capsule 125 mg (Vancocin)	2	QL (56 per 14 days)
vancomycin oral capsule 250 mg (Vancocin)	2	QL (112 per 14 days)
vancomycin oral recon soln 25 mg/ml (Firvanq)	4	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
cefaclor oral capsule 250 mg, 500 mg	2	
cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml	2	
cefadroxil oral capsule 500 mg	2	
cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml	2	
cefadroxil oral tablet 1 gram	2	
cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml	2	
cefazolin injection recon soln 1 gram, 10 gram, 500 mg	2	
cefazolin intravenous recon soln 3 gram	4	
cefdinir oral capsule 300 mg	2	
cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefepime injection recon soln 1 gram, 2 gram	2	
cefixime oral capsule 400 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
cefotaxime injection recon soln 1 gram	2	
cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram	2	
cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml	2	
cefpodoxime oral tablet 100 mg, 200 mg	2	
cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefprozil oral tablet 250 mg, 500 mg	2	
ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)	2	
ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg	2	
cefuroxime axetil oral tablet 250 mg, 500 mg	2	
cefuroxime sodium injection recon soln 750 mg	2	
cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram	2	
cephalexin oral capsule 250 mg, 500 mg	1	GC
cephalexin oral capsule 750 mg	2	
cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
azithromycin intravenous recon soln 500 mg (Zithromax)	2	
azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)		1	GC
azithromycin oral tablet 250 mg, 500 mg	(Zithromax)	1	GC
azithromycin oral tablet 600 mg		2	
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml		2	
clarithromycin oral tablet 250 mg, 500 mg		2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML		5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG		5	NDS; QL (20 per 10 days)
erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml	(E.E.S. Granules)	2	
erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml	(EryPed 400)	2	
erythromycin oral tablet 250 mg, 500 mg		2	
Miscellaneous B-Lactam Antibiotics			
aztreonam injection recon soln 1 gram, 2 gram	(Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML		5	PA; LA; NDS
ertapenem injection recon soln 1 gram		2	
imipenem-cilastatin intravenous recon soln 250 mg		2	
imipenem-cilastatin intravenous recon soln 500 mg	(Primaxin IV)	2	
meropenem intravenous recon soln 1 gram, 500 mg		2	
Penicillins			
amoxicillin oral capsule 250 mg, 500 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml		1	GC
amoxicillin oral tablet 500 mg, 875 mg		1	GC
amoxicillin oral tablet,chewable 125 mg, 250 mg		2	
amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml		2	
amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml	(Augmentin)	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml	(Augmentin ES-600)	2	
amoxicillin-pot clavulanate oral tablet 250-125 mg		2	
amoxicillin-pot clavulanate oral tablet 500-125 mg	(Augmentin)	1	GC
amoxicillin-pot clavulanate oral tablet 875-125 mg		1	GC
amoxicillin-pot clavulanate oral tablet,chewable 200-28.5 mg, 400-57 mg		2	
ampicillin oral capsule 500 mg		2	
ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg		2	
ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram	(Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML		4	
dicloxacillin oral capsule 250 mg, 500 mg		2	
nafcillin 1 gm/ 50 ml inj 1 gram/50 ml		2	
nafcillin injection recon soln 1 gram		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
nafcillin injection recon soln 10 gram, 2 gram	2	
penicillin g potassium injection recon soln 20 million unit (Pfizerpen-G)	2	
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml	2	
penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml	2	
penicillin v potassium oral tablet 250 mg, 500 mg	1	GC
pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)	2	
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	2	
Quinolones		
ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)	1	GC
ciprofloxacin hcl oral tablet 750 mg	1	GC
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml (Cipro)	2	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	
levofloxacin intravenous solution 25 mg/ml	2	
levofloxacin oral solution 250 mg/10 ml	2	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	GC
moxifloxacin 400 mg/250 ml bag	2	
moxifloxacin oral tablet 400 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml	(Avelox in NaCl (iso-osmotic))	2	
Sulfonamides			
sulfadiazine oral tablet 500 mg		2	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml		2	
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	(Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	(Bactrim)	1	GC
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	(Bactrim DS)	1	GC
Tetracyclines			
doxy-100 intravenous recon soln 100 mg	(doxycycline hyclate)	2	
doxycycline hyclate intravenous recon soln 100 mg	(Doxy-100)	2	
doxycycline hyclate oral capsule 100 mg, 50 mg	(Morgidox)	2	
doxycycline hyclate oral tablet 100 mg, 20 mg		2	
doxycycline monohydrate oral capsule 100 mg	(Mondoxyne NL)	2	
doxycycline monohydrate oral capsule 50 mg	(Monodox)	2	
doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml		2	
doxycycline monohydrate oral tablet 100 mg	(Avidoxy)	2	
doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg		2	
minocycline oral capsule 100 mg, 50 mg, 75 mg		2	
mondoxyne nl oral capsule 100 mg	(doxycycline monohydrate)	2	
tetracycline oral capsule 250 mg, 500 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tigecycline intravenous recon soln 50 mg	(Tygacil)	5	NDS
Anticancer Agents			
Anticancer Agents			
abiraterone oral tablet 250 mg, 500 mg	(Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	5	PA BvD; NDS
adrucil intravenous solution 2.5 gram/50 ml	(fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)		5	PA NSO; NDS
anastrozole oral tablet 1 mg	(Arimidex)	1	GC
AUGTYRO ORAL CAPSULE 40 MG		5	PA NSO; NDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA NSO; NDS; QL (30 per 30 days)
azacitidine injection recon soln 100 mg	(Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG		5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG		5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG		5	PA NSO; NDS; QL (28 per 28 days)
bendamustine intravenous recon soln 100 mg, 25 mg	(Treanda)	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	(Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	(bendamustine)	5	PA NSO; NDS
bexarotene oral capsule 75 mg	(Targretin)	5	PA NSO; NDS
bexarotene topical gel 1 %	(Targretin)	5	PA NSO; NDS
bicalutamide oral tablet 50 mg	(Casodex)	2	
bleomycin injection recon soln 15 unit, 30 unit		2	
bortezomib injection recon soln 1 mg		4	PA NSO
bortezomib injection recon soln 2.5 mg		5	PA NSO; NDS
bortezomib injection recon soln 3.5 mg	(Velcade)	5	PA NSO; NDS
BOSULIF ORAL CAPSULE 100 MG		5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG		5	PA NSO; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG		5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG		5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG		5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG		5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG		5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	(vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	(vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	5	PA BvD; NDS
cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml	5	PA BvD; NDS
cyclophosphamide oral capsule 25 mg, 50 mg	2	PA BvD; ST
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
decitabine intravenous recon soln 50 mg (Dacogen)	5	NDS
doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	2	PA BvD
doxorubicin, peg-liposomal intravenous suspension 2 mg/ml (Caelyx)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
erlotinib oral tablet 100 mg, 25 mg (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
erlotinib oral tablet 150 mg (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
etoposide intravenous solution 20 mg/ml	2	
everolimus (antineoplastic) oral tablet 10 mg (Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
exemestane oral tablet 25 mg (Aromasin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA BvD
floxuridine injection recon soln 0.5 gram	2	PA BvD
fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml	2	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NDS; QL (21 per 28 days)
fulvestrant intramuscular syringe 250 mg/5 ml (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
gefitinib oral tablet 250 mg (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
hydroxyurea oral capsule 500 mg (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
ifosfamide intravenous recon soln 1 gram (Ifex)	2	
ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml	2	
imatinib oral tablet 100 mg (Gleevec)	2	PA NSO; QL (180 per 30 days)
imatinib oral tablet 400 mg (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 560 MG	5	NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
lapatinib oral tablet 250 mg (Tykerb)	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
letrozole oral tablet 2.5 mg (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NDS
leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg	4	PA NSO
leuprolide subcutaneous kit 1 mg/0.2 ml	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
megestrol oral tablet 20 mg, 40 mg	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
mercaptopurine oral tablet 50 mg	2	
methotrexate sodium (pf) injection recon soln 1 gram	2	
methotrexate sodium (pf) injection solution 25 mg/ml	2	
methotrexate sodium injection solution 25 mg/ml	2	
methotrexate sodium oral tablet 2.5 mg	2	PA BvD; ST
mitoxantrone intravenous concentrate 2 mg/ml	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
nilutamide oral tablet 150 mg (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
paclitaxel protein-bound intravenous suspension for reconstitution 100 mg (Abraxane)	5	PA BvD; NDS
pazopanib oral tablet 200 mg (Votrient)	5	PA NSO; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg	5	NDS
pemetrexed disodium intravenous recon soln 100 mg, 500 mg (Alimta)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
pemetrexed disodium intravenous solution 25 mg/ml	5	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
sorafenib oral tablet 200 mg (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
tamoxifen oral tablet 10 mg, 20 mg	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
toposar intravenous solution 20 mg/ml (etoposide)	2	
toremifene oral tablet 60 mg (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	PA NSO
tretinoin (antineoplastic) oral capsule 10 mg	5	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL PELLET 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ZOLINZA ORAL CAPSULE 100 MG		5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG		5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG		5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG		5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML		5	PA NSO; NDS; QL (20 per 28 days)
Anticonvulsants			
Anticonvulsants			
APTIOM ORAL TABLET 200 MG, 400 MG		5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG		5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML		3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML		3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG		3	QL (60 per 30 days)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg	(Carbatrol)	2	
carbamazepine oral suspension 100 mg/5 ml	(Tegretol)	2	
carbamazepine oral tablet 200 mg	(Epitol)	2	
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg	(Tegretol XR)	2	
carbamazepine oral tablet,chewable 100 mg		2	
clobazam oral suspension 2.5 mg/ml	(Onfi)	2	QL (480 per 30 days)
clobazam oral tablet 10 mg, 20 mg	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DIACOMIT ORAL POWDER IN PACKET 250 MG		5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG		5	PA NSO; NDS; QL (180 per 30 days)
diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg		4	
divalproex oral capsule, delayed rel sprinkle 125 mg	(Depakote Sprinkles)	2	
divalproex oral tablet extended release 24 hr 250 mg, 500 mg	(Depakote ER)	2	
divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg	(Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		5	PA NSO; NDS
epitol oral tablet 200 mg	(carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML		4	ST; QL (480 per 30 days)
ethosuximide oral capsule 250 mg	(Zarontin)	2	
ethosuximide oral solution 250 mg/5 ml	(Zarontin)	2	
felbamate oral suspension 600 mg/5 ml		2	
felbamate oral tablet 400 mg, 600 mg	(Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML		5	PA NSO; NDS
fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml	(Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		5	ST; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG		5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG		4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG		5	ST; NDS; QL (60 per 30 days)
gabapentin oral capsule 100 mg, 300 mg	(Neurontin)	1	GC; QL (360 per 30 days)
gabapentin oral capsule 400 mg	(Neurontin)	1	GC; QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
gabapentin oral solution 250 mg/5 ml	(Neurontin)	2	QL (2160 per 30 days)
gabapentin oral tablet 600 mg	(Neurontin)	2	QL (180 per 30 days)
gabapentin oral tablet 800 mg	(Neurontin)	2	QL (120 per 30 days)
lacosamide intravenous solution 200 mg/20 ml	(Vimpat)	2	QL (200 per 5 days)
lacosamide oral solution 10 mg/ml	(Vimpat)	2	QL (1200 per 30 days)
lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg	(Vimpat)	2	QL (60 per 30 days)
lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg	(Subvenite)	1	GC
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg	(Lamictal)	2	
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg	(Lamictal ODT)	2	
levetiracetam intravenous solution 500 mg/5 ml	(Keppra)	2	
levetiracetam oral solution 100 mg/ml	(Keppra)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg	(Keppra)	2	
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg	(Keppra XR)	2	
methsuximide oral capsule 300 mg	(Celontin)	2	
NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)		4	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)	(Trileptal)	2	
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg	(Trileptal)	2	
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)		2	PA NSO-HRM; AGE (Max 64 Years)
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg		2	PA NSO-HRM; AGE (Max 64 Years)
phenytoin oral suspension 125 mg/5 ml	(Dilantin-125)	2	
phenytoin oral tablet,chewable 50 mg	(Dilantin Infatabs)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
phenytoin sodium extended oral capsule 100 mg	(Dilantin Extended)	2	
phenytoin sodium extended oral capsule 200 mg, 300 mg	(Phenytek)	2	
phenytoin sodium intravenous solution 50 mg/ml		2	
phenytoin sodium intravenous syringe 50 mg/ml		2	
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	(Lyrica)	2	QL (90 per 30 days)
pregabalin oral capsule 225 mg, 300 mg	(Lyrica)	2	QL (60 per 30 days)
pregabalin oral solution 20 mg/ml	(Lyrica)	2	QL (900 per 30 days)
primidone oral tablet 125 mg		2	
primidone oral tablet 250 mg, 50 mg	(Mysoline)	2	
rufinamide oral suspension 40 mg/ml	(Banzel)	5	ST; NDS
rufinamide oral tablet 200 mg	(Banzel)	2	ST
rufinamide oral tablet 400 mg	(Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG		4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG		4	ST; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	(lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG		5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG		4	PA NSO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg		2	
topiramate oral capsule, sprinkle 15 mg, 25 mg	(Topamax)	2	
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg	(Topamax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	
valproic acid oral capsule 250 mg	2	
VALTOCO NASAL SPRAY,NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY,NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NDS
vigabatrin oral powder in packet 500 mg (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral tablet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	2	
zonisamide oral capsule 50 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ZTALMY ORAL SUSPENSION 50 MG/ML		5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents			
Antidementia Agents			
donepezil oral tablet 10 mg, 5 mg	(Aricept)	1	GC; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg		2	QL (30 per 30 days)
ergoloid oral tablet 1 mg		2	
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg		2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml		2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg		2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg	(Namenda XR)	2	ST; QL (30 per 30 days)
memantine oral solution 2 mg/ml		2	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg		2	QL (60 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg		2	QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	(Exelon Patch)	2	QL (30 per 30 days)
Antidepressants			
Antidepressants			
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg		1	GC
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg		2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG		5	ST; NDS
bupropion hcl oral tablet 100 mg, 75 mg		2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	(Wellbutrin XL)	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	(Wellbutrin SR)	2	
citalopram oral solution 10 mg/5 ml		2	QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
citalopram oral tablet 10 mg	(Celexa)	1	GC; QL (120 per 30 days)
citalopram oral tablet 20 mg, 40 mg	(Celexa)	1	GC; QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg	(Anafranil)	2	
desipramine oral tablet 10 mg, 25 mg	(Norpramin)	2	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg		2	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg	(Pristiq)	2	QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg		2	
doxepin oral concentrate 10 mg/ml		1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG		4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG		4	ST; QL (30 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg	(Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR		5	ST; NDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml		2	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg	(Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)		4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG		4	ST; QL (30 per 30 days)
fluoxetine oral capsule 10 mg, 20 mg, 40 mg	(Prozac)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fluoxetine oral solution 20 mg/5 ml (4 mg/ml)		2	
fluvoxamine oral tablet 100 mg, 25 mg, 50 mg		2	
imipramine hcl oral tablet 10 mg, 25 mg, 50 mg		2	
MARPLAN ORAL TABLET 10 MG		4	
mirtazapine oral tablet 15 mg, 30 mg	(Remeron)	2	
mirtazapine oral tablet 45 mg, 7.5 mg		2	
mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg	(Remeron SolTab)	2	
nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg		2	
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg	(Pamelor)	1	GC
nortriptyline oral solution 10 mg/5 ml		2	
paroxetine hcl oral suspension 10 mg/5 ml	(Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg	(Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
phenelzine oral tablet 15 mg	(Nardil)	2	
protriptyline oral tablet 10 mg, 5 mg		2	
sertraline oral concentrate 20 mg/ml	(Zoloft)	2	
sertraline oral tablet 100 mg, 25 mg, 50 mg	(Zoloft)	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG		4	PA NSO
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)		5	PA NSO; NDS
tranylcypromine oral tablet 10 mg	(Parnate)	2	
trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg		1	GC
trimipramine oral capsule 100 mg, 25 mg, 50 mg		2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
venlafaxine besylate oral tablet extended release 24hr 112.5 mg		4	QL (60 per 30 days)
venlafaxine oral capsule,extended release 24hr 150 mg	(Effexor XR)	1	GC; QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg	(Effexor XR)	2	QL (90 per 30 days)
venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg		2	
vilazodone oral tablet 10 mg, 20 mg, 40 mg	(Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG		5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG		5	PA NSO; NDS; QL (14 per 14 days)
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
acarbose oral tablet 100 mg, 25 mg, 50 mg	(Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	(dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG		3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG		3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG		3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG		3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG		3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG		3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG		3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
metformin oral tablet 1,000 mg	6	GC; QL (75 per 30 days)
metformin oral tablet 500 mg	6	GC; QL (150 per 30 days)
metformin oral tablet 850 mg	6	GC; QL (90 per 30 days)
metformin oral tablet extended release 24 hr 500 mg	6	GC; QL (120 per 30 days)
metformin oral tablet extended release 24 hr 750 mg	6	GC; QL (60 per 30 days)
mifepristone oral tablet 300 mg (Korlym)	5	PA; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
nateglinide oral tablet 120 mg, 60 mg	6	GC; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA NSO; QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA NSO; QL (1.5 per 28 days)
pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)	6	GC; QL (30 per 30 days)
pioglitazone-metformin oral tablet 15-500 mg	6	GC; QL (90 per 30 days)
pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)	6	GC; QL (90 per 30 days)
repaglinide oral tablet 0.5 mg, 1 mg	6	GC; QL (120 per 30 days)
repaglinide oral tablet 2 mg	6	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
Insulins		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (24 per 28 days)
insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)	(Novolog Mix 70-30FlexPen U-100)	2	max $35 copay per month supply; QL (30 per 28 days)
insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)	(Novolog Mix 70-30 U-100 Insuln)	2	max $35 copay per month supply; QL (40 per 28 days)
insulin aspart u-100 subcutaneous cartridge 100 unit/ml	(Novolog PenFill U-100 Insulin)	2	max $35 copay per month supply; QL (30 per 28 days)
insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)	(Novolog FlexPen U-100 Insulin)	2	max $35 copay per month supply; QL (30 per 28 days)
insulin aspart u-100 subcutaneous solution 100 unit/ml	(Novolog U-100 Insulin aspart)	2	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max $35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max $35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max $35 copay per month supply; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max $35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max $35 copay per month supply; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max $35 copay per month supply; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max $35 copay per month supply; QL (15 per 28 days)
Sulfonylureas			
glimepiride oral tablet 1 mg, 2 mg		6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg		6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg		6	GC; QL (120 per 30 days)
glipizide oral tablet 2.5 mg, 5 mg		6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	(Glucotrol XL)	6	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	(Glucotrol XL)	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg		6	GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg		6	GC; QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg		6	PA-HRM; GC; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg		6	PA-HRM; GC; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg		6	PA-HRM; GC; AGE (Max 64 Years)
Antifungals			
Antifungals			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML		4	PA BvD
amphotericin b injection recon soln 50 mg		2	PA BvD
amphotericin b liposome intravenous suspension for reconstitution 50 mg	(AmBisome)	5	PA BvD; NDS
caspofungin intravenous recon soln 50 mg	(Cancidas)	2	
caspofungin intravenous recon soln 70 mg	(Cancidas)	5	NDS
ciclopirox topical cream 0.77 %	(Ciclodan)	2	QL (180 per 30 days)
ciclopirox topical solution 8 %	(Ciclodan)	2	QL (19.8 per 30 days)
clotrimazole mucous membrane troche 10 mg		2	
clotrimazole topical cream 1 %	(Antifungal (clotrimazole))	2	
clotrimazole topical solution 1 %		2	
clotrimazole-betamethasone topical cream 1-0.05 %		2	QL (90 per 30 days)
econazole topical cream 1 %		2	QL (170 per 30 days)
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fluconazole oral suspension for reconstitution 10 mg/ml		2	
fluconazole oral suspension for reconstitution 40 mg/ml	(Diflucan)	2	
fluconazole oral tablet 100 mg, 200 mg	(Diflucan)	2	
fluconazole oral tablet 150 mg, 50 mg		2	
flucytosine oral capsule 250 mg, 500 mg	(Ancobon)	5	NDS
griseofulvin microsize oral suspension 125 mg/5 ml		2	
griseofulvin microsize oral tablet 500 mg		2	
itraconazole oral capsule 100 mg	(Sporanox)	2	
ketoconazole oral tablet 200 mg		2	
ketoconazole topical cream 2 %		2	QL (180 per 30 days)
ketoconazole topical foam 2 %	(Extina)	2	ST; QL (100 per 30 days)
ketoconazole topical shampoo 2 %		2	QL (360 per 30 days)
miconazole-3 vaginal suppository 200 mg		2	
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		5	PA; NDS
nyamyc topical powder 100,000 unit/gram	(nystatin)	2	QL (60 per 30 days)
nystatin oral suspension 100,000 unit/ml		2	QL (900 per 30 days)
nystatin oral tablet 500,000 unit		2	
nystatin topical cream 100,000 unit/gram		2	QL (60 per 30 days)
nystatin topical ointment 100,000 unit/gram		2	QL (60 per 30 days)
nystatin topical powder 100,000 unit/gram	(Nyamyc)	2	QL (60 per 30 days)
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%		2	
nystop topical powder 100,000 unit/gram	(nystatin)	2	QL (60 per 30 days)
posaconazole oral suspension 200 mg/5 ml (40 mg/ml)	(Noxafil)	5	PA; NDS
posaconazole oral tablet,delayed release (dr/ec) 100 mg	(Noxafil)	5	PA; NDS
terbinafine hcl oral tablet 250 mg		1	GC
voriconazole intravenous recon soln 200 mg	(Vfend IV)	5	PA BvD; NDS
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)	(Vfend)	5	PA; NDS
voriconazole oral tablet 200 mg, 50 mg	(Vfend)	2	
Antigout Agents			
Antigout Agents, Other			
allopurinol oral tablet 100 mg	(Zyloprim)	1	GC
allopurinol oral tablet 300 mg		1	GC
colchicine oral capsule 0.6 mg	(Mitigare)	2	QL (60 per 30 days)
colchicine oral tablet 0.6 mg	(Colcrys)	2	QL (120 per 30 days)
febuxostat oral tablet 40 mg, 80 mg	(Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	(colchicine)	2	QL (60 per 30 days)
probenecid oral tablet 500 mg		2	
probenecid-colchicine oral tablet 500-0.5 mg		2	
Antihistamines			
Antihistamines			
cyproheptadine oral syrup 2 mg/5 ml		2	PA-HRM; AGE (Max 64 Years)
diphenhydramine hcl injection solution 50 mg/ml		2	
diphenhydramine hcl injection syringe 50 mg/ml		1	GC
diphenhydramine hcl oral elixir 12.5 mg/5 ml	(Diphen)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml		2	
hydroxyzine hcl oral solution 10 mg/5 ml		2	
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg		1	GC
levocetirizine oral tablet 5 mg	(24HR Allergy Relief)	1	GC
promethazine oral syrup 6.25 mg/5 ml		2	PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)			
Anti-Infectives (Skin And Mucous Membrane)			
clindamycin phosphate vaginal cream 2 %	(Cleocin)	2	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram)	(Vandazole)	2	
terconazole vaginal cream 0.4 %, 0.8 %		2	
terconazole vaginal suppository 80 mg		2	
Antimigraine Agents			
Antimigraine Agents			
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML		3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML		3	PA; QL (1.5 per 30 days)
dihydroergotamine injection solution 1 mg/ml		5	NDS; QL (24 per 28 days)
dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)	(Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML		3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML		3	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)		3	PA; QL (3 per 30 days)
naratriptan oral tablet 1 mg, 2.5 mg		2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG		3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG		3	PA; QL (30 per 30 days)
rizatriptan oral tablet 10 mg	(Maxalt)	2	QL (12 per 30 days)
rizatriptan oral tablet 5 mg		2	QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 10 mg	(Maxalt-MLT)	2	QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 5 mg		2	QL (12 per 30 days)
sumatriptan 4 mg/0.5 ml inject outer, suv	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
sumatriptan nasal spray,non-aerosol 20 mg/actuation		2	QL (12 per 30 days)
sumatriptan nasal spray,non-aerosol 5 mg/actuation		2	QL (18 per 30 days)
sumatriptan succinate oral tablet 100 mg	(Imitrex)	1	GC; QL (9 per 30 days)
sumatriptan succinate oral tablet 25 mg, 50 mg	(Imitrex)	1	GC; QL (18 per 30 days)
sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml	(Imitrex STATdose Refill)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml	(Imitrex STATdose Pen)	4	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous solution 6 mg/0.5 ml	(Imitrex)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml		2	QL (4 per 28 days)
sumatriptan-naproxen oral tablet 85-500 mg	(Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG		3	PA; QL (16 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
zolmitriptan oral tablet 2.5 mg, 5 mg (Zomig)	2	QL (6 per 30 days)
zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg	2	QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
dapsone oral tablet 100 mg, 25 mg	2	
ethambutol oral tablet 100 mg	2	
ethambutol oral tablet 400 mg (Myambutol)	2	
isoniazid oral solution 50 mg/5 ml	2	
isoniazid oral tablet 100 mg, 300 mg	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
pyrazinamide oral tablet 500 mg	2	
rifabutin oral capsule 150 mg (Mycobutin)	2	
rifampin intravenous recon soln 600 mg (Rifadin)	2	
rifampin oral capsule 150 mg, 300 mg	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (4.4 per 28 days)
aprepitant oral capsule 125 mg	2	PA BvD; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
aprepitant oral capsule 40 mg		2	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg	(Emend)	2	PA BvD; QL (4 per 28 days)
aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)	(Emend)	2	PA BvD
compro rectal suppository 25 mg	(prochlorperazine)	2	
dimenhydrinate injection solution 50 mg/ml		2	
dronabinol oral capsule 10 mg, 2.5 mg, 5 mg	(Marinol)	2	PA; QL (60 per 30 days)
droperidol injection solution 2.5 mg/ml		2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		5	PA BvD; NDS; QL (6 per 28 days)
fosaprepitant intravenous recon soln 150 mg	(Emend (fosaprepitant))	2	QL (2 per 28 days)
granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml		2	
granisetron hcl intravenous solution 1 mg/ml		2	
granisetron hcl oral tablet 1 mg		2	PA BvD
meclizine oral tablet 12.5 mg		2	
meclizine oral tablet 25 mg	(Dramamine (meclizine))	2	
ondansetron hcl (pf) injection solution 4 mg/2 ml		2	
ondansetron hcl (pf) injection syringe 4 mg/2 ml		1	GC
ondansetron hcl intravenous solution 2 mg/ml		2	
ondansetron hcl oral solution 4 mg/5 ml		2	PA BvD
ondansetron hcl oral tablet 4 mg, 8 mg		2	PA BvD
ondansetron oral tablet,disintegrating 4 mg, 8 mg		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)		2	
prochlorperazine maleate oral tablet 10 mg, 5 mg	(Compazine)	2	
prochlorperazine rectal suppository 25 mg	(Compro)	2	
promethazine injection solution 25 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine injection solution 50 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine oral tablet 12.5 mg, 25 mg, 50 mg		1	PA-HRM; GC; AGE (Max 64 Years)
promethazine rectal suppository 12.5 mg, 25 mg, 50 mg	(Promethegan)	2	PA-HRM; AGE (Max 64 Years)
promethegan rectal suppository 12.5 mg, 25 mg	(promethazine)	2	PA-HRM; AGE (Max 64 Years)
scopolamine base transdermal patch 3 day 1 mg over 3 days	(Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents			
Antiparasite Agents			
albendazole oral tablet 200 mg		5	NDS
atovaquone oral suspension 750 mg/5 ml	(Mepron)	2	
atovaquone-proguanil oral tablet 250-100 mg	(Malarone)	2	
atovaquone-proguanil oral tablet 62.5-25 mg	(Malarone Pediatric)	2	
chloroquine phosphate oral tablet 250 mg, 500 mg		2	
COARTEM ORAL TABLET 20-120 MG		4	
hydroxychloroquine oral tablet 200 mg	(Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		5	PA; NDS; QL (84 per 28 days)
ivermectin oral tablet 3 mg	(Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
mefloquine oral tablet 250 mg		2	
nitazoxanide oral tablet 500 mg	(Alinia)	5	NDS
paromomycin oral capsule 250 mg	(Humatin)	2	
pentamidine inhalation recon soln 300 mg	(Nebupent)	2	PA BvD
pentamidine injection recon soln 300 mg	(Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG		4	
pyrimethamine oral tablet 25 mg	(Daraprim)	5	PA; NDS
quinine sulfate oral capsule 324 mg	(Qualaquin)	2	PA; QL (42 per 7 days)
Antiparkinsonian Agents			
Antiparkinsonian Agents			
amantadine hcl oral capsule 100 mg		2	
amantadine hcl oral solution 50 mg/5 ml		1	GC
apomorphine subcutaneous cartridge 10 mg/ml	(APOKYN)	5	PA; NDS; QL (60 per 30 days)
benztropine oral tablet 0.5 mg, 1 mg, 2 mg		2	
bromocriptine oral capsule 5 mg	(Parlodel)	2	
bromocriptine oral tablet 2.5 mg	(Parlodel)	2	
cabergoline oral tablet 0.5 mg		2	
carbidopa-levodopa oral tablet 10-100 mg	(Sinemet)	2	
carbidopa-levodopa oral tablet 25-100 mg	(Dhivy)	2	
carbidopa-levodopa oral tablet 25-250 mg		2	
carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg		2	
carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg	2	
entacapone oral tablet 200 mg	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg	1	GC
rasagiline oral tablet 0.5 mg, 1 mg (Azilect)	2	
ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg	2	
ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg	2	
selegiline hcl oral capsule 5 mg	2	
selegiline hcl oral tablet 5 mg	2	
trihexyphenidyl oral elixir 0.4 mg/ml	2	
trihexyphenidyl oral tablet 2 mg, 5 mg	1	GC
Antipsychotic Agents		
Antipsychotic Agents		
aripiprazole oral solution 1 mg/ml	2	
aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg (Abilify)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
aripiprazole oral tablet,disintegrating 10 mg	2	ST; QL (90 per 30 days)
aripiprazole oral tablet,disintegrating 15 mg	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
chlorpromazine injection solution 25 mg/ml	2	
chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml	2	
chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	
clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	2	
clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
clozapine oral tablet,disintegrating 150 mg	2	ST; QL (180 per 30 days)
clozapine oral tablet,disintegrating 200 mg	5	ST; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
fluphenazine decanoate injection solution 25 mg/ml	2	
fluphenazine hcl injection solution 2.5 mg/ml	2	
fluphenazine hcl oral concentrate 5 mg/ml	2	
fluphenazine hcl oral elixir 2.5 mg/5 ml	2	
fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg	2	
haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)	2	
haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml (Haldol Decanoate)	2	
haloperidol lactate injection solution 5 mg/ml	2	
haloperidol lactate intramuscular syringe 5 mg/ml	2	
haloperidol lactate oral concentrate 2 mg/ml	2	
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg	2	
lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg (Latuda)	5	NDS; QL (30 per 30 days)
lurasidone oral tablet 80 mg (Latuda)	5	NDS; QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
molindone oral tablet 10 mg	2	QL (240 per 30 days)
molindone oral tablet 25 mg	2	QL (270 per 30 days)
molindone oral tablet 5 mg	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
olanzapine intramuscular recon soln 10 mg	(Zyprexa)	2	QL (30 per 30 days)
olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg	(Zyprexa)	2	
olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg	(Zyprexa Zydis)	2	
paliperidone oral tablet extended release 24hr 1.5 mg		2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 3 mg, 9 mg	(Invega)	2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 6 mg	(Invega)	2	QL (60 per 30 days)
perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg		2	
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG		5	NDS; QL (1 per 30 days)
pimozide oral tablet 1 mg, 2 mg		2	
prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)		2	
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg	(Seroquel)	2	
quetiapine oral tablet 150 mg		2	QL (30 per 30 days)
quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg	(Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG		5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG		5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG		5	ST; NDS; QL (30 per 30 days)
risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml	(Risperdal Consta)	2	QL (2 per 28 days)
risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml	(Risperdal Consta)	5	NDS; QL (2 per 28 days)
risperidone oral solution 1 mg/ml	(Risperdal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
risperidone oral tablet 0.25 mg	2	
risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	2	
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	2	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	2	
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	2	
ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	2	
abacavir oral tablet 300 mg	2	
abacavir-lamivudine oral tablet 600-300 mg	2	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
atazanavir oral capsule 150 mg	2	
atazanavir oral capsule 200 mg, 300 mg (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML		5	NDS
cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)		5	NDS; QL (24 per 365 days)
cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)	(Apretude)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG		5	NDS
COMPLERA ORAL TABLET 200-25-300 MG		5	NDS
darunavir oral tablet 600 mg, 800 mg	(Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	NDS
didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg		2	
DOVATO ORAL TABLET 50-300 MG		5	NDS
EDURANT ORAL TABLET 25 MG		5	NDS
efavirenz oral capsule 200 mg, 50 mg		2	
efavirenz oral tablet 600 mg		2	
efavirenz-emtricitabin-tenofov oral tablet 600-200-300 mg	(Atripla)	5	NDS
efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg	(Symfi Lo)	5	NDS
efavirenz-lamivu-tenofov disop oral tablet 600-300-300 mg	(Symfi)	5	NDS
emtricitabine oral capsule 200 mg	(Emtriva)	2	
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg	(Truvada)	5	NDS
emtricitabine-tenofovir (tdf) oral tablet 200-300 mg	(Truvada)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
etravirine oral tablet 100 mg, 200 mg (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
fosamprenavir oral tablet 700 mg	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
lamivudine oral solution 10 mg/ml (Epivir)	2	
lamivudine oral tablet 100 mg	2	
lamivudine oral tablet 150 mg, 300 mg (Epivir)	2	
lamivudine-zidovudine oral tablet 150-300 mg	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)	2	QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)	2	QL (300 per 30 days)
lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)	2	QL (120 per 30 days)
maraviroc oral tablet 150 mg, 300 mg (Selzentry)	5	NDS
nevirapine oral suspension 50 mg/5 ml	2	
nevirapine oral tablet 200 mg	2	
nevirapine oral tablet extended release 24 hr 100 mg, 400 mg	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
rilpivirine intramuscular suspension,extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)	5	NDS
ritonavir oral tablet 100 mg (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
tenofovir disoproxil fumarate oral tablet 300 mg (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG		5	NDS
VOCABRIA ORAL TABLET 30 MG		4	
zidovudine oral capsule 100 mg	(Retrovir)	2	
zidovudine oral syrup 10 mg/ml	(Retrovir)	2	
zidovudine oral tablet 300 mg		2	
Antivirals, Miscellaneous			
foscarnet intravenous solution 24 mg/ml	(Foscavir)	2	PA BvD
oseltamivir oral capsule 30 mg	(Tamiflu)	2	QL (84 per 180 days)
oseltamivir oral capsule 45 mg	(Tamiflu)	2	QL (48 per 180 days)
oseltamivir oral capsule 75 mg	(Tamiflu)	2	QL (42 per 180 days)
oseltamivir oral suspension for reconstitution 6 mg/ml	(Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG		3	$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML		5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML		5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		4	QL (60 per 180 days)
rimantadine oral tablet 100 mg	(Flumadine)	2	
XOFLUZA 40 MG TAB (80 MG DOSE)		4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG		4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG		4	QL (2 per 180 days)
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG		5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG		5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg	2	
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	2	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
lagevrio (eua) oral capsule 200 mg	4	QL (40 per 5 days)
ribavirin oral capsule 200 mg	2	
ribavirin oral tablet 200 mg	2	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	
valganciclovir oral tablet 450 mg (Valcyte)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg (Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
enoxaparin subcutaneous solution 300 mg/3 ml (Lovenox)	2	QL (30 per 30 days)
enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml (Lovenox)	2	QL (60 per 30 days)
enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml (Lovenox)	2	QL (48 per 30 days)
enoxaparin subcutaneous syringe 30 mg/0.3 ml (Lovenox)	2	QL (18 per 30 days)
enoxaparin subcutaneous syringe 40 mg/0.4 ml (Lovenox)	2	QL (24 per 30 days)
enoxaparin subcutaneous syringe 60 mg/0.6 ml (Lovenox)	2	QL (36 per 30 days)
fondaparinux subcutaneous syringe 10 mg/0.8 ml (Arixtra)	5	NDS; QL (24 per 30 days)
fondaparinux subcutaneous syringe 2.5 mg/0.5 ml (Arixtra)	2	QL (15 per 30 days)
fondaparinux subcutaneous syringe 5 mg/0.4 ml (Arixtra)	5	NDS; QL (12 per 30 days)
fondaparinux subcutaneous syringe 7.5 mg/0.6 ml (Arixtra)	5	NDS; QL (18 per 30 days)
heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)	2	
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
heparin, porcine (pf) injection solution 1,000 unit/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml	2	
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)	1	GC
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
anagrelide oral capsule 0.5 mg (Agrylin)	2	
anagrelide oral capsule 1 mg	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
protamine intravenous solution 10 mg/ml	2	
tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml) (Cyklokapron)	2	
tranexamic acid oral tablet 650 mg	2	
Platelet-Aggregation Inhibitors		
aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
cilostazol oral tablet 100 mg, 50 mg	2	
clopidogrel oral tablet 75 mg (Plavix)	1	GC
dipyridamole oral tablet 25 mg, 50 mg, 75 mg	2	PA-HRM; AGE (Max 64 Years)
pentoxifylline oral tablet extended release 400 mg	2	
prasugrel oral tablet 10 mg, 5 mg (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
dextrose 10 % in water (d10w) intravenous parenteral solution 10 %	2	PA BvD
dextrose 5 % in water (d5w) intravenous parenteral solution	4	
dextrose 5 % in water (d5w) intravenous piggyback 5 %	2	
dextrose 5%-water iv soln single use	2	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	2	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	
methyldopa oral tablet 250 mg, 500 mg	2	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
phenylephrine hcl injection solution 10 mg/ml (Vazculep)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
prazosin oral capsule 1 mg, 2 mg, 5 mg		2	
Angiotensin Ii Receptor Antagonists			
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg	(Atacand)	6	GC
candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg	(Atacand HCT)	6	GC
EDARBI ORAL TABLET 40 MG, 80 MG		3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG		3	
ENTRESTO ORAL TABLET 24-26 MG		3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG		3	QL (60 per 30 days)
irbesartan oral tablet 150 mg, 300 mg, 75 mg	(Avapro)	6	GC
irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg	(Avalide)	6	GC
losartan oral tablet 100 mg, 25 mg, 50 mg	(Cozaar)	6	GC
losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg	(Hyzaar)	6	GC
olmesartan oral tablet 20 mg, 40 mg, 5 mg	(Benicar)	6	GC
olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg	(Tribenzor)	6	GC
olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg	(Benicar HCT)	6	GC
telmisartan oral tablet 20 mg, 40 mg, 80 mg	(Micardis)	6	GC
telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg	(Micardis HCT)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg	(Diovan)	6	GC
valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg	(Diovan HCT)	6	GC
Angiotensin-Converting Enzyme Inhibitors			
benazepril oral tablet 10 mg, 20 mg, 40 mg	(Lotensin)	6	GC
benazepril oral tablet 5 mg		6	GC
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Lotensin HCT)	6	GC
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg		6	GC
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg		6	GC
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Vasotec)	6	GC
enalaprilat intravenous solution 1.25 mg/ml		2	
enalapril-hydrochlorothiazide oral tablet 10-25 mg	(Vaseretic)	6	GC
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg		6	GC
fosinopril oral tablet 10 mg, 20 mg, 40 mg		6	GC
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg		6	GC
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg	(Zestril)	6	GC
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Zestoretic)	6	GC
moexipril oral tablet 15 mg, 7.5 mg		6	GC
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg		6	GC
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Accupril)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Accuretic)	6	GC
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg	(Altace)	6	GC
trandolapril oral tablet 1 mg, 2 mg, 4 mg		6	GC
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg		6	GC
Antiarrhythmic Agents			
amiodarone oral tablet 100 mg, 400 mg	(Pacerone)	2	
amiodarone oral tablet 200 mg	(Pacerone)	1	GC
disopyramide phosphate oral capsule 100 mg, 150 mg	(Norpace)	2	PA-HRM; AGE (Max 64 Years)
dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg	(Tikosyn)	2	
flecainide oral tablet 100 mg, 150 mg, 50 mg		2	
lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)		1	GC
mexiletine oral capsule 150 mg, 200 mg, 250 mg		2	
MULTAQ ORAL TABLET 400 MG		3	
pacerone oral tablet 100 mg, 200 mg, 400 mg	(amiodarone)	2	
procainamide injection solution 100 mg/ml, 500 mg/ml		2	
procainamide intravenous syringe 100 mg/ml		2	
propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg		2	
propafenone oral tablet 150 mg, 225 mg, 300 mg		2	
quinidine gluconate oral tablet extended release 324 mg		2	
quinidine sulfate oral tablet 200 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
quinidine sulfate oral tablet 300 mg		2	
Beta-Adrenergic Blocking Agents			
acebutolol oral capsule 200 mg, 400 mg		2	
atenolol oral tablet 100 mg, 25 mg, 50 mg	(Tenormin)	1	GC
atenolol-chlorthalidone oral tablet 100-25 mg	(Tenoretic 100)	2	
atenolol-chlorthalidone oral tablet 50-25 mg	(Tenoretic 50)	2	
betaxolol oral tablet 10 mg, 20 mg		2	
bisoprolol fumarate oral tablet 10 mg, 5 mg		2	
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg		2	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg	(Coreg)	1	GC
labetalol intravenous solution 5 mg/ml		2	
labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)		2	
labetalol oral tablet 100 mg, 200 mg, 300 mg		2	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	(Toprol XL)	1	GC
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg		2	
metoprolol tartrate intravenous solution 5 mg/5 ml		2	
metoprolol tartrate oral tablet 100 mg, 50 mg	(Lopressor)	1	GC
metoprolol tartrate oral tablet 25 mg		1	GC
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Bystolic)	2	
pindolol oral tablet 10 mg, 5 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
propranolol intravenous solution 1 mg/ml		2	
propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg	(Inderal LA)	2	
propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)		2	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg		2	
propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg		2	
sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg	(sotalol)	2	
sotalol af oral tablet 120 mg, 160 mg, 80 mg	(sotalol)	2	
sotalol oral tablet 120 mg, 160 mg, 80 mg	(Sotalol AF)	2	
sotalol oral tablet 240 mg	(Betapace)	2	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg		2	
Calcium-Channel Blocking Agents			
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(diltiazem hcl)	2	
diltiazem hcl intravenous solution 5 mg/ml		2	
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg		2	
diltiazem hcl oral capsule,extended release 24 hr 360 mg	(Taztia XT)	2	
diltiazem hcl oral capsule,extended release 24 hr 420 mg	(Tiadylt ER)	2	
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cartia XT)	2	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	2	
diltiazem hcl oral tablet 90 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	(diltiazem hcl)	2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	(diltiazem hcl)	2	
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(diltiazem hcl)	2	
verapamil intravenous syringe 2.5 mg/ml		2	
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg	(Verelan PM)	2	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg		2	
verapamil oral capsule,ext rel. pellets 24 hr 360 mg		4	
verapamil oral tablet 120 mg, 40 mg, 80 mg		1	GC
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg		2	
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG		3	QL (60 per 30 days)
digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(digoxin)	2	
digox oral tablet 125 mcg (0.125 mg)	(digoxin)	2	
digoxin injection solution 250 mcg/ml (0.25 mg/ml)	(Lanoxin)	2	
digoxin injection syringe 250 mcg/ml (0.25 mg/ml)		2	
digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(Digitek)	2	
epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml	(Auvi-Q)	2	QL (4 per 30 days)
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	2	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
epinephrine injection solution 1 mg/ml	(Adrenalin)	1	GC
hydralazine injection solution 20 mg/ml		2	
hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg		2	
icatibant subcutaneous syringe 30 mg/3 ml	(Sajazir)	5	PA; NDS; QL (18 per 30 days)
metyrosine oral capsule 250 mg	(Demser)	5	NDS
ranolazine oral tablet extended release 12 hr 1,000 mg		2	QL (60 per 30 days)
ranolazine oral tablet extended release 12 hr 500 mg		2	QL (120 per 30 days)
sajazir subcutaneous syringe 30 mg/3 ml	(icatibant)	5	PA; NDS; QL (18 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG		4	PA; QL (30 per 30 days)
Dihydropyridines			
amlodipine oral tablet 10 mg, 2.5 mg, 5 mg	(Norvasc)	1	GC
amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	(Lotrel)	6	GC
amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg		6	GC
amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	(Azor)	6	GC
amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg	(Exforge)	6	GC
amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg	(Exforge HCT)	6	GC
isradipine oral capsule 2.5 mg, 5 mg		2	
nicardipine oral capsule 20 mg, 30 mg		2	
nifedipine oral capsule 10 mg, 20 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg	2	
Diuretics		
amiloride oral tablet 5 mg	2	
amiloride-hydrochlorothiazide oral tablet 5-50 mg	2	
bumetanide injection solution 0.25 mg/ml	2	
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	2	
chlorothiazide sodium intravenous recon soln 500 mg	2	
chlorthalidone oral tablet 25 mg, 50 mg	2	
furosemide injection solution 10 mg/ml	2	
furosemide injection syringe 10 mg/ml	1	GC
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	GC
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	1	GC
torsemide oral tablet 10 mg, 100 mg, 5 mg	2	
torsemide oral tablet 20 mg (Soaanz)	2	
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg		1	GC
Dyslipidemics			
amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg	(Caduet)	6	GC
amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	(Caduet)	6	GC; QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg		6	GC
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg	(Lipitor)	6	GC; QL (30 per 30 days)
cholestyramine (with sugar) oral powder in packet 4 gram	(Questran)	2	
cholestyramine light oral powder in packet 4 gram	(cholestyramine-aspartame)	2	
colesevelam oral powder in packet 3.75 gram	(WelChol)	2	
colesevelam oral tablet 625 mg	(WelChol)	2	
colestipol oral packet 5 gram		2	
colestipol oral tablet 1 gram	(Colestid)	2	
ezetimibe oral tablet 10 mg	(Zetia)	1	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-10 mg	(Vytorin 10-10)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-20 mg	(Vytorin 10-20)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-40 mg	(Vytorin 10-40)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-80 mg	(Vytorin 10-80)	6	GC; QL (30 per 30 days)
fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg		2	
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg	(Tricor)	2	
fenofibrate oral tablet 160 mg, 54 mg		2	
fenofibric acid (choline) oral capsule,delayed release(dr/ec) 135 mg, 45 mg	(Trilipix)	2	
fluvastatin oral capsule 20 mg, 40 mg		6	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fluvastatin oral tablet extended release 24 hr 80 mg	(Lescol XL)	6	GC
gemfibrozil oral tablet 600 mg	(Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG		5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG		5	PA; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	(pitavastatin calcium)	2	QL (30 per 30 days)
lovastatin oral tablet 10 mg, 20 mg, 40 mg		6	GC
NEXLETOL ORAL TABLET 180 MG		3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	QL (30 per 30 days)
niacin oral tablet 500 mg	(Niacor)	1	GC
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg		2	
niacor oral tablet 500 mg	(niacin)	2	
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	2	ST; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		3	QL (2 per 28 days)
pravastatin oral tablet 10 mg, 80 mg		6	GC
pravastatin oral tablet 20 mg, 40 mg		6	GC; QL (30 per 30 days)
prevalite oral powder in packet 4 gram	(cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		3	QL (6 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 5 mg		6	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
rosuvastatin oral tablet 40 mg	(Crestor)	6	GC; QL (30 per 30 days)
simvastatin oral tablet 10 mg, 20 mg, 40 mg	(Zocor)	6	GC; QL (30 per 30 days)
simvastatin oral tablet 5 mg, 80 mg		6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	(icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	(icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors			
aliskiren oral tablet 150 mg, 300 mg	(Tekturna)	2	
eplerenone oral tablet 25 mg, 50 mg	(Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG		3	PA; QL (30 per 30 days)
Vasodilators			
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg		2	
isosorbide dinitrate oral tablet 5 mg	(Isordil Titradose)	2	
isosorbide mononitrate oral tablet 10 mg, 20 mg		2	
isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg		1	GC
isosorbide-hydralazine oral tablet 20-37.5 mg	(BiDil)	2	
minoxidil oral tablet 10 mg, 2.5 mg		2	
nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)		2	
nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg	(Nitrostat)	2	
nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	(Nitro-Dur)	2	
Central Nervous System Agents			
Central Nervous System Agents			
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	(Strattera)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	(Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG		5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG		5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG		5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG		5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG		5	PA; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)		5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG		5	PA; NDS; QL (15 per 30 days)
caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)	(Cafcit)	2	PA BvD
caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)		2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	(glatiramer)	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	(glatiramer)	5	PA; NDS; QL (12 per 28 days)
dalfampridine oral tablet extended release 12 hr 10 mg	(Ampyra)	2	PA; QL (60 per 30 days)
dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg	(Focalin)	2	QL (60 per 30 days)
dextroamphetamine sulfate oral tablet 10 mg	(Zenzedi)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
dextroamphetamine sulfate oral tablet 15 mg, 5 mg	(Zenzedi)	2	QL (90 per 30 days)
dextroamphetamine sulfate oral tablet 20 mg, 30 mg	(Zenzedi)	2	QL (60 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg	(Adderall XR)	2	QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg	(Adderall XR)	2	QL (60 per 30 days)
dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	(Adderall)	2	QL (60 per 30 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg	(Tecfidera)	5	PA; NDS; QL (14 per 7 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)	(Tecfidera)	5	PA; NDS
dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg	(Tecfidera)	5	PA; NDS; QL (60 per 30 days)
fingolimod oral capsule 0.5 mg	(Gilenya)	5	PA; NDS; QL (30 per 30 days)
flumazenil intravenous solution 0.1 mg/ml		2	
GILENYA ORAL CAPSULE 0.25 MG		5	PA; NDS; QL (60 per 30 days)
glatiramer subcutaneous syringe 20 mg/ml	(Copaxone)	5	PA; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 40 mg/ml	(Copaxone)	5	PA; NDS; QL (12 per 28 days)
glatopa subcutaneous syringe 20 mg/ml	(glatiramer)	5	PA; NDS; QL (30 per 30 days)
glatopa subcutaneous syringe 40 mg/ml	(glatiramer)	5	PA; NDS; QL (12 per 28 days)
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg	(Intuniv ER)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
lithium carbonate oral capsule 150 mg, 300 mg, 600 mg	1	GC
lithium carbonate oral tablet 300 mg	2	
lithium carbonate oral tablet extended release 300 mg (Lithobid)	2	
lithium carbonate oral tablet extended release 450 mg	2	
lithium citrate oral solution 8 meq/5 ml	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg (Metadate CD)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
methylphenidate hcl oral capsule, er biphasic 30-70 30 mg	(Metadate CD)	2	QL (60 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg	(Ritalin LA)	2	QL (30 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 30 mg	(Ritalin LA)	2	QL (60 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 60 mg		2	QL (30 per 30 days)
methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml	(Methylin)	2	QL (900 per 30 days)
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg	(Ritalin)	2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 10 mg		2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 20 mg	(Metadate ER)	2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)		2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg	(Concerta)	2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg	(Concerta)	2	QL (60 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)		2	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML		5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
riluzole oral tablet 50 mg	(Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG		5	PA; NDS; QL (30 per 30 days)
teriflunomide oral tablet 14 mg, 7 mg	(Aubagio)	5	PA; NDS; QL (30 per 30 days)
tetrabenazine oral tablet 12.5 mg, 25 mg	(Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG		5	PA; NDS; QL (120 per 30 days)
Contraceptives			
Contraceptives			
afirmelle oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
altavera (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg		2	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
aubra eq oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
aviane oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
ayuna oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
balziva (28) oral tablet 0.4-35 mg-mcg		2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
briellyn oral tablet 0.4-35 mg-mcg		2	
camila oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg		2	
chateal eq (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
cryselle (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
cyred eq oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
deblitane oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(Azurette (28))	2	
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	(Enskyce)	2	
drospirenone-ethinyl estradiol oral tablet 3-0.02 mg	(Jasmiel (28))	2	
drospirenone-ethinyl estradiol oral tablet 3-0.03 mg	(Syeda)	2	
elinest oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
eluryng vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
emzahh oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
enilloring vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
enskyce oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
errin oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
estarylla oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg	(Kelnor 1/35 (28))	2	
ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg	(Kelnor 1-50 (28))	2	
etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr	(EluRyng)	2	QL (1 per 28 days)
falmina (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
hailey oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
jasmiel (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
kalliga oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kelnor 1-50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(LoJaimiess)	2	QL (91 per 84 days)
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	2	QL (91 per 84 days)
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
lessina oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)	(Balcoltra)	2	
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	(Afirmelle)	2	
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	2	
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(Iclevia)	2	QL (91 per 84 days)
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
loryna (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
lo-zumandimine (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
lutera (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
marlissa (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
mili oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
mono-linyah oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	
nikki (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr	(Xulane)	2	QL (3 per 28 days)
norethindrone (contraceptive) oral tablet 0.35 mg	(Camila)	1	GC
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg	(Aurovela 1.5/30 (21))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg	(Aurovela 1/20 (21))	2	
norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)	(Merzee)	2	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)	(Aurovela Fe 1-20 (28))	1	GC
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(Aurovela Fe 1.5/30 (28))	2	
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(Tri-Legest Fe)	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg	(Tri-Lo-Estarylla)	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(Tri-Estarylla)	2	
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg	(Mili)	2	
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)		2	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
nylia 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
nymyo oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
philith oral tablet 0.4-35 mg-mcg		2	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
pirmella oral tablet 0.5/0.75/1 mg-35 mcg		2	
pirmella oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
portia 28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
reclipsen (28) oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
sharobel oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
sprintec (28) oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
sronyx oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
syeda oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estradiol-iron)	2	
tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	
tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tulana oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
turqoz (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
tyblume oral tablet,chewable 0.1 mg-20 mcg		4	
velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg		2	
vestura (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
vienva oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
vyfemla (28) oral tablet 0.4-35 mg-mcg		2	
vylibra oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
wera (28) oral tablet 0.5-35 mg-mcg		2	
xulane transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zafemy transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zarah oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
zovia 1-35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
zumandimine (28) oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
Cough And Cold Products			
Cough And Cold Products			
benzonatate oral capsule 100 mg, 200 mg		1	GC; EX
Dental And Oral Agents			
Dental And Oral Agents			
cevimeline oral capsule 30 mg	(Evoxac)	2	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Paroex Oral Rinse)	1	GC
denta 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
denta 5000 plus sensitive dental paste 1.1-5 %	(sodium fluoride-pot nitrate)	1	GC
dentagel dental gel 1.1 %	(fluoride (sodium))	1	GC
fluoride (sodium) dental solution 0.2 %	(PreviDent)	1	GC
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	2	
oralone dental paste 0.1 %	(triamcinolone acetonide)	2	
paroex oral rinse mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
periogard mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
sf 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
sodium fluoride-pot nitrate dental paste 1.1-5 %	(Denta 5000 Plus Sensitive)	1	GC
triamcinolone acetonide dental paste 0.1 %	(Kourzeq)	2	
Dermatological Agents			
Dermatological Agents, Other			
accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	2	
acitretin oral capsule 10 mg, 17.5 mg, 25 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
acyclovir topical ointment 5 %	(Zovirax)	2	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL PREP PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL SWABS TOPICAL PADS, MEDICATED	(Alcohol Pads)	1	GC
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ammonium lactate topical cream 12 %		2	
ammonium lactate topical lotion 12 %	(Skin Treatment)	2	
BD ALCOHOL SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
calcipotriene scalp solution 0.005 %		2	QL (120 per 30 days)
calcipotriene topical cream 0.005 %		2	QL (120 per 30 days)
calcipotriene topical ointment 0.005 %		2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
CURITY ALCOHOL SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	GC
EASY TOUCH ALCOHOL PREP PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
fluorouracil topical cream 0.5 %	(Carac)	5	NDS
fluorouracil topical cream 5 %	(Efudex)	2	
fluorouracil topical solution 2 %, 5 %		2	
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	GC
imiquimod topical cream in packet 5 %		2	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
IV PREP WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %		3	QL (5 per 5 days)
methoxsalen oral capsule,liqd-filled,rapid rel 10 mg		5	NDS
PANRETIN TOPICAL GEL 0.1 %		5	NDS; QL (180 per 30 days)
podofilox topical solution 0.5 %		2	
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %		5	PA NSO; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	GC
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	2	
Dermatological Antibacterials			
clindamycin phosphate topical solution 1 %		2	QL (180 per 30 days)
clindamycin phosphate topical swab 1 %	(Clindacin ETZ)	2	
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %	(Neuac)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ery pads topical swab 2 %	(erythromycin with ethanol)	2	
erythromycin with ethanol topical gel 2 %	(Erygel)	2	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %		2	QL (180 per 30 days)
gentamicin topical cream 0.1 %		2	QL (120 per 30 days)
gentamicin topical ointment 0.1 %		2	QL (120 per 30 days)
metronidazole topical cream 0.75 %	(Rosadan)	2	
metronidazole topical gel 0.75 %	(Rosadan)	2	
metronidazole topical gel 1 %	(Metrogel)	2	
metronidazole topical lotion 0.75 %	(MetroLotion)	2	
mupirocin topical ointment 2 %	(Centany)	1	GC; QL (220 per 30 days)
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml		2	
rosadan topical cream 0.75 %	(metronidazole)	2	
selenium sulfide topical lotion 2.5 %		2	
silver sulfadiazine topical cream 1 %	(SSD)	2	
ssd topical cream 1 %	(silver sulfadiazine)	4	
sulfacetamide sodium (acne) topical suspension 10 %	(Klaron)	2	
Dermatological Anti-Inflammatory Agents			
ala-cort topical cream 1 %	(hydrocortisone)	2	
alclometasone topical cream 0.05 %		2	
alclometasone topical ointment 0.05 %		2	
betamethasone dipropionate topical cream 0.05 %		2	
betamethasone dipropionate topical lotion 0.05 %		2	
betamethasone dipropionate topical ointment 0.05 %		2	
betamethasone valerate topical cream 0.1 %		2	
betamethasone valerate topical lotion 0.1 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
betamethasone valerate topical ointment 0.1 %		2	
betamethasone, augmented topical cream 0.05 %		2	
betamethasone, augmented topical gel 0.05 %		2	
betamethasone, augmented topical lotion 0.05 %		2	
betamethasone, augmented topical ointment 0.05 %	(Diprolene (augmented))	2	
clobetasol scalp solution 0.05 %		2	
clobetasol topical cream 0.05 %		2	
clobetasol topical gel 0.05 %		2	
clobetasol topical ointment 0.05 %		2	
clobetasol topical shampoo 0.05 %	(Clobex)	2	
clobetasol-emollient topical cream 0.05 %		2	
desoximetasone topical cream 0.25 %	(Topicort)	2	QL (120 per 30 days)
desoximetasone topical ointment 0.25 %	(Topicort)	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %		3	
fluocinolone topical cream 0.01 %		2	
fluocinolone topical cream 0.025 %	(Synalar)	2	
fluocinolone topical ointment 0.025 %	(Synalar)	2	
fluocinonide topical cream 0.05 %		2	
fluocinonide topical solution 0.05 %		2	
fluocinonide-emollient topical cream 0.05 %	(Fluocinonide-E)	2	
fluticasone propionate topical cream 0.05 %		2	
fluticasone propionate topical ointment 0.005 %		2	
halobetasol propionate topical cream 0.05 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
halobetasol propionate topical ointment 0.05 %		2	
hydrocortisone 2.5% cream		1	GC
hydrocortisone butyrate topical solution 0.1 %		2	QL (120 per 30 days)
hydrocortisone topical cream 1 %	(Ala-Cort)	1	GC
hydrocortisone topical cream with perineal applicator 2.5 %	(Proctosol HC)	1	GC
hydrocortisone topical lotion 2.5 %		2	
hydrocortisone topical ointment 1 %	(Anti-Itch (HC))	1	GC
hydrocortisone topical ointment 2.5 %		1	GC
hydrocortisone valerate topical cream 0.2 %		2	
hydrocortisone-min oil-wht pet topical ointment 1 %		1	GC
mometasone topical cream 0.1 %		2	
mometasone topical ointment 0.1 %		2	
mometasone topical solution 0.1 %		2	
pimecrolimus topical cream 1 %	(Elidel)	2	QL (100 per 30 days)
prednicarbate topical ointment 0.1 %		2	
proctosol hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
proctozone-hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
tacrolimus topical ointment 0.03 %, 0.1 %		2	QL (100 per 30 days)
triamcinolone acetonide topical cream 0.025 %		1	GC
triamcinolone acetonide topical cream 0.1 %, 0.5 %	(Triderm)	1	GC
triamcinolone acetonide topical lotion 0.025 %, 0.1 %		2	
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %		2	
Dermatological Retinoids			
adapalene topical cream 0.1 %	(Differin)	2	
adapalene topical gel 0.1 %	(Differin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ALTRENO TOPICAL LOTION 0.05 %		4	PA
tazarotene topical cream 0.1 %	(Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %		4	
tretinoin topical cream 0.025 %	(Avita)	2	PA
tretinoin topical cream 0.05 %, 0.1 %	(Retin-A)	2	PA
tretinoin topical gel 0.01 %	(Retin-A)	2	PA
tretinoin topical gel 0.025 %	(Avita)	2	PA
tretinoin topical gel 0.05 %	(Atralin)	2	PA
Scabicides And Pediculicides			
malathion topical lotion 0.5 %	(Ovide)	2	
permethrin topical cream 5 %	(Elimite)	2	QL (60 per 30 days)
Devices			
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"		2	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless)	2	
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	GC
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	GC
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	GC
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		2	
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		2	
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		2	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		2	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		2	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insuln Syr(half unit))	2	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE		2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		2	
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		2	
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		2	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		2	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		2	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTILET PEN NEEDLE 29 GAUGE		2	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		2	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	GC
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)
Enzyme Replacement/Modifiers			
Enzyme Replacement/Modifiers			
CERDELGA ORAL CAPSULE 84 MG		5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT		3	
GALAFOLD ORAL CAPSULE 123 MG		5	PA; NDS; QL (14 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
javygtor oral tablet,soluble 100 mg	(sapropterin)	5	PA; NDS
miglustat oral capsule 100 mg	(Yargesa)	5	PA; NDS; QL (90 per 30 days)
nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg	(Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML		5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML		5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML		5	PA BvD; NDS
sapropterin oral tablet,soluble 100 mg	(Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML		5	PA; LA; NDS
yargesa oral capsule 100 mg	(miglustat)	5	PA; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT		3	
Eye, Ear, Nose, Throat Agents			
Eye, Ear, Nose, Throat Agents, Miscellaneous			
apraclonidine ophthalmic (eye) drops 0.5 %		2	
atropine ophthalmic (eye) drops 1 %	(Isopto Atropine)	2	
azelastine nasal aerosol,spray 137 mcg (0.1 %)		2	QL (30 per 25 days)
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)	(Astepro Allergy)	2	QL (30 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
azelastine ophthalmic (eye) drops 0.05 %		2	
cromolyn ophthalmic (eye) drops 4 %		2	
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %	(Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %		5	PA; NDS; QL (60 per 28 days)
epinastine ophthalmic (eye) drops 0.05 %		2	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)		2	QL (30 per 28 days)
ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)		2	QL (15 per 10 days)
levofloxacin ophthalmic (eye) drops 1.5 %		2	
olopatadine ophthalmic (eye) drops 0.1 %	(Eye Allergy Itch-Redness Rlf)	2	
olopatadine ophthalmic (eye) drops 0.2 %	(Eye Allergy Itch Relief)	2	
proparacaine ophthalmic (eye) drops 0.5 %	(Alcaine)	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
acetic acid otic (ear) solution 2 %		2	
bacitracin ophthalmic (eye) ointment 500 unit/gram		2	
bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram	(Polycin)	2	
ciprofloxacin hcl ophthalmic (eye) drops 0.3 %		2	
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %		2	QL (7.5 per 7 days)
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)		2	QL (3.5 per 4 days)
gatifloxacin ophthalmic (eye) drops 0.5 %		2	
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
gentamicin ophthalmic (eye) drops 0.3 %		2	
hydrocortisone-acetic acid otic (ear) drops 1-2 %		2	
levofloxacin ophthalmic (eye) drops 0.5 %		2	
moxifloxacin ophthalmic (eye) drops 0.5 %	(Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %		4	
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%	(Neo-Polycin HC)	2	
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	(Neo-Polycin)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %	(Maxitrol)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %	(Maxitrol)	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml		2	
neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml		2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%		2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%		2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%	(neomycin-bacitracin-poly-hc)	2	
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	(neomycin-bacitracin-polymyxin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)	2	
ofloxacin otic (ear) drops 0.3 %	2	
polycin ophthalmic (eye) ointment 500-10,000 unit/gram (bacitracin-polymyxin b)	2	
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml	1	GC
sulfacetamide sodium ophthalmic (eye) drops 10 %	2	
sulfacetamide sodium ophthalmic (eye) ointment 10 %	2	
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)	2	
tobramycin ophthalmic (eye) drops 0.3 %	2	
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %	2	
trifluridine ophthalmic (eye) drops 1 %	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
bromfenac ophthalmic (eye) drops 0.07 % (Prolensa)	3	
bromfenac ophthalmic (eye) drops 0.075 % (BromSite)	3	
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %	2	
diclofenac sodium ophthalmic (eye) drops 0.1 %	2	
difluprednate ophthalmic (eye) drops 0.05 % (Durezol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %		3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)		2	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 %	(DermOtic Oil)	2	
fluorometholone ophthalmic (eye) drops,suspension 0.1 %	(FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %		2	
fluticasone propionate nasal spray,suspension 50 mcg/actuation	(24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 %	(Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	QL (5 per 16 days)
loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %	(Lotemax)	2	QL (10 per 14 days)
loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %	(Alrex)	3	ST; QL (10 per 25 days)
mometasone nasal spray,non-aerosol 50 mcg/actuation	(Allergy Nasal (mometasone))	2	QL (34 per 30 days)
prednisolone acetate ophthalmic (eye) drops,suspension 1 %	(Pred Forte)	4	
prednisolone sodium phosphate ophthalmic (eye) drops 1 %		2	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %		3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	(cyclosporine)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION		3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Gastrointestinal Agents			
Antiulcer Agents And Acid Suppressants			
cimetidine hcl oral solution 300 mg/5 ml		2	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	(Nexium)	2	QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	(Nexium)	2	QL (60 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg	(Nexium Packet)	2	ST; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg	(Nexium Packet)	2	ST; QL (60 per 30 days)
esomeprazole sodium intravenous recon soln 20 mg		2	
esomeprazole sodium intravenous recon soln 40 mg	(Nexium IV)	2	
famotidine (pf) intravenous solution 20 mg/2 ml		1	GC
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml		2	
famotidine intravenous solution 10 mg/ml		2	
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Acid Reducer (lansoprazole))	1	GC; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	1	GC; QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg	(Cytotec)	2	
nizatidine oral capsule 150 mg, 300 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg		1	GC
pantoprazole intravenous recon soln 40 mg	(Protonix)	2	
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	(Protonix)	1	GC; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	(Protonix)	1	GC; QL (60 per 30 days)
rabeprazole oral tablet,delayed release (dr/ec) 20 mg	(AcipHex)	2	QL (30 per 30 days)
sucralfate oral tablet 1 gram	(Carafate)	2	
Gastrointestinal Agents, Other			
carglumic acid oral tablet, dispersible 200 mg	(Carbaglu)	5	PA; NDS
constulose oral solution 10 gram/15 ml	(lactulose)	2	
cromolyn oral concentrate 100 mg/5 ml	(Gastrocrom)	2	
dicyclomine oral capsule 10 mg		2	
dicyclomine oral solution 10 mg/5 ml		2	
dicyclomine oral tablet 20 mg		2	
diphenoxylate-atropine oral tablet 2.5-0.025 mg	(Lomotil)	2	PA-HRM; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml	(lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NDS
generlac oral solution 10 gram/15 ml	(lactulose)	2	
glycopyrrolate oral tablet 1 mg	(Robinul)	2	
glycopyrrolate oral tablet 2 mg	(Robinul Forte)	2	
lactulose oral solution 10 gram/15 ml	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM		3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM		3	QL (30 per 30 days)
loperamide oral capsule 2 mg	(Anti-Diarrheal (loperamide))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
lubiprostone oral capsule 24 mcg, 8 mcg	(Amitiza)	3	QL (60 per 30 days)
methscopolamine oral tablet 2.5 mg, 5 mg		2	
metoclopramide hcl injection solution 5 mg/ml		2	
metoclopramide hcl injection syringe 5 mg/ml		2	
metoclopramide hcl oral solution 5 mg/5 ml		2	
metoclopramide hcl oral tablet 10 mg, 5 mg	(Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG		5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML		5	PA; NDS
sodium phenylbutyrate oral tablet 500 mg	(Buphenyl)	5	PA; NDS
sodium polystyrene sulfonate oral powder		2	
sps (with sorbitol) oral suspension 15-20 gram/60 ml		2	
ursodiol oral capsule 300 mg		2	
ursodiol oral tablet 250 mg	(URSO 250)	2	
ursodiol oral tablet 500 mg	(URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM		3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG		5	PA; NDS; QL (84 per 28 days)
Laxatives			
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML		3	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	(peg 3350-electrolytes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	(peg 3350-electrolytes)	2	
peg-electrolyte soln oral recon soln 420 gram		2	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram	(Suprep Bowel Prep Kit)	3	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)		3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		3	
Phosphate Binders			
calcium acetate(phosphat bind) oral capsule 667 mg		2	
calcium acetate(phosphat bind) oral tablet 667 mg		2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML		4	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram	(Renvela)	2	
sevelamer carbonate oral tablet 800 mg	(Renvela)	2	
sevelamer hcl oral tablet 400 mg		2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG		3	
Genitourinary Agents			
Antispasmodics, Urinary			
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg		2	
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg	(Toviaz)	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	(mirabegron)	3	
oxybutynin chloride oral syrup 5 mg/5 ml		2	
oxybutynin chloride oral tablet 5 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg		2	
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	(Detrol LA)	2	
tolterodine oral tablet 1 mg, 2 mg	(Detrol)	2	
trospium oral tablet 20 mg		2	
Genitourinary Agents, Miscellaneous			
alfuzosin oral tablet extended release 24 hr 10 mg	(Uroxatral)	1	GC; QL (30 per 30 days)
dutasteride oral capsule 0.5 mg	(Avodart)	2	
finasteride oral tablet 5 mg	(Proscar)	1	GC
tamsulosin oral capsule 0.4 mg	(Flomax)	1	GC
terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg		1	GC
tiopronin oral tablet 100 mg	(Thiola)	5	NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
deferasirox oral granules in packet 180 mg, 360 mg, 90 mg	(Jadenu Sprinkle)	5	PA; NDS
deferasirox oral tablet 180 mg, 360 mg	(Jadenu)	5	PA; NDS
deferasirox oral tablet 90 mg	(Jadenu)	2	PA
deferasirox oral tablet, dispersible 125 mg	(Exjade)	2	PA
deferasirox oral tablet, dispersible 250 mg, 500 mg	(Exjade)	5	PA; NDS
deferiprone oral tablet 1,000 mg, 500 mg	(Ferriprox)	5	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG		5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NDS
penicillamine oral tablet 250 mg	(Depen Titratabs)	5	PA; NDS
trientine oral capsule 250 mg	(Syprine)	5	PA; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
danazol oral capsule 100 mg, 200 mg, 50 mg		2	
oxandrolone oral tablet 10 mg, 2.5 mg	(Oxandrin)	2	PA
testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml	(Depo-Testosterone)	2	PA
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)		2	PA
testosterone enanthate intramuscular oil 200 mg/ml		2	PA; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)	(Vogelxo)	2	PA; QL (300 per 30 days)
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)	(AndroGel)	2	PA; QL (150 per 30 days)
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)	(AndroGel)	2	PA; QL (300 per 30 days)
testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)		2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
estradiol oral tablet 0.5 mg, 1 mg, 2 mg	(Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram)	(Estrace)	2	
estradiol vaginal tablet 10 mcg	(Yuvafem)	2	QL (18 per 28 days)
estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml	(Delestrogen)	2	
estradiol-norethindrone acet oral tablet 0.5-0.1 mg	(Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
jinteli oral tablet 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	(Fyavolv)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	PA-HRM; AGE (Max 64 Years)
raloxifene oral tablet 60 mg	(Evista)	2	
yuvafem vaginal tablet 10 mcg	(estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
betamethasone acet,sod phos injection suspension 6 mg/ml	(Celestone Soluspan)	2	
dexamethasone oral solution 0.5 mg/5 ml		2	
dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg		2	
dexamethasone sodium phos (pf) injection solution 10 mg/ml		1	GC
dexamethasone sodium phos (pf) injection syringe 10 mg/ml		1	GC
dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml		1	GC
dexamethasone sodium phosphate injection syringe 4 mg/ml		2	
fludrocortisone oral tablet 0.1 mg		2	
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg	(Cortef)	2	
methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml	(Depo-Medrol)	2	
methylprednisolone oral tablet 16 mg, 4 mg, 8 mg	(Medrol)	2	
methylprednisolone oral tablet 32 mg		2	
methylprednisolone oral tablets,dose pack 4 mg	(Medrol (Pak))	2	
methylprednisolone sodium succ injection recon soln 125 mg, 40 mg		2	
methylprednisolone sodium succ intravenous recon soln 1,000 mg	(Solu-Medrol)	1	GC
prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
prednisolone oral solution 15 mg/5 ml	2	PA BvD
prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)	2	PA BvD
prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred)	2	PA BvD
prednisone oral solution 5 mg/5 ml	2	PA BvD
prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg	1	PA BvD; GC
prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
triamcinolone acetonide injection suspension 40 mg/ml (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)	2	
desmopressin injection solution 4 mcg/ml (DDAVP)	2	
desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)	2	
desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml	2	
octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml (Sandostatin)	2	
octreotide acetate injection solution 500 mcg/ml (Sandostatin)	5	NDS
octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML (lanreotide)	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML		5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG		5	PA; NDS
SYNAREL NASAL SPRAY,NON-AEROSOL 2 MG/ML		5	PA; NDS
Progestins			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML		4	QL (1 per 84 days)
medroxyprogesterone intramuscular suspension 150 mg/ml	(Depo-Provera)	2	QL (1 per 84 days)
medroxyprogesterone intramuscular syringe 150 mg/ml	(Depo-Provera)	2	QL (1 per 84 days)
medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg	(Provera)	1	GC
megestrol oral suspension 400 mg/10 ml (40 mg/ml)		2	PA-HRM; AGE (Max 64 Years)
norethindrone acetate oral tablet 5 mg		2	
progesterone intramuscular oil 50 mg/ml		2	
progesterone micronized oral capsule 100 mg, 200 mg	(Prometrium)	2	
Thyroid And Antithyroid Agents			
levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg	(Euthyrox)	1	GC
levothyroxine oral tablet 300 mcg	(Levo-T)	1	GC
liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg	(Cytomel)	2	
methimazole oral tablet 10 mg, 5 mg		1	GC
propylthiouracil oral tablet 50 mg		2	
Immunological Agents			
Immunological Agents			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
azathioprine oral tablet 50 mg (Imuran)	2	PA BvD
azathioprine sodium injection recon soln 100 mg	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NDS
cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)	2	PA BvD
cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)	2	PA BvD
cyclosporine modified oral capsule 50 mg	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
cyclosporine modified oral solution 100 mg/ml (Gengraf)	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg (Zortress)	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD
gengraf oral solution 100 mg/ml (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
infliximab intravenous recon soln 100 mg (Remicade)	5	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML		5	PA; NDS
leflunomide oral tablet 10 mg, 20 mg	(Arava)	2	
mycophenolate mofetil (hcl) intravenous recon soln 500 mg	(CellCept Intravenous)	2	PA BvD
mycophenolate mofetil oral capsule 250 mg	(CellCept)	2	PA BvD
mycophenolate mofetil oral suspension for reconstitution 200 mg/ml	(CellCept)	5	PA BvD; NDS
mycophenolate mofetil oral tablet 500 mg	(CellCept)	2	PA BvD
mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg	(Myfortic)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG		5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %		5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG		5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG		5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML		5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML		5	PA; NDS
OTEZLA ORAL TABLET 30 MG		5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)		5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %		5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML		4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
sirolimus oral solution 1 mg/ml (Rapamune)	5	PA BvD; NDS
sirolimus oral tablet 0.5 mg, 1 mg, 2 mg (Rapamune)	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
Vaccines		
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	GC; $0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; $0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; $0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	GC; $0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	GC; $0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	GC; $0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	GC; $0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	GC; $0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	GC; $0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	GC
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	GC; QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; GC; $0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; GC; $0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; GC; $0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	GC; $0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; GC; $0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; GC; $0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	GC
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	GC; $0 copay
IXCHIQ INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	GC; $0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	GC; $0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	GC; $0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	GC; $0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	GC; $0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	GC; $0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	GC; $0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	GC
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	GC; $0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	GC; $0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; $0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	6	GC
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; GC; $0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2-3.3CCID50/0.5ML	6	GC; $0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5	6	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	6	GC
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; GC; $0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; $0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; $0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	GC; $0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML (tetanus-diphtheria toxoids-td)	6	GC; $0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	GC; $0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	GC; $0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	GC
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	GC; QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; $0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	GC; $0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML		6	GC; $0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	(typhoid vi polysacch vaccine)	6	GC; $0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML		6	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML		6	GC; $0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML		6	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML		6	GC; $0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML		6	GC; $0 copay; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)		6	GC; $0 copay
Inflammatory Bowel Disease Agents			
Inflammatory Bowel Disease Agents			
alosetron oral tablet 0.5 mg	(Lotronex)	2	
alosetron oral tablet 1 mg	(Lotronex)	5	NDS
balsalazide oral capsule 750 mg	(Colazal)	2	
budesonide oral capsule,delayed,extend.release 3 mg		2	
budesonide rectal foam 2 mg/actuation	(Uceris)	2	
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NDS
hydrocortisone rectal enema 100 mg/60 ml	(Cortenema)	2	
mesalamine oral capsule (with del rel tablets) 400 mg	(Delzicol)	2	
mesalamine oral capsule,extended release 24hr 0.375 gram	(Apriso)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
mesalamine oral tablet,delayed release (dr/ec) 1.2 gram	(Lialda)	2	QL (120 per 30 days)
mesalamine oral tablet,delayed release (dr/ec) 800 mg		2	
mesalamine rectal suppository 1,000 mg	(Canasa)	2	
sulfasalazine oral tablet 500 mg	(Azulfidine)	2	
sulfasalazine oral tablet,delayed release (dr/ec) 500 mg	(Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
alendronate oral solution 70 mg/75 ml		2	QL (300 per 28 days)
alendronate oral tablet 10 mg, 5 mg		1	GC; QL (30 per 30 days)
alendronate oral tablet 35 mg		1	GC; QL (4 per 28 days)
alendronate oral tablet 70 mg	(Fosamax)	1	GC; QL (4 per 28 days)
calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation		2	QL (3.7 per 28 days)
calcitriol intravenous solution 1 mcg/ml		2	
calcitriol oral capsule 0.25 mcg, 0.5 mcg	(Rocaltrol)	2	
calcitriol oral solution 1 mcg/ml	(Rocaltrol)	2	
cinacalcet oral tablet 30 mg, 60 mg	(Sensipar)	2	QL (60 per 30 days)
cinacalcet oral tablet 90 mg	(Sensipar)	2	QL (120 per 30 days)
ibandronate intravenous solution 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate intravenous syringe 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate oral tablet 150 mg		1	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NDS; QL (2 per 28 days)
paricalcitol oral capsule 1 mcg, 2 mcg	(Zemplar)	2	
paricalcitol oral capsule 4 mcg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML		3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG		3	QL (60 per 30 days)
risedronate oral tablet 150 mg	(Actonel)	2	QL (1 per 28 days)
risedronate oral tablet 30 mg, 5 mg		2	QL (30 per 30 days)
risedronate oral tablet 35 mg	(Actonel)	2	QL (4 per 28 days)
risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)		2	QL (4 per 28 days)
risedronate oral tablet,delayed release (dr/ec) 35 mg	(Atelvia)	2	QL (4 per 28 days)
teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)		2	QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)		3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)		5	PA; NDS
zoledronic acid intravenous recon soln 4 mg		2	
zoledronic acid intravenous solution 4 mg/5 ml		2	
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	(Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents			
Miscellaneous Therapeutic Agents			
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML		5	PA; NDS
betaine oral powder 1 gram/scoop	(Cystadane)	5	PA; NDS
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg		2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML		5	PA; NDS
diazoxide oral suspension 50 mg/ml	(Proglycem)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
hydroxyzine pamoate oral capsule 100 mg	2	
hydroxyzine pamoate oral capsule 25 mg (Vistaril)	1	GC
hydroxyzine pamoate oral capsule 50 mg	1	GC
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	2	
leucovorin calcium injection solution 10 mg/ml	2	
leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg	2	
levocarnitine (with sugar) oral solution 100 mg/ml (Carnitor)	2	
levocarnitine oral tablet 330 mg (Carnitor)	2	
mesna intravenous solution 100 mg/ml (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NDS
nitroglycerin rectal ointment 0.4 % (w/w) (Rectiv)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)	2	
pyridostigmine bromide oral tablet 30 mg	2	
pyridostigmine bromide oral tablet 60 mg (Mestinon)	2	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
acetazolamide oral capsule, extended release 500 mg	2	
acetazolamide oral tablet 125 mg, 250 mg	2	
acetazolamide sodium injection recon soln 500 mg	2	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	
brimonidine ophthalmic (eye) drops 0.1 % (Alphagan P)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
brimonidine ophthalmic (eye) drops 0.2 %	2	
brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 % (Combigan)	2	
brinzolamide ophthalmic (eye) drops,suspension 1 % (Azopt)	2	
carteolol ophthalmic (eye) drops 1 %	2	
dorzolamide ophthalmic (eye) drops 2 %	2	
dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)	2	
latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)	1	GC; QL (2.5 per 25 days)
levobunolol ophthalmic (eye) drops 0.5 %	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %	1	GC
timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %	2	
travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
calcium chloride intravenous syringe 100 mg/ml (10 %)	2	
d5 % and 0.9 % sodium chloride intravenous parenteral solution	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
d5 %-0.45 % sodium chloride intravenous parenteral solution		2	
electrolyte-148 intravenous parenteral solution	(Plasma-Lyte 148)	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE		4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION		4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		4	
klor-con m10 oral tablet,er particles/crystals 10 meq	(potassium chloride)	2	
klor-con m15 oral tablet,er particles/crystals 15 meq	(potassium chloride)	2	
klor-con m20 oral tablet,er particles/crystals 20 meq	(potassium chloride)	2	
magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml		2	
magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)		2	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)		2	
magnesium sulfate injection solution 500 mg/ml (50 %)		4	
magnesium sulfate injection syringe 500 mg/ml (50 %)		2	
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION		4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
potassium chloride intravenous solution 2 meq/ml		1	PA BvD; GC
potassium chloride intravenous solution 2 meq/ml (20 ml)		2	PA BvD
potassium chloride oral capsule, extended release 10 meq, 8 meq		2	
potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml		2	
potassium chloride oral tablet extended release 10 meq	(Klor-Con 10)	2	
potassium chloride oral tablet extended release 20 meq	(K-Tab)	2	
potassium chloride oral tablet extended release 8 meq	(Klor-Con 8)	2	
potassium chloride oral tablet,er particles/crystals 10 meq	(Klor-Con M10)	2	
potassium chloride oral tablet,er particles/crystals 15 meq	(Klor-Con M15)	2	
potassium chloride oral tablet,er particles/crystals 20 meq	(Klor-Con M20)	2	
potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l		2	
potassium citrate oral tablet extended release 10 meq (1,080 mg)	(Urocit-K 10)	2	
potassium citrate oral tablet extended release 15 meq	(Urocit-K 15)	2	
potassium citrate oral tablet extended release 5 meq (540 mg)	(Urocit-K 5)	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %		2	
sodium chloride 0.9 % intravenous parenteral solution		2	
sodium chloride 0.9% solution mini-bag, single use		2	
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(budesonide-formoterol)	2	QL (30.9 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml	(Pulmicort)	2	PA BvD; QL (120 per 30 days)
budesonide inhalation suspension for nebulization 1 mg/2 ml	(Pulmicort)	2	PA BvD; QL (60 per 30 days)
budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(Breyna)	2	QL (30.6 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation		2	QL (12 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation		2	QL (24 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation		2	QL (21.2 per 30 days)
fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose	(Wixela Inhub)	2	QL (60 per 30 days)
wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose	(fluticasone propion-salmeterol)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Antileukotrienes			
montelukast oral tablet 10 mg	(Singulair)	1	GC
montelukast oral tablet,chewable 4 mg, 5 mg	(Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg	(Accolate)	2	
Bronchodilators			
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	(Ventolin HFA)	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)		2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)		2	QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)		2	PA BvD; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml		2	PA BvD; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml		2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg		2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION		3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION		4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION		3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION		3	QL (8 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ipratropium bromide inhalation solution 0.02 %	2	PA BvD; QL (312.5 per 30 days)
ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml	2	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
terbutaline oral tablet 2.5 mg, 5 mg	2	
theophylline oral solution 80 mg/15 ml	2	
theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg	2	
theophylline oral tablet extended release 24 hr 400 mg, 600 mg	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
acetylcysteine intravenous solution 200 mg/ml (20 %) (Acetadote)	2	
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
pirfenidone oral capsule 267 mg (Esbriet)	5	PA; NDS; QL (270 per 30 days)
pirfenidone oral tablet 267 mg (Esbriet)	5	PA; NDS; QL (270 per 30 days)
pirfenidone oral tablet 534 mg	5	PA; NDS; QL (90 per 30 days)
pirfenidone oral tablet 801 mg (Esbriet)	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
roflumilast oral tablet 250 mcg (Daliresp)	2	QL (28 per 28 days)
roflumilast oral tablet 500 mcg (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 60 MG	5	PA; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg	2	
chlorzoxazone oral tablet 500 mg	2	PA-HRM; AGE (Max 64 Years)
cyclobenzaprine oral tablet 10 mg, 5 mg	1	PA-HRM; GC; AGE (Max 64 Years)
dantrolene oral capsule 100 mg, 50 mg	2	
dantrolene oral capsule 25 mg (Dantrium)	2	
methocarbamol oral tablet 500 mg, 750 mg	2	PA-HRM; AGE (Max 64 Years)
revonto intravenous recon soln 20 mg (dantrolene)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tizanidine oral tablet 2 mg		2	
tizanidine oral tablet 4 mg	(Zanaflex)	2	
Sleep Disorder Agents			
Sleep Disorder Agents			
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg	(Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG		3	QL (30 per 30 days)
eszopiclone oral tablet 1 mg, 2 mg, 3 mg	(Lunesta)	2	QL (30 per 30 days)
modafinil oral tablet 100 mg	(Provigil)	2	PA; QL (30 per 30 days)
modafinil oral tablet 200 mg	(Provigil)	2	PA; QL (60 per 30 days)
sodium oxybate oral solution 500 mg/ml	(Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG		4	PA; QL (30 per 30 days)
tasimelteon oral capsule 20 mg	(Hetlioz)	5	PA; NDS; QL (30 per 30 days)
zaleplon oral capsule 10 mg, 5 mg		1	GC; QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg	(Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents			
Vasodilating Agents			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NDS; QL (90 per 30 days)
alyq oral tablet 20 mg	(tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
ambrisentan oral tablet 10 mg, 5 mg	(Letairis)	5	PA; NDS; QL (30 per 30 days)
bosentan oral tablet 125 mg, 62.5 mg	(Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NDS; QL (30 per 30 days)
sildenafil (pulm.hypertension) oral tablet 20 mg	(Revatio)	1	PA; GC; QL (360 per 30 days)
sildenafil oral tablet 100 mg, 25 mg, 50 mg	(Viagra)	1	GC; EX; CB (6 EA per 30 days)
tadalafil (pulm. hypertension) oral tablet 20 mg	(Alyq)	2	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
bal-care dha combo pack 27-1-430 mg	2	
bal-care dha essential pack 27 mg iron-1 mg -374 mg	2	
c-nate dha softgel 28 mg iron-1 mg - 200 mg	2	
completenate tablet chew 29 mg iron-1 mg	2	
cyanocobalamin (vitamin b-12) injection solution (Dodex)	1	GC; EX
ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit) (Drisdol)	1	GC; EX
folic acid oral tablet 1 mg	1	GC; EX
folivane-ob capsule 85-1 mg	2	
kosher prenatal plus iron tab 30 mg iron- 1 mg	2	
marnatal-f capsule 60 mg iron-1 mg	2	
m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	
mynatal advance oral tablet 90-1-50 mg	2	
mynatal capsule 65 mg iron- 1 mg	2	
mynatal oral tablet 90-1-50 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
mynatal plus captab 65 mg iron- 1 mg	2	
mynatal-z captab 65 mg iron- 1 mg	2	
mynate 90 plus oral tablet extended release 90 mg iron-1 mg	2	
newgen tablet 32-1,000 mg-mcg	2	
niva-plus tablet 27 mg iron- 1 mg	2	
obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe	2	
obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg	2	
o-cal prenatal tablet 15 mg iron- 1,000 mcg	2	
pnv 29-1 tablet (rx) 29 mg iron- 1 mg	2	
pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	
pnv-dha + docusate oral capsule 27-1.25-55-300 mg	2	
pnv-omega softgel 28-1-300 mg	2	
pr natal 400 combo pack 29-1-400 mg	2	
pr natal 400 ec combo pack 29-1-400 mg	2	
pr natal 430 combo pack 29 mg iron- 1 mg -430 mg	2	
pr natal 430 ec combo pack 29-1-430 mg	2	
prena1 true combo pack 30 mg iron- 1.4 mg-300 mg	2	
prenaissance oral capsule 29-1.25-55-325 mg	2	
prenaissance plus oral capsule 28-1-50-250 mg	2	
prenatabs fa tablet 29-1 mg	2	
prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg	2	
prenatal 19 chewable tablet 29 mg iron- 1 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
prenatal low iron tablet (rx) 27 mg iron- 1 mg		2	
prenatal plus iron tablet (rx) 29 mg iron- 1 mg	(pnv,calcium 72-iron,carb-folic)	2	
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	2	
prenatal-u capsule 106.5-1 mg		2	
preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	2	
pretab 29 mg-1 mg tablet (rx) 29-1 mg		2	
r-natal ob softgel 20 mg iron- 1 mg-320 mg		2	
select-ob chewable caplet 29 mg iron- 1 mg		2	
select-ob chewable caplet 29 mg iron- 1 mg		2	
se-natal 19 chewable tablet 29 mg iron- 1 mg		2	
taron-c dha capsule 35-1-200 mg		2	
taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg		2	
triveen-duo dha combo pack 29-1-400 mg		2	
vinate care oral tablet,chewable 40 mg iron- 1 mg		2	
virt-c dha softgel (rx) 35-1-200 mg		2	
virt-nate dha softgel 28 mg iron-1 mg -200 mg		2	
virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg		2	
virt-pn plus softgel (rx) 28-1-300 mg		2	
vitafol gummies 3.33 mg iron- 0.33 mg		2	
vitafol nano tablet 18 mg iron- 1 mg		2	
vitafol-ob+dha combo pack 65-1-250 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg	2	
vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg	2	
zatean-pn dha capsule 27 mg iron-1 mg -300 mg	2	
zatean-pn plus softgel 28-1-300 mg	2	
zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1
1ST TIER UNIFINE PENTIPS 104
1ST TIER UNIFINE PENTIPS PLUS 104
A
abacavir.....61
abacavir-lamivudine.....61
ABELCET.....46
abiraterone.....18
ABOUTTIME PEN NEEDLE 104
ABRAXANE.....18
ABRYSVO.....167
acamprosate 8
acarbose 41
accutane 98
acebutolol.....77
acetaminophen-codeine.....3
acetazolamide.....176
acetazolamide sodium 176
acetic acid 147
acetylcysteine 182
acitretin 98
ACTEMRA 162
ACTEMRA ACTPEN.....162
ACTHAR 159
ACTHIB (PF).....167
ACTIMMUNE 174
acyclovir.....67, 99
acyclovir sodium 67
ADACEL(TDAP ADOLESN/ADULT)(PF) 167
adapalene 103
adefovir.....67
ADEMPAS.....185
adrucil 18
ADVAIR HFA..... 180
ADVOCATE PEN NEEDLE 105
ADVOCATE SYRINGES... 105
afirmelle..... 89
AIRSUPRA 181
AJOVY AUTOINJECTOR ... 49
AJOVY SYRINGE..... 49
AKEEGA..... 18
AKYNZEO (FOSNETUPITANT) 51
AKYNZEO (NETUPITANT) 51
ala-cort 101
albendazole..... 53
albuterol sulfate..... 181
alclometasone 101
ALCOHOL PADS..... 99
ALCOHOL PREP PADS 99
ALCOHOL SWABS 99
ALCOHOL WIPES 99
ALECENSA 18
alendronate..... 173
alfuzosin..... 155
aliskiren 84
allopurinol 48
alosetron 172
alprazolam..... 9
altavera (28) 89
ALTRENO..... 104
ALUNBRIG..... 18
alyacen 1/35 (28) 89
alyacen 7/7/7 (28)..... 89
alyq 185
amabelz..... 156
amantadine hcl 54
ambrisentan 185
amethia 89
amiloride.....81
amiloride-hydrochlorothiazide 81
amiodarone 76
amitriptyline.....38
amlodipine.....80
amlodipine-atorvastatin.....82
amlodipine-benazepril 80
amlodipine-olmesartan 80
amlodipine-valsartan 80
amlodipine-valsartan-hcthiazid 80
ammonium lactate.....99
amoxapine 38
amoxicillin..... 14, 15
amoxicillin-pot clavulanate ... 15
amphotericin b 46
amphotericin b liposome.....46
ampicillin 15
ampicillin sodium.....15
ampicillin-sulbactam.....15
anagrelide 71
anastrozole.....18
ANORO ELLIPTA 181
apomorphine 54
APONVIE.....51
apraclonidine 146
aprepitant.....51, 52
APRETUDE.....61
apri.....89
APTIOM 33
APTIVUS.....61
AQINJECT PEN NEEDLE . 105
aranelle (28).....89
ARCALYST 162
AREXVY (PF).....167

AREXVY ANTIGEN COMPONENT 167
aripiprazole 55, 56
ARISTADA.....56
ARISTADA INITIO 56
armodafinil 185
ARNUITY ELLIPTA.....180
ascomp with codeine 3
asenapine maleate 56
ashlyna 89
aspirin-dipyridamole 71
ASSURE ID DUO PRO SFTY PEN NDL 105
ASSURE ID DUO-SHIELD 106
ASSURE ID INSULIN SAFETY 106
ASSURE ID PEN NEEDLE 106
ASSURE ID PRO PEN NEEDLE 106
ASTAGRAF XL 162
atazanavir 61
atenolol 77
atenolol-chlorthalidone 77
atomoxetine 84, 85
atorvastatin 82
atovaquone 53
atovaquone-proguanil 53
atropine 146
ATROVENT HFA 181
aubra eq 89
AUGTYRO 18
aurovela 1.5/30 (21) 90
aurovela 1/20 (21) 90
aurovela 24 fe 90
aurovela fe 1.5/30 (28) 90
aurovela fe 1-20 (28) 90
AUSTEDO 85
AUSTEDO XR.....85
AUSTEDO XR TITRATION KT(WK1-4) 85
AUVELITY.....38
aviane 90
AVONEX 85
ayuna 90
AYVAKIT 18
azacitidine 18
azathioprine 162
azathioprine sodium 162
azelastine 146, 147
azithromycin 13, 14
AZOPT 176
aztreonam 14
azurette (28) 90
B
bacitracin 147
bacitracin-polymyxin b 147
baclofen 184
bal-care dha 186
bal-care dha essential 186
balsalazide 172
BALVERSA 18
balziva (28) 90
BCG VACCINE, LIVE (PF) 168
BD ALCOHOL SWABS..... 99
BD AUTOSHIELD DUO PEN NEEDLE..... 106
BD ECLIPSE LUER-LOK.. 106
BD INSULIN SYRINGE ... 106, 107
BD INSULIN SYRINGE (HALF UNIT)..... 106
BD INSULIN SYRINGE SLIP TIP 107
BD INSULIN SYRINGE U-500 106
BD INSULIN SYRINGE ULTRA-FINE..... 106
BD NANO 2ND GEN PEN NEEDLE..... 107
BD SAFETYGLIDE INSULIN SYRINGE..... 107
BD SAFETYGLIDE SYRINGE 107
BD ULTRA-FINE MICRO PEN NEEDLE 108
BD ULTRA-FINE MINI PEN NEEDLE 108
BD ULTRA-FINE NANO PEN NEEDLE 108
BD ULTRA-FINE ORIG PEN NEEDLE 108
BD ULTRA-FINE SHORT PEN NEEDLE 108
BD VEO INSULIN SYR (HALF UNIT)..... 108
BD VEO INSULIN SYRINGE UF 108
BELSOMRA..... 185
benazepril 75
benazepril-hydrochlorothiazide 75
bendamustine 18
BENDAMUSTINE 19
BENDEKA 19
BENLYSTA..... 162
benzonatate 98
benztropine 54
BESREMI 162
betaine 174
betamethasone acet,sod phos 158
betamethasone dipropionate 101
betamethasone valerate 101, 102
betamethasone, augmented .. 102
BETASERON 85
betaxolol 77
bethanechol chloride 154
bexarotene 19
BEXSERO 168
bicalutamide 19
BICILLIN L-A 15
BIKTARVY 61
bisoprolol fumarate 77
bisoprolol-hydrochlorothiazide 77

bleomycin 19
blisovi 24 fe 90
blisovi fe 1.5/30 (28).....90
blisovi fe 1/20 (28).....90
BOOSTRIX TDAP 168
BORDERED GAUZE.....108
bortezomib.....19
bosentan 185
BOSULIF 19
BRAFTOVI.....19
BREO ELLIPTA.....180
breyna.....180
BREZTRI AEROSPHERE ..181
briellyn 90
BRILINTA 71
brimonidine 176, 177
brimonidine-timolol.....177
brinzolamide.....177
BRIVIACT.....33
bromfenac.....149
bromocriptine.....54
BRONCHITOL.....183
BRUKINSA 19
budesonide.....172, 180
budesonide-formoterol 180
bumetanide 81
buprenorphine hcl 3, 8
buprenorphine-naloxone 9
bupropion hcl 38
bupropion hcl (smoking deter) .9
buspirone.....174
butalbital-acetaminophen-caff .3
butalbital-aspirin-caffeine.....3
C
CABENUVA.....62
cabergoline.....54
CABLIVI.....71
CABOMETYX.....19
cabotegravir 62
caffeine citrate.....85
calcipotriene.....99
calcitonin (salmon).....173
calcitriol..... 173
calcium acetate(phosphat bind) 154
calcium chloride 177
CALQUENCE (ACALABRUTINIB MAL) 19
camila 90
candesartan 74
candesartan-hydrochlorothiazid 74
CAPLYTA..... 56
CAPRELSA..... 19
captopril..... 75
carbamazepine..... 33
carbidopa-levodopa..... 54
carbidopa-levodopa-entacapone 55
CAREFINE PEN NEEDLE. 108
CARETOUCH ALCOHOL PREP PAD..... 99
CARETOUCH INSULIN SYRINGE..... 109
CARETOUCH PEN NEEDLE 109
carglumic acid 152
carteolol..... 177
cartia xt..... 78
carvedilol..... 77
caspofungin..... 46
CAYSTON 14
caziant (28) 90
cefaclor 12
cefadroxil 12
cefazolin..... 12
cefazolin in dextrose (iso-os) . 12
cefdinir..... 12
cefepime 12
cefixime..... 12
cefotaxime..... 13
cefoxitin 13
cefpodoxime 13
cefprozil..... 13
ceftazidime 13
ceftriaxone..... 13
cefuroxime axetil..... 13
cefuroxime sodium 13
celecoxib 6
cephalexin 13
CERDELGA 145
cevimeline 98
chateal eq (28) 90
chloramphenicol sod succinate 11
chlordiazepoxide hcl 9
chlorhexidine gluconate..... 98
chloroquine phosphate..... 53
chlorothiazide sodium..... 81
chlorpromazine 56
chlorthalidone..... 81
chlorzoxazone 184
cholestyramine (with sugar) .. 82
cholestyramine light..... 82
ciclopirox 46
cilostazol 71
CIMDUO 62
cimetidine hcl..... 151
cinacalcet 173
CINQAIR..... 183
CINRYZE 69
ciprofloxacin 16
ciprofloxacin hcl 16, 147
ciprofloxacin in 5 % dextrose 16
ciprofloxacin-dexamethasone 147
citalopram 38, 39
clarithromycin..... 14
CLENPIQ..... 153
CLICKFINE PEN NEEDLE 109
clindamycin hcl 11
clindamycin in 5 % dextrose .. 11
clindamycin pediatric..... 11
clindamycin phosphate.... 11, 49, 100

clindamycin-benzoyl peroxide 100
CLINIMIX 5%/D15W SULFITE FREE 71
CLINIMIX 4.25%/D10W SULF FREE 72
CLINIMIX 4.25%/D5W SULFIT FREE.....72
CLINIMIX 5%-D20W(SULFITE-FREE) ...72
CLINIMIX 6%-D5W (SULFITE-FREE) 72
CLINIMIX 8%-D10W(SULFITE-FREE) ...72
CLINIMIX 8%-D14W(SULFITE-FREE) ...72
CLINIMIX E 2.75%/D5W SULF FREE 72
CLINIMIX E 4.25%/D10W SUL FREE.....72
CLINIMIX E 4.25%/D5W SULF FREE 72
CLINIMIX E 5%/D15W SULFIT FREE.....72
CLINIMIX E 5%/D20W SULFIT FREE.....72
CLINIMIX E 8%-D10W SULFITEFREE 72
CLINIMIX E 8%-D14W SULFITEFREE 72
clobazam.....33
clobetasol 102
clobetasol-emollient 102
clomipramine.....39
clonazepam.....9, 10
clonidine.....73
clonidine hcl 73
clopidogrel 71
clorazepate dipotassium.....10
clotrimazole.....46
clotrimazole-betamethasone...46
clozapine.....56
c-nate dha 186
COARTEM..... 53
codeine sulfate 3
codeine-butalbital-asa-caff..... 3
colchicine..... 48
colesevelam..... 82
colestipol..... 82
colistin (colistimethate na) 11
COMBIVENT RESPIMAT. 181
COMETRIQ 20
COMFORT EZ INSULIN SYRINGE..... 110, 111
COMFORT EZ PEN NEEDLES 110, 111
COMFORT EZ PRO SAFETY PEN NDL 111
COMFORT TOUCH PEN NEEDLE..... 111, 112
COMPLERA 62
completenate..... 186
compro 52
constulose 152
COPAXONE 85
COPIKTRA 20
CORLANOR 79
CORTROPHIN GEL..... 159
COSENTYX..... 162, 174
COSENTYX (2 SYRINGES) 162
COSENTYX PEN (2 PENS)162
COSENTYX UNOREADY PEN..... 162
COTELLIC..... 20
CREON..... 145
cromolyn 147, 152, 183
cryselle (28) 90
CURAD GAUZE PAD..... 112
CURITY ALCOHOL SWABS 99
CURITY GAUZE..... 112
cyanocobalamin (vitamin b-12) 186
cyclobenzaprine 184
cyclopentolate 147
cyclophosphamide.....20
cyclosporine 162, 163
cyclosporine modified ..162, 163
cyproheptadine.....48
CYRAMZA.....20
cyred eq 90
CYSTARAN.....147
D
d5 % and 0.9 % sodium chloride 177
d5 %-0.45 % sodium chloride 178
dabigatran etexilate 68
dalfampridine.....85
danazol.....156
dantrolene 184
DANYELZA.....20
dapsone 51
DAPTACEL (DTAP PEDIATRIC) (PF) 168
daptomycin.....11
darunavir.....62
dasetta 1/35 (28) 90
dasetta 7/7/7 (28) 90
DAURISMO 20
daysee.....91
deblitane.....91
decitabine.....20
deferasirox 155
deferiprone.....155
DELSTRIGO 62
DENGVAXIA (PF) 168
denta 5000 plus 98
denta 5000 plus sensitive 98
dentagel.....98
DEPO-SUBQ PROVERA 104 161
DERMACEA 112
DERMACEA NON-WOVEN 112

DESCOVY 62
desipramine 39
desmopressin 159
desog-e.estradiol/e.estradiol ..91
desogestrel-ethinyl estradiol ..91
desoximetasone.....102
desvenlafaxine succinate 39
dexamethasone 158
dexamethasone sodium phos (pf) 158
dexamethasone sodium phosphate 149, 158
dexmethylphenidate.....85
dextroamphetamine sulfate ...85, 86
dextroamphetamine-amphetamine 86
dextrose 10 % in water (d10w) 73
dextrose 5 % in water (d5w) ..73
DIACOMIT.....33, 34
diazepam.....10, 34
diazepam intensol.....10
diazoxide.....174
diclofenac potassium 6
diclofenac sodium.....6, 149
diclofenac-misoprostol.....6, 7
dicloxacillin.....15
dicyclomine.....152
didanosine 62
DIFICID 14
difluprednate 149
digitek.....79
digox.....79
digoxin.....79
dihydroergotamine 49
diltiazem hcl 78
dilt-xr.....79
dimenhydrinate.....52
dimethyl fumarate.....86
DIPENTUM 172
diphenhydramine hcl 48
diphenoxylate-atropine 152
dipyridamole 71
disopyramide phosphate 76
disulfiram 9
divalproex 34
dofetilide 76
donepezil 38
DOPTELET (10 TAB PACK)69
DOPTELET (15 TAB PACK)69
DOPTELET (30 TAB PACK)69
dorzolamide 177
dorzolamide-timolol..... 177
dotti 156
DOVATO 62
doxazosin 73
doxepin..... 39
doxorubicin 20
doxorubicin, peg-liposomal ... 20
doxy-100 17
doxycycline hyclate..... 17
doxycycline monohydrate 17
DRIZALMA SPRINKLE..... 39
dronabinol 52
droperidol 52
DROPLET INSULIN SYR(HALF UNIT).. 112, 113
DROPLET INSULIN SYRINGE..... 112, 113, 114
DROPLET MICRON PEN NEEDLE..... 114
DROPLET PEN NEEDLE .. 114
DROPSAFE ALCOHOL PREP PADS 99
DROPSAFE INSULIN SYRINGE..... 114, 115
DROPSAFE PEN NEEDLE 115
drospirenone-ethinyl estradiol 91
DROXIA..... 71
droxidopa..... 73
DUAVEE..... 156
duloxetine..... 39
DUPIXENT PEN 163
DUPIXENT SYRINGE 163
dutasteride..... 155
E
EASY COMFORT ALCOHOL PAD..... 99
EASY COMFORT INSULIN SYRINGE 115, 116
EASY COMFORT PEN NEEDLES..... 116
EASY COMFORT SAFETY PEN NEEDLE 115
EASY GLIDE INSULIN SYRINGE 116
EASY GLIDE PEN NEEDLE 116
EASY TOUCH 118
EASY TOUCH ALCOHOL PREP PADS..... 99
EASY TOUCH FLIPLOCK INSULIN..... 117, 118
EASY TOUCH FLIPLOCK SYRINGE 117
EASY TOUCH INSULIN SAFETY SYR..... 117
EASY TOUCH INSULIN SYRINGE 116, 117, 118, 119
EASY TOUCH LUER LOCK INSULIN..... 118
EASY TOUCH PEN NEEDLE 118
EASY TOUCH SAFETY PEN NEEDLE 118, 119
EASY TOUCH SHEATHLOCK INSULIN 117, 118
EASY TOUCH UNI-SLIP... 119
ec-naproxen..... 7
econazole..... 46
EDARBI..... 74
EDARBYCLOR 74
EDURANT 62

efavirenz 62
*efavirenz-emtricitabin-tenofov*62
efavirenz-lamivu-tenofov disop 62
EGRIFTA SV 159
electrolyte-148.....178
ELIGARD 21
ELIGARD (3 MONTH).....20
ELIGARD (4 MONTH).....20
ELIGARD (6 MONTH).....21
elinest 91
ELIQUIS 68
ELIQUIS DVT-PE TREAT 30D START 68
ELLA.....91
ELMIRON.....175
ELREXFIO.....21
eluryng.....91
EMBRACE PEN NEEDLE .119
EMCYT.....21
EMEND.....52
EMGALITY PEN 49
EMGALITY SYRINGE...49, 50
EMSAM 39
emtricitabine.....62
emtricitabine-tenofovir (tdf) ...62
EMTRIVA.....63
emzahh.....91
enalapril maleate.....75
enalaprilat 75
*enalapril-hydrochlorothiazide*75
ENBREL 163
ENBREL MINI 163
ENBREL SURECLICK 163
ENDARI.....175
endocet 3
ENGERIX-B (PF) 168
ENGERIX-B PEDIATRIC (PF) 168
enilloring 91
enoxaparin.....68
enpresse 91
enskyce 91
entacapone 55
entecavir 67
ENTRESTO..... 74
enulose 152
EPCLUSA 66, 67
EPIDIOLEX 34
epinastine 147
epinephrine 79, 80
epitol 34
EPIVIR HBV 63
EPKINLY 21
eplerenone 84
EPRONTIA 34
ERBITUX 21
ergocalciferol (vitamin d2) .. 186
ergoloid..... 38
ERIVEDGE 21
ERLEADA..... 21
erlotinib 21
errin 91
ertapenem 14
ery pads..... 101
erythromycin 14, 147
erythromycin ethylsuccinate .. 14
erythromycin with ethanol ... 101
escitalopram oxalate..... 39
esomeprazole magnesium 151
esomeprazole sodium..... 151
estarylla 91
estradiol 157
estradiol valerate 157
estradiol-norethindrone acet 157
eszopiclone..... 185
ethambutol 51
ethosuximide 34
ethynodiol diac-eth estradiol . 91
etodolac 7
etonogestrel-ethinyl estradiol 91
ETOPOPHOS 21
etoposide 21
etravirine 63
EUCRISA 102
everolimus (antineoplastic) 21
everolimus (immunosuppressive) 163
EVOTAZ..... 63
EVRYSDI 175
EXEL INSULIN 119
exemestane 21
EXKIVITY 22
EYSUVIS..... 150
ezetimibe 82
ezetimibe-simvastatin 82
F
falmina (28)..... 91
famciclovir 67
famotidine 151
famotidine (pf)..... 151
famotidine (pf)-nacl (iso-os) 151
FANAPT 57
FARXIGA..... 41
FARYDAK 22
FASENRA 183
FASENRA PEN..... 183
febuxostat 48
felbamate..... 34
FEMRING..... 157
fenofibrate 82
fenofibrate micronized 82
fenofibrate nanocrystallized... 82
fenofibric acid (choline)..... 82
fentanyl..... 4
fentanyl citrate 3, 4
FERRIPROX..... 155
FERRIPROX (2 TIMES A DAY)..... 155
fesoterodine..... 154
FETZIMA 39
FIASP FLEXTOUCH U-100 INSULIN..... 44
FIASP PENFILL U-100 INSULIN..... 44
FIASP U-100 INSULIN 44

Table of Contents

Analgesics 3
Anesthetics 8
Anti-Addiction/Substance Abuse Treatment Agents 9
Antianxiety Agents 10
Antibacterials 11
Anticancer Agents 19
Anticonvulsants 35
Antidementia Agents 40
Antidepressants 41
Antidiabetic Agents 44
Antifungals 49
Antigout Agents 52
Antihistamines 52
Anti-Infectives (Skin And Mucous Membrane) 53
Antimigraine Agents 53
Antimycobacterials 55
Antinausea Agents 55
Antiparasite Agents 57
Antiparkinsonian Agents 58
Antipsychotic Agents 60
Antivirals (Systemic) 66
Blood Products/Modifiers/Volume Expanders 73
Caloric Agents 77
Cardiovascular Agents 79
Central Nervous System Agents 92
Contraceptives 97
Cough And Cold Products 106
Dental And Oral Agents 106
Dermatological Agents 107
Devices 113
Enzyme Replacement/Modifiers 159
Eye, Ear, Nose, Throat Agents 160
Gastrointestinal Agents 164
Genitourinary Agents 168
Heavy Metal Antagonists 169
Hormonal Agents, Stimulant/Replacement/Modifying 170

Immunological Agents 176
Inflammatory Bowel Disease Agents 189
Metabolic Bone Disease Agents 189
Miscellaneous Therapeutic Agents 191
Ophthalmic Agents 193
Replacement Preparations 194
Respiratory Tract Agents 197
Skeletal Muscle Relaxants 202
Sleep Disorder Agents 202
Vasodilating Agents 203
Vitamins And Minerals 204

Drug Name		Drug Tier	Requirements/Limits
Analgesics			
Analgesics, Miscellaneous			
acetaminophen-codeine oral solution 120-12 mg/5 ml		2	NDS; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg		2	NDS; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg		2	NDS; QL (180 per 30 days)
ascomp with codeine oral capsule 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
buprenorphine hcl injection solution 0.3 mg/ml		2	
buprenorphine hcl injection syringe 0.3 mg/ml		2	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg	(Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
codeine sulfate oral tablet 30 mg, 60 mg		2	NDS; QL (180 per 30 days)
codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg	(Ascomp with Codeine)	2	PA-HRM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
endocet oral tablet 10-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	(oxycodone-acetaminophen)	2	NDS; QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg		5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
fentanyl citrate buccal lozenge on a handle 200 mcg	2	PA; NDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	NDS; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NDS; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	2	NDS; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg	2	NDS; QL (240 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	2	NDS; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	NDS; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	NDS; QL (180 per 30 days)
methadone injection solution 10 mg/ml	2	QL (120 per 30 days)
methadone oral solution 10 mg/5 ml	2	NDS; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	2	NDS; QL (1200 per 30 days)
methadone oral tablet 10 mg	2	NDS; QL (120 per 30 days)
methadone oral tablet 5 mg	2	NDS; QL (180 per 30 days)
methadose oral tablet,soluble 40 mg (methadone)	2	NDS; QL (30 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	PA; NDS; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml	2	NDS; QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
morphine oral solution 20 mg/5 ml (4 mg/ml)	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)	2	NDS; QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg (MS Contin)	2	NDS; QL (90 per 30 days)
oxycodone oral capsule 5 mg	2	NDS; QL (180 per 30 days)
oxycodone oral solution 5 mg/5 ml	2	NDS; QL (1300 per 30 days)
oxycodone oral tablet 10 mg, 5 mg	2	NDS; QL (180 per 30 days)
oxycodone oral tablet 15 mg, 30 mg (Roxicodone)	2	NDS; QL (120 per 30 days)
oxycodone oral tablet 20 mg	2	NDS; QL (120 per 30 days)
oxycodone-acetaminophen oral tablet 10-325 mg (Endocet)	2	NDS; QL (180 per 30 days)
oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg (Endocet)	2	NDS; QL (360 per 30 days)
oxycodone-acetaminophen oral tablet 7.5-325 mg (Endocet)	2	NDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NDS; QL (60 per 30 days)
oxymorphone oral tablet 10 mg	2	NDS; QL (120 per 30 days)
oxymorphone oral tablet 5 mg	2	NDS; QL (180 per 30 days)
oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	2	NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
oxymorphone oral tablet extended release 12 hr 40 mg	5	NDS; QL (60 per 30 days)
tramadol oral tablet 50 mg	1	GC; NDS; QL (240 per 30 days)
tramadol-acetaminophen oral tablet 37.5-325 mg	2	NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	5	NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)	2	QL (60 per 30 days)
diclofenac potassium oral tablet 50 mg	2	QL (120 per 30 days)
diclofenac sodium oral tablet extended release 24 hr 100 mg	2	QL (60 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg	2	QL (150 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg	2	QL (120 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg	1	GC; QL (60 per 30 days)
diclofenac sodium topical drops 1.5 %	2	QL (300 per 30 days)
diclofenac sodium topical gel 1 % (Aleve (diclofenac))	2	QL (1000 per 30 days)
diclofenac sodium topical gel 3 %	2	PA; QL (100 per 28 days)
diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %) (Pennsaid)	5	PA; NDS; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg	(Arthrotec 50)	2	
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg	(Arthrotec 75)	2	
ec-naproxen oral tablet,delayed release (dr/ec) 500 mg	(naproxen)	2	
etodolac oral capsule 200 mg, 300 mg		2	
etodolac oral tablet 400 mg	(Lodine)	2	
etodolac oral tablet 500 mg		2	
flurbiprofen oral tablet 100 mg		2	
ibu oral tablet 400 mg	(ibuprofen)	1	GC; QL (240 per 30 days)
ibu oral tablet 600 mg, 800 mg	(ibuprofen)	1	GC
ibuprofen oral suspension 100 mg/5 ml	(Children's Advil)	2	
ibuprofen oral tablet 400 mg	(IBU)	1	GC; QL (240 per 30 days)
ibuprofen oral tablet 600 mg, 800 mg	(IBU)	1	GC
indomethacin oral capsule 25 mg		1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule 50 mg		1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule, extended release 75 mg		2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
ketorolac oral tablet 10 mg		2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
mefenamic acid oral capsule 250 mg		2	
meloxicam oral tablet 15 mg, 7.5 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
nabumetone oral tablet 500 mg, 750 mg		2	
naproxen oral tablet 250 mg, 375 mg		1	GC
naproxen oral tablet 500 mg	(Naprosyn)	1	GC
naproxen oral tablet,delayed release (dr/ec) 375 mg	(EC-Naprosyn)	2	
piroxicam oral capsule 10 mg, 20 mg	(Feldene)	2	
sulindac oral tablet 150 mg, 200 mg		2	
Anesthetics			
Local Anesthetics			
glydo mucous membrane jelly in applicator 2 %	(lidocaine hcl)	2	QL (30 per 30 days)
lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)	(Xylocaine-MPF)	1	GC
lidocaine (pf) injection solution 40 mg/ml (4 %)		1	GC
lidocaine hcl 2% 40 mg/2 ml ampule outer,p/f,sdv 20 mg/ml (2 %)	(Xylocaine-MPF)	2	
lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)	(Xylocaine)	2	
lidocaine hcl injection solution 5 mg/ml (0.5 %)	(Xylocaine)	1	GC
lidocaine hcl mucous membrane jelly in applicator 2 %	(Glydo)	2	QL (30 per 30 days)
lidocaine hcl mucous membrane solution 4 % (40 mg/ml)		2	PA
lidocaine topical adhesive patch,medicated 5 %	(Tridacaine)	2	PA; QL (90 per 30 days)
lidocaine topical ointment 5 %		2	PA; QL (90 per 30 days)
lidocaine viscous mucous membrane solution 2 %	(lidocaine hcl)	2	
lidocaine-prilocaine topical cream 2.5-2.5 %		2	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
tridacaine ii topical adhesive patch,medicated 5 % (lidocaine)	2	PA; QL (90 per 30 days)
tridacaine topical adhesive patch,medicated 5 % (lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
acamprosate oral tablet,delayed release (dr/ec) 333 mg	2	
buprenorphine hcl sublingual tablet 2 mg, 8 mg	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual film 12-3 mg (Suboxone)	2	QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg (Suboxone)	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg	2	QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	2	
disulfiram oral tablet 250 mg, 500 mg	2	
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml	1	GC
naloxone injection syringe 0.4 mg/ml, 1 mg/ml	2	
naloxone nasal spray,non-aerosol 4 mg/actuation (Narcan)	2	QL (4 per 30 days)
naltrexone oral tablet 50 mg	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	ST; QL (2688 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML		4	ST; QL (240 per 180 days)
varenicline oral tablet 0.5 mg, 1 mg (56 pack)		2	QL (336 per 365 days)
varenicline oral tablet 1 mg	(Chantix)	2	QL (336 per 365 days)
varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)	(Chantix Starting Month Box)	2	
Antianxiety Agents			
Benzodiazepines			
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg	(Xanax)	1	GC; NDS; QL (120 per 30 days)
alprazolam oral tablet 2 mg	(Xanax)	1	GC; NDS; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg		1	GC; NDS; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg	(Klonopin)	1	GC; QL (90 per 30 days)
clonazepam oral tablet 2 mg	(Klonopin)	1	GC; QL (300 per 30 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg		2	QL (90 per 30 days)
clonazepam oral tablet,disintegrating 2 mg		2	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg		2	QL (180 per 30 days)
diazepam injection solution 5 mg/ml		2	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml		2	
diazepam intensol oral concentrate 5 mg/ml	(diazepam)	2	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)		2	QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg	(Valium)	1	GC; QL (120 per 30 days)
lorazepam 2 mg/ml vial 25's,outer	(Ativan)	1	GC
lorazepam 4 mg/ml vial inner	(Ativan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
lorazepam injection solution 2 mg/ml	(Ativan)	2	QL (2 per 30 days)
lorazepam injection solution 4 mg/ml	(Ativan)	4	QL (2 per 30 days)
lorazepam injection syringe 2 mg/ml		1	GC; QL (2 per 30 days)
lorazepam oral tablet 0.5 mg, 1 mg	(Ativan)	1	GC; NDS; QL (90 per 30 days)
lorazepam oral tablet 2 mg	(Ativan)	1	GC; NDS; QL (150 per 30 days)
oxazepam oral capsule 10 mg, 15 mg, 30 mg		2	NDS; QL (120 per 30 days)
temazepam oral capsule 15 mg, 30 mg	(Restoril)	1	GC; NDS; QL (30 per 30 days)
Antibacterials			
Aminoglycosides			
gentamicin injection solution 20 mg/2 ml, 40 mg/ml		2	
gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml		2	
gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml		2	
neomycin oral tablet 500 mg		2	
streptomycin intramuscular recon soln 1 gram		5	NDS
tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml	(Tobi)	5	PA BvD; NDS
tobramycin inhalation solution for nebulization 300 mg/4 ml	(Bethkis)	5	PA BvD; NDS
tobramycin sulfate injection solution 40 mg/ml		2	
Antibacterials, Miscellaneous			
chloramphenicol sod succinate intravenous recon soln 1 gram		2	
clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg	(Cleocin HCl)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml		2	
clindamycin pediatric oral recon soln 75 mg/5 ml	(clindamycin palmitate hcl)	2	
clindamycin phosphate injection solution 150 mg/ml	(Cleocin)	2	
colistin (colistimethate na) injection recon soln 150 mg	(Coly-Mycin M Parenteral)	5	NDS
daptomycin intravenous recon soln 500 mg	(Cubicin RF)	5	NDS
linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml	(Zyvox)	2	
linezolid oral suspension for reconstitution 100 mg/5 ml	(Zyvox)	5	NDS
linezolid oral tablet 600 mg	(Zyvox)	2	
methenamine hippurate oral tablet 1 gram	(Hiprex)	2	
metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml	(Metro I.V.)	2	
metronidazole oral tablet 250 mg, 500 mg		1	GC
nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg	(Macrodantin)	2	QL (120 per 30 days)
nitrofurantoin monohyd/m-cryst oral capsule 100 mg	(Macrobid)	2	QL (60 per 30 days)
polymyxin b sulfate injection recon soln 500,000 unit		2	
trimethoprim oral tablet 100 mg		1	GC
vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg		2	
vancomycin oral capsule 125 mg	(Vancocin)	2	QL (56 per 14 days)
vancomycin oral capsule 250 mg	(Vancocin)	2	QL (112 per 14 days)
vancomycin oral recon soln 25 mg/ml	(Firvanq)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
cefaclor oral capsule 250 mg, 500 mg	2	
cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml	2	
cefadroxil oral capsule 500 mg	2	
cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml	2	
cefadroxil oral tablet 1 gram	2	
cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml	2	
cefazolin injection recon soln 1 gram, 10 gram, 500 mg	2	
cefazolin intravenous recon soln 3 gram	4	
cefdinir oral capsule 300 mg	2	
cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefepime injection recon soln 1 gram, 2 gram	2	
cefixime oral capsule 400 mg	2	
cefotaxime injection recon soln 1 gram	2	
cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram	2	
cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml	2	
cefpodoxime oral tablet 100 mg, 200 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefprozil oral tablet 250 mg, 500 mg	2	
ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)	2	
ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg	2	
cefuroxime axetil oral tablet 250 mg, 500 mg	2	
cefuroxime sodium injection recon soln 750 mg	2	
cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram	2	
cephalexin oral capsule 250 mg, 500 mg	1	GC
cephalexin oral capsule 750 mg	2	
cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
azithromycin intravenous recon soln 500 mg (Zithromax)	2	
azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)	2	
azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)	1	GC
azithromycin oral tablet 250 mg, 500 mg (Zithromax)	1	GC
azithromycin oral tablet 600 mg	2	
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
clarithromycin oral tablet 250 mg, 500 mg	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)	2	
erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)	2	
erythromycin oral tablet 250 mg, 500 mg	2	
Miscellaneous B-Lactam Antibiotics		
aztreonam injection recon soln 1 gram, 2 gram (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
ertapenem injection recon soln 1 gram	2	
imipenem-cilastatin intravenous recon soln 250 mg	2	
imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)	2	
meropenem intravenous recon soln 1 gram, 500 mg	2	
Penicillins		
amoxicillin oral capsule 250 mg, 500 mg	1	GC
amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml	1	GC
amoxicillin oral tablet 500 mg, 875 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
amoxicillin oral tablet,chewable 125 mg, 250 mg	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml (Augmentin)	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml (Augmentin ES-600)	2	
amoxicillin-pot clavulanate oral tablet 250-125 mg	2	
amoxicillin-pot clavulanate oral tablet 500-125 mg (Augmentin)	1	GC
amoxicillin-pot clavulanate oral tablet 875-125 mg	1	GC
amoxicillin-pot clavulanate oral tablet,chewable 200-28.5 mg, 400-57 mg	2	
ampicillin oral capsule 500 mg	2	
ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg	2	
ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
dicloxacillin oral capsule 250 mg, 500 mg	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
nafcillin 1 gm/ 50 ml inj 1 gram/50 ml	2	
nafcillin injection recon soln 1 gram	2	
nafcillin injection recon soln 10 gram, 2 gram	2	
penicillin g potassium injection recon soln 20 million unit (Pfizerpen-G)	2	
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml	2	
penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml	2	
penicillin v potassium oral tablet 250 mg, 500 mg	1	GC
pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)	2	
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	2	
Quinolones		
ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)	1	GC
ciprofloxacin hcl oral tablet 750 mg	1	GC
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml (Cipro)	2	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	
levofloxacin intravenous solution 25 mg/ml	2	
levofloxacin oral solution 250 mg/10 ml	2	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
moxifloxacin 400 mg/250 ml bag		2	
moxifloxacin oral tablet 400 mg		2	
moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml	(Avelox in NaCl (iso-osmotic))	2	
Sulfonamides			
sulfadiazine oral tablet 500 mg		2	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml		2	
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	(Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	(Bactrim)	1	GC
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	(Bactrim DS)	1	GC
Tetracyclines			
doxy-100 intravenous recon soln 100 mg	(doxycycline hyclate)	2	
doxycycline hyclate intravenous recon soln 100 mg	(Doxy-100)	2	
doxycycline hyclate oral capsule 100 mg, 50 mg	(Morgidox)	2	
doxycycline hyclate oral tablet 100 mg, 20 mg		2	
doxycycline monohydrate oral capsule 100 mg	(Mondoxyne NL)	2	
doxycycline monohydrate oral capsule 50 mg	(Monodox)	2	
doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml		2	
doxycycline monohydrate oral tablet 100 mg	(Avidoxy)	2	
doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg		2	
minocycline oral capsule 100 mg, 50 mg, 75 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
mondoxyne nl oral capsule 100 mg	(doxycycline monohydrate)	2	
tetracycline oral capsule 250 mg, 500 mg		2	
tigecycline intravenous recon soln 50 mg	(Tygacil)	5	NDS
Anticancer Agents			
Anticancer Agents			
abiraterone oral tablet 250 mg, 500 mg	(Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	5	PA BvD; NDS
adrucil intravenous solution 2.5 gram/50 ml	(fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		5	PA NSO; NDS
anastrozole oral tablet 1 mg	(Arimidex)	1	GC
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML		5	PA NSO; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 40 MG		5	PA NSO; NDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA NSO; NDS; QL (30 per 30 days)
azacitidine injection recon soln 100 mg	(Vidaza)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 3 MG		5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG		5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG		5	PA NSO; NDS; QL (28 per 28 days)
bendamustine intravenous recon soln 100 mg, 25 mg	(Treanda)	5	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	(Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	(bendamustine)	5	PA NSO; NDS
bexarotene oral capsule 75 mg	(Targretin)	5	PA NSO; NDS
bexarotene topical gel 1 %	(Targretin)	5	PA NSO; NDS
bicalutamide oral tablet 50 mg	(Casodex)	2	
bleomycin injection recon soln 15 unit, 30 unit		2	
bortezomib injection recon soln 1 mg		4	PA NSO
bortezomib injection recon soln 2.5 mg		5	PA NSO; NDS
bortezomib injection recon soln 3.5 mg	(Velcade)	5	PA NSO; NDS
BOSULIF ORAL CAPSULE 100 MG		5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG		5	PA NSO; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG		5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG		5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG		5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	5	PA BvD; NDS
cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml	5	PA BvD; NDS
cyclophosphamide oral capsule 25 mg, 50 mg	2	PA BvD; ST
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
decitabine intravenous recon soln 50 mg (Dacogen)	5	NDS
doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	2	PA BvD
doxorubicin, peg-liposomal intravenous suspension 2 mg/ml (Caelyx)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
erlotinib oral tablet 100 mg, 25 mg (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
erlotinib oral tablet 150 mg	(Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG		4	
etoposide intravenous solution 20 mg/ml		2	
everolimus (antineoplastic) oral tablet 10 mg	(Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg	(Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg	(Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
exemestane oral tablet 25 mg	(Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG		5	PA NSO; NDS; QL (120 per 30 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG		5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG		4	PA BvD
floxuridine injection recon soln 0.5 gram		2	PA BvD
fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml		2	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG		5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG		5	PA NSO; NDS; QL (21 per 28 days)
fulvestrant intramuscular syringe 250 mg/5 ml	(Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG		5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
gefitinib oral tablet 250 mg (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
hydroxyurea oral capsule 500 mg (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
ifosfamide intravenous recon soln 1 gram (Ifex)	2	
ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml	2	
imatinib oral tablet 100 mg (Gleevec)	2	PA NSO; QL (180 per 30 days)
imatinib oral tablet 400 mg (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 560 MG	5	NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
lapatinib oral tablet 250 mg (Tykerb)	5	PA NSO; NDS
lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
letrozole oral tablet 2.5 mg (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NDS
leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg	4	PA NSO
leuprolide subcutaneous kit 1 mg/0.2 ml	2	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
megestrol oral tablet 20 mg, 40 mg	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
mercaptopurine oral tablet 50 mg	2	
methotrexate sodium (pf) injection recon soln 1 gram	2	
methotrexate sodium (pf) injection solution 25 mg/ml	2	
methotrexate sodium injection solution 25 mg/ml	2	
methotrexate sodium oral tablet 2.5 mg	2	PA BvD; ST
mitoxantrone intravenous concentrate 2 mg/ml	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
nilutamide oral tablet 150 mg (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	5	PA NSO; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
paclitaxel protein-bound intravenous suspension for reconstitution 100 mg (Abraxane)	5	PA BvD; NDS
pazopanib oral tablet 200 mg (Votrient)	5	PA NSO; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg	5	NDS
pemetrexed disodium intravenous solution 25 mg/ml	5	NDS
pemetrexed intravenous recon soln 100 mg, 500 mg	5	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
sorafenib oral tablet 200 mg (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
tamoxifen oral tablet 10 mg, 20 mg	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
toposar intravenous solution 20 mg/ml (etoposide)	2	
toremifene oral tablet 60 mg (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	PA NSO
tretinoin (antineoplastic) oral capsule 10 mg	5	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL PELLET 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG		4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG		5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG		5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG		5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG		5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML		5	PA NSO; NDS; QL (20 per 28 days)
Anticonvulsants			
Anticonvulsants			
APTIOM ORAL TABLET 200 MG, 400 MG		5	ST; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG		5	ST; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML		3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML		3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG		3	QL (60 per 30 days)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg	(Carbatrol)	2	
carbamazepine oral suspension 100 mg/5 ml	(Tegretol)	2	
carbamazepine oral tablet 200 mg	(Epitol)	2	
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg	(Tegretol XR)	2	
carbamazepine oral tablet,chewable 100 mg		2	
clobazam oral suspension 2.5 mg/ml	(Onfi)	2	QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
clobazam oral tablet 10 mg, 20 mg	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG		5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG		5	PA NSO; NDS; QL (180 per 30 days)
diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg		4	
divalproex oral capsule, delayed rel sprinkle 125 mg	(Depakote Sprinkles)	2	
divalproex oral tablet extended release 24 hr 250 mg, 500 mg	(Depakote ER)	2	
divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg	(Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		5	PA NSO; NDS
epitol oral tablet 200 mg	(carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML		4	ST; QL (480 per 30 days)
ethosuximide oral capsule 250 mg	(Zarontin)	2	
ethosuximide oral solution 250 mg/5 ml	(Zarontin)	2	
felbamate oral suspension 600 mg/5 ml		2	
felbamate oral tablet 400 mg, 600 mg	(Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML		5	PA NSO; NDS
fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml	(Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		5	ST; NDS; QL (720 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG		5	ST; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG		4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG		5	ST; NDS; QL (60 per 30 days)
gabapentin oral capsule 100 mg, 300 mg	(Neurontin)	1	GC; QL (360 per 30 days)
gabapentin oral capsule 400 mg	(Neurontin)	1	GC; QL (270 per 30 days)
gabapentin oral solution 250 mg/5 ml	(Neurontin)	2	QL (2160 per 30 days)
gabapentin oral tablet 600 mg	(Neurontin)	2	QL (180 per 30 days)
gabapentin oral tablet 800 mg	(Neurontin)	2	QL (120 per 30 days)
lacosamide intravenous solution 200 mg/20 ml	(Vimpat)	2	QL (200 per 5 days)
lacosamide oral solution 10 mg/ml	(Vimpat)	2	QL (1200 per 30 days)
lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg	(Vimpat)	2	QL (60 per 30 days)
lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg	(Subvenite)	1	GC
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg	(Lamictal)	2	
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg	(Lamictal ODT)	2	
levetiracetam intravenous solution 500 mg/5 ml	(Keppra)	2	
levetiracetam oral solution 100 mg/ml	(Keppra)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg	(Keppra)	2	
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg	(Keppra XR)	2	
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG		4	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
methsuximide oral capsule 300 mg	(Celontin)	2	
NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)		4	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)	(Trileptal)	2	
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg	(Trileptal)	2	
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)		2	PA NSO-HRM; AGE (Max 64 Years)
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg		2	PA NSO-HRM; AGE (Max 64 Years)
phenytoin oral suspension 125 mg/5 ml	(Dilantin-125)	2	
phenytoin oral tablet,chewable 50 mg	(Dilantin Infatabs)	2	
phenytoin sodium extended oral capsule 100 mg	(Dilantin Extended)	2	
phenytoin sodium extended oral capsule 200 mg, 300 mg	(Phenytek)	2	
phenytoin sodium intravenous solution 50 mg/ml		2	
phenytoin sodium intravenous syringe 50 mg/ml		2	
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	(Lyrica)	2	QL (90 per 30 days)
pregabalin oral capsule 225 mg, 300 mg	(Lyrica)	2	QL (60 per 30 days)
pregabalin oral solution 20 mg/ml	(Lyrica)	2	QL (900 per 30 days)
primidone oral tablet 125 mg		2	
primidone oral tablet 250 mg, 50 mg	(Mysoline)	2	
rufinamide oral suspension 40 mg/ml	(Banzel)	5	ST; NDS
rufinamide oral tablet 200 mg	(Banzel)	2	ST
rufinamide oral tablet 400 mg	(Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg	2	
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	2	
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)	1	GC
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	
valproic acid oral capsule 250 mg	2	
VALTOCO NASAL SPRAY,NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY,NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NDS
vigabatrin oral powder in packet 500 mg (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
vigadrone oral tablet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
vigpoder oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	2	
zonisamide oral capsule 50 mg	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
donepezil oral tablet 10 mg, 5 mg (Aricept)	1	GC; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg	2	QL (30 per 30 days)
ergoloid oral tablet 1 mg	2	
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml	2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg	2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg (Namenda XR)	2	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
memantine oral solution 2 mg/ml		2	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg		2	QL (60 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg		2	QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	(Exelon Patch)	2	QL (30 per 30 days)
Antidepressants			
Antidepressants			
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg		1	GC
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg		2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG		5	ST; NDS
bupropion hcl oral tablet 100 mg, 75 mg		2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	(Wellbutrin XL)	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	(Wellbutrin SR)	2	
citalopram oral solution 10 mg/5 ml		2	QL (600 per 30 days)
citalopram oral tablet 10 mg	(Celexa)	1	GC; QL (120 per 30 days)
citalopram oral tablet 20 mg, 40 mg	(Celexa)	1	GC; QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg	(Anafranil)	2	
desipramine oral tablet 10 mg, 25 mg	(Norpramin)	2	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg		2	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg	(Pristiq)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
doxepin oral concentrate 10 mg/ml	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	2	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)	1	GC
fluoxetine oral solution 20 mg/5 ml (4 mg/ml)	2	
fluvoxamine oral tablet 100 mg, 25 mg, 50 mg	2	
imipramine hcl oral tablet 10 mg, 25 mg, 50 mg	2	
MARPLAN ORAL TABLET 10 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
mirtazapine oral tablet 15 mg, 30 mg	(Remeron)	2	
mirtazapine oral tablet 45 mg, 7.5 mg		2	
mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg	(Remeron SolTab)	2	
nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg		2	
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg	(Pamelor)	1	GC
nortriptyline oral solution 10 mg/5 ml		2	
paroxetine hcl oral suspension 10 mg/5 ml	(Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg	(Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
phenelzine oral tablet 15 mg	(Nardil)	2	
protriptyline oral tablet 10 mg, 5 mg		2	
sertraline oral concentrate 20 mg/ml	(Zoloft)	2	
sertraline oral tablet 100 mg, 25 mg, 50 mg	(Zoloft)	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG		4	PA NSO
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)		5	PA NSO; NDS
tranylcypromine oral tablet 10 mg	(Parnate)	2	
trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg		1	GC
trimipramine oral capsule 100 mg, 25 mg, 50 mg		2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		3	QL (30 per 30 days)
venlafaxine besylate oral tablet extended release 24hr 112.5 mg		4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
venlafaxine oral capsule,extended release 24hr 150 mg	(Effexor XR)	1	GC; QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg	(Effexor XR)	2	QL (90 per 30 days)
venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg		2	
vilazodone oral tablet 10 mg, 20 mg, 40 mg	(Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG		5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG		5	PA NSO; NDS; QL (14 per 14 days)
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
acarbose oral tablet 100 mg, 25 mg, 50 mg	(Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	(dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG		3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG		3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG		3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG		3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG		3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG		3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG		3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG		3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
metformin oral tablet 1,000 mg	6	GC; QL (75 per 30 days)
metformin oral tablet 500 mg	6	GC; QL (150 per 30 days)
metformin oral tablet 850 mg	6	GC; QL (90 per 30 days)
metformin oral tablet extended release 24 hr 500 mg	6	GC; QL (120 per 30 days)
metformin oral tablet extended release 24 hr 750 mg	6	GC; QL (60 per 30 days)
mifepristone oral tablet 300 mg (Korlym)	5	PA; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
nateglinide oral tablet 120 mg, 60 mg	6	GC; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA NSO; QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA NSO; QL (1.5 per 28 days)
pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)	6	GC; QL (30 per 30 days)
pioglitazone-metformin oral tablet 15-500 mg	6	GC; QL (90 per 30 days)
pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)	6	GC; QL (90 per 30 days)
repaglinide oral tablet 0.5 mg, 1 mg	6	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
repaglinide oral tablet 2 mg	6	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG		3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	(dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
Insulins			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (24 per 28 days)
insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)	(Novolog Mix 70-30FlexPen U-100)	2	max $35 copay per month supply; QL (30 per 28 days)
insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)	(Novolog Mix 70-30 U-100 Insuln)	2	max $35 copay per month supply; QL (40 per 28 days)
insulin aspart u-100 subcutaneous cartridge 100 unit/ml	(Novolog PenFill U-100 Insulin)	2	max $35 copay per month supply; QL (30 per 28 days)
insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)	(Novolog FlexPen U-100 Insulin)	2	max $35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
insulin aspart u-100 subcutaneous solution 100 unit/ml	(Novolog U-100 Insulin aspart)	2	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max $35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max $35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3	max $35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max $35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max $35 copay per month supply; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max $35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max $35 copay per month supply; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	3	max $35 copay per month supply; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max $35 copay per month supply; QL (15 per 28 days)
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg	6	GC; QL (120 per 30 days)
glipizide oral tablet 2.5 mg	6	GC; QL (60 per 30 days)
glipizide oral tablet 5 mg	6	GC; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg (Glucotrol XL)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg (Glucotrol XL)	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	6	GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	6	GC; QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	6	PA-HRM; GC; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	6	PA-HRM; GC; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	6	PA-HRM; GC; AGE (Max 64 Years)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
amphotericin b injection recon soln 50 mg		2	PA BvD
amphotericin b liposome intravenous suspension for reconstitution 50 mg	(AmBisome)	5	PA BvD; NDS
caspofungin intravenous recon soln 50 mg	(Cancidas)	2	
caspofungin intravenous recon soln 70 mg	(Cancidas)	5	NDS
ciclopirox topical cream 0.77 %	(Ciclodan)	2	QL (180 per 30 days)
ciclopirox topical solution 8 %	(Ciclodan)	2	QL (19.8 per 30 days)
clotrimazole mucous membrane troche 10 mg		2	
clotrimazole topical cream 1 %	(Antifungal (clotrimazole))	2	
clotrimazole topical solution 1 %		2	
clotrimazole-betamethasone topical cream 1-0.05 %		2	QL (90 per 30 days)
econazole topical cream 1 %		2	QL (170 per 30 days)
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml		2	
fluconazole oral suspension for reconstitution 10 mg/ml		2	
fluconazole oral suspension for reconstitution 40 mg/ml	(Diflucan)	2	
fluconazole oral tablet 100 mg, 200 mg	(Diflucan)	2	
fluconazole oral tablet 150 mg, 50 mg		2	
flucytosine oral capsule 250 mg, 500 mg	(Ancobon)	5	NDS
griseofulvin microsize oral suspension 125 mg/5 ml		2	
griseofulvin microsize oral tablet 500 mg		2	
itraconazole oral capsule 100 mg	(Sporanox)	2	
ketoconazole oral tablet 200 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ketoconazole topical cream 2 %		2	QL (180 per 30 days)
ketoconazole topical foam 2 %	(Extina)	2	ST; QL (100 per 30 days)
ketoconazole topical shampoo 2 %		2	QL (360 per 30 days)
miconazole-3 vaginal suppository 200 mg		2	
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		5	PA; NDS
nyamyc topical powder 100,000 unit/gram	(nystatin)	2	QL (60 per 30 days)
nystatin oral suspension 100,000 unit/ml		2	QL (900 per 30 days)
nystatin oral tablet 500,000 unit		2	
nystatin topical cream 100,000 unit/gram		2	QL (60 per 30 days)
nystatin topical ointment 100,000 unit/gram		2	QL (60 per 30 days)
nystatin topical powder 100,000 unit/gram	(Nyamyc)	2	QL (60 per 30 days)
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%		2	
nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%		2	
nystop topical powder 100,000 unit/gram	(nystatin)	2	QL (60 per 30 days)
posaconazole oral suspension 200 mg/5 ml (40 mg/ml)	(Noxafil)	5	PA; NDS
posaconazole oral tablet,delayed release (dr/ec) 100 mg	(Noxafil)	5	PA; NDS
terbinafine hcl oral tablet 250 mg		1	GC
voriconazole intravenous recon soln 200 mg	(Vfend IV)	5	PA BvD; NDS
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)	(Vfend)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
voriconazole oral tablet 200 mg, 50 mg	(Vfend)	2	
Antigout Agents			
Antigout Agents, Other			
allopurinol oral tablet 100 mg	(Zyloprim)	1	GC
allopurinol oral tablet 300 mg		1	GC
colchicine oral capsule 0.6 mg	(Mitigare)	2	QL (60 per 30 days)
colchicine oral tablet 0.6 mg	(Colcrys)	2	QL (120 per 30 days)
febuxostat oral tablet 40 mg, 80 mg	(Uloric)	2	ST; QL (30 per 30 days)
probenecid oral tablet 500 mg		2	
probenecid-colchicine oral tablet 500-0.5 mg		2	
Antihistamines			
Antihistamines			
cyproheptadine oral syrup 2 mg/5 ml		2	PA-HRM; AGE (Max 64 Years)
diphenhydramine hcl injection solution 50 mg/ml		2	
diphenhydramine hcl injection syringe 50 mg/ml		1	GC
diphenhydramine hcl oral elixir 12.5 mg/5 ml	(Diphen)	2	PA-HRM; AGE (Max 64 Years)
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml		2	
hydroxyzine hcl oral solution 10 mg/5 ml		2	
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg		1	GC
levocetirizine oral tablet 5 mg	(24HR Allergy Relief)	1	GC
promethazine oral syrup 6.25 mg/5 ml		2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
clindamycin phosphate vaginal cream 2 % (Cleocin)	2	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)	2	
terconazole vaginal cream 0.4 %, 0.8 %	2	
terconazole vaginal suppository 80 mg	2	
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
dihydroergotamine injection solution 1 mg/ml	5	NDS; QL (24 per 28 days)
dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
naratriptan oral tablet 1 mg, 2.5 mg	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG		3	PA; QL (30 per 30 days)
rizatriptan oral tablet 10 mg	(Maxalt)	2	QL (12 per 30 days)
rizatriptan oral tablet 5 mg		2	QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 10 mg	(Maxalt-MLT)	2	QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 5 mg		2	QL (12 per 30 days)
sumatriptan 4 mg/0.5 ml inject outer, suv	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
sumatriptan nasal spray,non-aerosol 20 mg/actuation		2	QL (12 per 30 days)
sumatriptan nasal spray,non-aerosol 5 mg/actuation		2	QL (18 per 30 days)
sumatriptan succinate oral tablet 100 mg	(Imitrex)	1	GC; QL (9 per 30 days)
sumatriptan succinate oral tablet 25 mg, 50 mg	(Imitrex)	1	GC; QL (18 per 30 days)
sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml	(Imitrex STATdose Refill)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml	(Imitrex STATdose Pen)	4	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous solution 6 mg/0.5 ml	(Imitrex)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml		2	QL (4 per 28 days)
sumatriptan-naproxen oral tablet 85-500 mg	(Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG		3	PA; QL (16 per 30 days)
zolmitriptan oral tablet 2.5 mg, 5 mg	(Zomig)	2	QL (6 per 30 days)
zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg		2	QL (6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antimycobacterials		
Antimycobacterials		
dapsone oral tablet 100 mg, 25 mg	2	
ethambutol oral tablet 100 mg	2	
ethambutol oral tablet 400 mg (Myambutol)	2	
isoniazid oral solution 50 mg/5 ml	2	
isoniazid oral tablet 100 mg, 300 mg	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
pyrazinamide oral tablet 500 mg	2	
rifabutin oral capsule 150 mg (Mycobutin)	2	
rifampin intravenous recon soln 600 mg (Rifadin)	2	
rifampin oral capsule 150 mg, 300 mg	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
APONVIE INTRAVENOUS EMULSION 32 MG/4.4 ML (7.2 MG/ML)	4	QL (4.4 per 28 days)
aprepitant oral capsule 125 mg	2	PA BvD; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
aprepitant oral capsule 40 mg		2	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg	(Emend)	2	PA BvD; QL (4 per 28 days)
aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)	(Emend)	2	PA BvD
compro rectal suppository 25 mg	(prochlorperazine)	2	
dimenhydrinate injection solution 50 mg/ml		2	
dronabinol oral capsule 10 mg, 2.5 mg, 5 mg	(Marinol)	2	PA; QL (60 per 30 days)
droperidol injection solution 2.5 mg/ml		2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		5	PA BvD; NDS; QL (6 per 28 days)
fosaprepitant intravenous recon soln 150 mg	(Emend (fosaprepitant))	2	QL (2 per 28 days)
granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml		2	
granisetron hcl intravenous solution 1 mg/ml		2	
granisetron hcl oral tablet 1 mg		2	PA BvD
meclizine oral tablet 12.5 mg		2	
meclizine oral tablet 25 mg	(Dramamine (meclizine))	2	
ondansetron hcl (pf) injection solution 4 mg/2 ml		2	
ondansetron hcl (pf) injection syringe 4 mg/2 ml		1	GC
ondansetron hcl intravenous solution 2 mg/ml		2	
ondansetron hcl oral solution 4 mg/5 ml		2	PA BvD
ondansetron hcl oral tablet 4 mg, 8 mg		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ondansetron oral tablet,disintegrating 4 mg, 8 mg		2	PA BvD
prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)		2	
prochlorperazine maleate oral tablet 10 mg, 5 mg	(Compazine)	2	
prochlorperazine rectal suppository 25 mg	(Compro)	2	
promethazine injection solution 25 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine injection solution 50 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine oral tablet 12.5 mg, 25 mg, 50 mg		1	PA-HRM; GC; AGE (Max 64 Years)
promethazine rectal suppository 12.5 mg, 25 mg, 50 mg	(Promethegan)	2	PA-HRM; AGE (Max 64 Years)
promethegan rectal suppository 12.5 mg, 25 mg	(promethazine)	2	PA-HRM; AGE (Max 64 Years)
scopolamine base transdermal patch 3 day 1 mg over 3 days	(Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents			
Antiparasite Agents			
albendazole oral tablet 200 mg		5	NDS
atovaquone oral suspension 750 mg/5 ml	(Mepron)	2	
atovaquone-proguanil oral tablet 250-100 mg	(Malarone)	2	
atovaquone-proguanil oral tablet 62.5-25 mg	(Malarone Pediatric)	2	
chloroquine phosphate oral tablet 250 mg, 500 mg		2	
COARTEM ORAL TABLET 20-120 MG		4	
hydroxychloroquine oral tablet 200 mg	(Plaquenil)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
IMPAVIDO ORAL CAPSULE 50 MG		5	PA; NDS; QL (84 per 28 days)
ivermectin oral tablet 3 mg	(Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG		4	
mefloquine oral tablet 250 mg		2	
nitazoxanide oral tablet 500 mg	(Alinia)	5	NDS
paromomycin oral capsule 250 mg	(Humatin)	2	
pentamidine inhalation recon soln 300 mg	(Nebupent)	2	PA BvD
pentamidine injection recon soln 300 mg	(Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)		4	
pyrimethamine oral tablet 25 mg	(Daraprim)	5	PA; NDS
quinine sulfate oral capsule 324 mg	(Qualaquin)	2	PA; QL (42 per 7 days)
Antiparkinsonian Agents			
Antiparkinsonian Agents			
amantadine hcl oral capsule 100 mg		2	
amantadine hcl oral solution 50 mg/5 ml		1	GC
apomorphine subcutaneous cartridge 10 mg/ml	(APOKYN)	5	PA; NDS; QL (60 per 30 days)
benztropine oral tablet 0.5 mg, 1 mg, 2 mg		2	
bromocriptine oral capsule 5 mg	(Parlodel)	2	
bromocriptine oral tablet 2.5 mg	(Parlodel)	2	
cabergoline oral tablet 0.5 mg		2	
carbidopa-levodopa oral tablet 10-100 mg	(Sinemet)	2	
carbidopa-levodopa oral tablet 25-100 mg	(Dhivy)	2	
carbidopa-levodopa oral tablet 25-250 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg	2	
carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg	2	
carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg	2	
entacapone oral tablet 200 mg	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg	1	GC
rasagiline oral tablet 0.5 mg, 1 mg (Azilect)	2	
ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg	2	
ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg	2	
selegiline hcl oral capsule 5 mg	2	
selegiline hcl oral tablet 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
trihexyphenidyl oral elixir 0.4 mg/ml	2	
trihexyphenidyl oral tablet 2 mg, 5 mg	1	GC
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 26 days)
aripiprazole oral solution 1 mg/ml	2	
aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg (Abilify)	2	
aripiprazole oral tablet,disintegrating 10 mg	2	ST; QL (90 per 30 days)
aripiprazole oral tablet,disintegrating 15 mg	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
chlorpromazine injection solution 25 mg/ml	2	
chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml	2	
chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	
clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	2	
clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
clozapine oral tablet,disintegrating 150 mg	2	ST; QL (180 per 30 days)
clozapine oral tablet,disintegrating 200 mg	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
fluphenazine decanoate injection solution 25 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
fluphenazine hcl injection solution 2.5 mg/ml	2	
fluphenazine hcl oral concentrate 5 mg/ml	2	
fluphenazine hcl oral elixir 2.5 mg/5 ml	2	
fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg	2	
haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)	2	
haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml (Haldol Decanoate)	2	
haloperidol lactate injection solution 5 mg/ml	2	
haloperidol lactate intramuscular syringe 5 mg/ml	2	
haloperidol lactate oral concentrate 2 mg/ml	2	
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg	2	
lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg (Latuda)	2	QL (30 per 30 days)
lurasidone oral tablet 80 mg (Latuda)	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
molindone oral tablet 10 mg	2	QL (240 per 30 days)
molindone oral tablet 25 mg	2	QL (270 per 30 days)
molindone oral tablet 5 mg	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
olanzapine intramuscular recon soln 10 mg (Zyprexa)	2	QL (30 per 30 days)
olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg	(Zyprexa Zydis)	2	
paliperidone oral tablet extended release 24hr 1.5 mg		2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 3 mg, 9 mg	(Invega)	2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 6 mg	(Invega)	2	QL (60 per 30 days)
perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg		2	
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG		5	NDS; QL (1 per 30 days)
pimozide oral tablet 1 mg, 2 mg		2	
prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)		2	
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg	(Seroquel)	2	
quetiapine oral tablet 150 mg		2	QL (30 per 30 days)
quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg	(Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG		5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG		5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG		5	ST; NDS; QL (30 per 30 days)
risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml	(Risperdal Consta)	2	QL (2 per 28 days)
risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml	(Risperdal Consta)	5	NDS; QL (2 per 28 days)
risperidone oral solution 1 mg/ml	(Risperdal)	2	
risperidone oral tablet 0.25 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	2	
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	2	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	2	
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	2	
ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	2	
abacavir oral tablet 300 mg	2	
abacavir-lamivudine oral tablet 600-300 mg	2	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
atazanavir oral capsule 150 mg	2	
atazanavir oral capsule 200 mg, 300 mg (Reyataz)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)	5	NDS; QL (24 per 365 days)
cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml) (Apretude)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
darunavir oral tablet 600 mg, 800 mg (Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS
didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
efavirenz oral capsule 200 mg, 50 mg	2	
efavirenz oral tablet 600 mg	2	
efavirenz-emtricitabin-tenofov oral tablet 600-200-300 mg (Atripla)	5	NDS
efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg (Symfi Lo)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
efavirenz-lamivu-tenofov disop oral tablet 600-300-300 mg	(Symfi)	5	NDS
emtricitabine oral capsule 200 mg	(Emtriva)	2	
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg	(Truvada)	5	NDS
emtricitabine-tenofovir (tdf) oral tablet 200-300 mg	(Truvada)	2	
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
etravirine oral tablet 100 mg, 200 mg	(Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG		5	NDS
fosamprenavir oral tablet 700 mg		5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG		5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG		5	NDS
INTELENCE ORAL TABLET 25 MG		4	
INVIRASE ORAL TABLET 500 MG		5	NDS
ISENTRESS HD ORAL TABLET 600 MG		5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG		5	NDS
ISENTRESS ORAL TABLET 400 MG		5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG		5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG		4	
JULUCA ORAL TABLET 50-25 MG		5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lamivudine oral solution 10 mg/ml (Epivir)	2	
lamivudine oral tablet 100 mg	2	
lamivudine oral tablet 150 mg, 300 mg (Epivir)	2	
lamivudine-zidovudine oral tablet 150-300 mg	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)	2	QL (480 per 30 days)
lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)	2	QL (300 per 30 days)
lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)	2	QL (120 per 30 days)
maraviroc oral tablet 150 mg, 300 mg (Selzentry)	5	NDS
nevirapine oral suspension 50 mg/5 ml	2	
nevirapine oral tablet 200 mg	2	
nevirapine oral tablet extended release 24 hr 100 mg, 400 mg	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
rilpivirine intramuscular suspension,extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)	5	NDS
ritonavir oral tablet 100 mg (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
tenofovir disoproxil fumarate oral tablet 300 mg (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRIUMEQ ORAL TABLET 600-50-300 MG		5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG		5	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG		5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)		5	NDS
VEMLIDY ORAL TABLET 25 MG		5	ST; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG		5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)		5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG		5	NDS
VOCABRIA ORAL TABLET 30 MG		4	
zidovudine oral capsule 100 mg	(Retrovir)	2	
zidovudine oral syrup 10 mg/ml	(Retrovir)	2	
zidovudine oral tablet 300 mg		2	
Antivirals, Miscellaneous			
foscarnet intravenous solution 24 mg/ml	(Foscavir)	2	PA BvD
oseltamivir oral capsule 30 mg	(Tamiflu)	2	QL (84 per 180 days)
oseltamivir oral capsule 45 mg	(Tamiflu)	2	QL (48 per 180 days)
oseltamivir oral capsule 75 mg	(Tamiflu)	2	QL (42 per 180 days)
oseltamivir oral suspension for reconstitution 6 mg/ml	(Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG		3	$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML		5	PA; NDS; QL (336 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
rimantadine oral tablet 100 mg (Flumadine)	2	
XOFLUZA 40 MG TAB (80 MG DOSE)	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg	2	
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	2	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
lagevrio (eua) oral capsule 200 mg	4	QL (40 per 5 days)
ribavirin oral capsule 200 mg	2	
ribavirin oral tablet 200 mg	2	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	
valganciclovir oral tablet 450 mg (Valcyte)	2	
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg (Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
enoxaparin subcutaneous solution 300 mg/3 ml (Lovenox)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml	(Lovenox)	2	QL (60 per 30 days)
enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml	(Lovenox)	2	QL (48 per 30 days)
enoxaparin subcutaneous syringe 30 mg/0.3 ml	(Lovenox)	2	QL (18 per 30 days)
enoxaparin subcutaneous syringe 40 mg/0.4 ml	(Lovenox)	2	QL (24 per 30 days)
enoxaparin subcutaneous syringe 60 mg/0.6 ml	(Lovenox)	2	QL (36 per 30 days)
fondaparinux subcutaneous syringe 10 mg/0.8 ml	(Arixtra)	5	NDS; QL (24 per 30 days)
fondaparinux subcutaneous syringe 2.5 mg/0.5 ml	(Arixtra)	2	QL (15 per 30 days)
fondaparinux subcutaneous syringe 5 mg/0.4 ml	(Arixtra)	5	NDS; QL (12 per 30 days)
fondaparinux subcutaneous syringe 7.5 mg/0.6 ml	(Arixtra)	5	NDS; QL (18 per 30 days)
heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)		2	
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml		2	
heparin, porcine (pf) injection solution 1,000 unit/ml		2	
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml		2	
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	(warfarin)	1	GC
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	(Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	5	PA; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
anagrelide oral capsule 0.5 mg (Agrylin)	2	
anagrelide oral capsule 1 mg	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
protamine intravenous solution 10 mg/ml	2	
tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml) (Cyklokapron)	2	
tranexamic acid oral tablet 650 mg	2	
Platelet-Aggregation Inhibitors		
aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
cilostazol oral tablet 100 mg, 50 mg	2	
clopidogrel oral tablet 75 mg (Plavix)	1	GC
dipyridamole oral tablet 25 mg, 50 mg, 75 mg	2	PA-HRM; AGE (Max 64 Years)
pentoxifylline oral tablet extended release 400 mg	2	
prasugrel oral tablet 10 mg, 5 mg (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
dextrose 10 % in water (d10w) intravenous parenteral solution 10 %	2	PA BvD
dextrose 5 % in water (d5w) intravenous parenteral solution	4	
dextrose 5 % in water (d5w) intravenous piggyback 5 %	2	
dextrose 5%-water iv soln single use	2	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
clonidine transdermal patch weekly 0.1 mg/24 hr	(Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr	(Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr	(Catapres-TTS-3)	2	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg	(Cardura)	2	
droxidopa oral capsule 100 mg, 200 mg, 300 mg	(Northera)	5	PA; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg		2	
methyldopa oral tablet 250 mg, 500 mg		2	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg		2	
phenylephrine hcl injection solution 10 mg/ml	(Vazculep)	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg		2	
Angiotensin Ii Receptor Antagonists			
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg	(Atacand)	6	GC
candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg	(Atacand HCT)	6	GC
EDARBI ORAL TABLET 40 MG, 80 MG		3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG		3	
ENTRESTO ORAL TABLET 24-26 MG		3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG		3	QL (60 per 30 days)
irbesartan oral tablet 150 mg, 300 mg, 75 mg	(Avapro)	6	GC
irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg	(Avalide)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
losartan oral tablet 100 mg, 25 mg, 50 mg	(Cozaar)	6	GC
losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg	(Hyzaar)	6	GC
olmesartan oral tablet 20 mg, 40 mg, 5 mg	(Benicar)	6	GC
olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg	(Tribenzor)	6	GC
olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg	(Benicar HCT)	6	GC
telmisartan oral tablet 20 mg, 40 mg, 80 mg	(Micardis)	6	GC
telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg	(Micardis HCT)	6	GC
valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg	(Diovan)	6	GC
valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg	(Diovan HCT)	6	GC
Angiotensin-Converting Enzyme Inhibitors			
benazepril oral tablet 10 mg, 20 mg, 40 mg	(Lotensin)	6	GC
benazepril oral tablet 5 mg		6	GC
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Lotensin HCT)	6	GC
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg		6	GC
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg		6	GC
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Vasotec)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
enalaprilat intravenous solution 1.25 mg/ml		2	
enalapril-hydrochlorothiazide oral tablet 10-25 mg	(Vaseretic)	6	GC
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg		6	GC
fosinopril oral tablet 10 mg, 20 mg, 40 mg		6	GC
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg		6	GC
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg	(Zestril)	6	GC
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Zestoretic)	6	GC
moexipril oral tablet 15 mg, 7.5 mg		6	GC
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg		6	GC
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Accupril)	6	GC
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Accuretic)	6	GC
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg	(Altace)	6	GC
trandolapril oral tablet 1 mg, 2 mg, 4 mg		6	GC
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg		6	GC
Antiarrhythmic Agents			
amiodarone oral tablet 100 mg, 400 mg	(Pacerone)	2	
amiodarone oral tablet 200 mg	(Pacerone)	1	GC
disopyramide phosphate oral capsule 100 mg, 150 mg	(Norpace)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)	2	
flecainide oral tablet 100 mg, 150 mg, 50 mg	2	
lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)	1	GC
mexiletine oral capsule 150 mg, 200 mg, 250 mg	2	
MULTAQ ORAL TABLET 400 MG	3	
pacerone oral tablet 100 mg, 200 mg, 400 mg (amiodarone)	2	
procainamide injection solution 100 mg/ml, 500 mg/ml	2	
procainamide intravenous syringe 100 mg/ml	2	
propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg	2	
propafenone oral tablet 150 mg, 225 mg, 300 mg	2	
quinidine gluconate oral tablet extended release 324 mg	2	
quinidine sulfate oral tablet 200 mg	1	GC
quinidine sulfate oral tablet 300 mg	2	
Beta-Adrenergic Blocking Agents		
acebutolol oral capsule 200 mg, 400 mg	2	
atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)	1	GC
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	2	
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	2	
betaxolol oral tablet 10 mg, 20 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
bisoprolol fumarate oral tablet 10 mg, 5 mg		2	
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg		2	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg	(Coreg)	1	GC
labetalol intravenous solution 5 mg/ml		2	
labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)		2	
labetalol oral tablet 100 mg, 200 mg, 300 mg		2	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	(Toprol XL)	1	GC
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg		2	
metoprolol tartrate intravenous solution 5 mg/5 ml		2	
metoprolol tartrate oral tablet 100 mg, 50 mg	(Lopressor)	1	GC
metoprolol tartrate oral tablet 25 mg		1	GC
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Bystolic)	2	
pindolol oral tablet 10 mg, 5 mg		2	
propranolol intravenous solution 1 mg/ml		2	
propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg	(Inderal LA)	2	
propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)		2	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg		2	
sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg	(sotalol)	2	
sotalol af oral tablet 120 mg, 160 mg, 80 mg	(sotalol)	2	
sotalol oral tablet 120 mg, 160 mg, 80 mg	(Sotalol AF)	2	
sotalol oral tablet 240 mg	(Betapace)	2	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg		2	
Calcium-Channel Blocking Agents			
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(diltiazem hcl)	2	
diltiazem hcl intravenous solution 5 mg/ml		2	
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg		2	
diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg	(Tiadylt ER)	2	
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cartia XT)	2	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	2	
diltiazem hcl oral tablet 90 mg		2	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	(diltiazem hcl)	2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	(diltiazem hcl)	2	
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(diltiazem hcl)	2	
verapamil intravenous syringe 2.5 mg/ml		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg	(Verelan PM)	2	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg		2	
verapamil oral capsule,ext rel. pellets 24 hr 360 mg		4	
verapamil oral tablet 120 mg, 40 mg, 80 mg		1	GC
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg		2	
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG		3	QL (60 per 30 days)
digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(digoxin)	2	
digox oral tablet 125 mcg (0.125 mg)	(digoxin)	2	
digoxin injection solution 250 mcg/ml (0.25 mg/ml)	(Lanoxin)	2	
digoxin injection syringe 250 mcg/ml (0.25 mg/ml)		2	
digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(Digitek)	2	
epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml	(Auvi-Q)	2	QL (4 per 30 days)
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	2	QL (4 per 30 days)
epinephrine injection solution 1 mg/ml	(Adrenalin)	1	GC
hydralazine injection solution 20 mg/ml		2	
hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
icatibant subcutaneous syringe 30 mg/3 ml	(Sajazir)	5	PA; NDS; QL (18 per 30 days)
metyrosine oral capsule 250 mg	(Demser)	5	NDS
ranolazine oral tablet extended release 12 hr 1,000 mg		2	QL (60 per 30 days)
ranolazine oral tablet extended release 12 hr 500 mg		2	QL (120 per 30 days)
sajazir subcutaneous syringe 30 mg/3 ml	(icatibant)	5	PA; NDS; QL (18 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG		4	PA; QL (30 per 30 days)
Dihydropyridines			
amlodipine oral tablet 10 mg, 2.5 mg, 5 mg	(Norvasc)	1	GC
amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	(Lotrel)	6	GC
amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg		6	GC
amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	(Azor)	6	GC
amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg	(Exforge)	6	GC
amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg	(Exforge HCT)	6	GC
isradipine oral capsule 2.5 mg, 5 mg		2	
nicardipine oral capsule 20 mg, 30 mg		2	
nifedipine oral capsule 10 mg, 20 mg		2	
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg	(Procardia XL)	2	
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Diuretics		
amiloride oral tablet 5 mg	2	
amiloride-hydrochlorothiazide oral tablet 5-50 mg	2	
bumetanide injection solution 0.25 mg/ml	2	
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	2	
chlorothiazide sodium intravenous recon soln 500 mg	2	
chlorthalidone oral tablet 25 mg, 50 mg	2	
furosemide injection solution 10 mg/ml	2	
furosemide injection syringe 10 mg/ml	1	GC
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	GC
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	1	GC
torsemide oral tablet 10 mg, 100 mg, 5 mg	2	
torsemide oral tablet 20 mg (Soaanz)	2	
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg	1	GC
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Dyslipidemics			
amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg	(Caduet)	6	GC
amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	(Caduet)	6	GC; QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg		6	GC
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg	(Lipitor)	6	GC; QL (30 per 30 days)
cholestyramine (with sugar) oral powder in packet 4 gram	(Questran)	2	
cholestyramine light oral powder in packet 4 gram	(cholestyramine-aspartame)	2	
colesevelam oral powder in packet 3.75 gram	(WelChol)	2	
colesevelam oral tablet 625 mg	(WelChol)	2	
colestipol oral packet 5 gram		2	
colestipol oral tablet 1 gram	(Colestid)	2	
ezetimibe oral tablet 10 mg	(Zetia)	1	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-10 mg	(Vytorin 10-10)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-20 mg	(Vytorin 10-20)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-40 mg	(Vytorin 10-40)	6	GC; QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-80 mg	(Vytorin 10-80)	6	GC; QL (30 per 30 days)
fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg		2	
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg	(Tricor)	2	
fenofibrate oral tablet 160 mg, 54 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fenofibric acid (choline) oral capsule,delayed release(dr/ec) 135 mg, 45 mg	(Trilipix)	2	
fluvastatin oral capsule 20 mg, 40 mg		6	GC; QL (60 per 30 days)
fluvastatin oral tablet extended release 24 hr 80 mg	(Lescol XL)	6	GC
gemfibrozil oral tablet 600 mg	(Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG		5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG		5	PA; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	(pitavastatin calcium)	2	QL (30 per 30 days)
lovastatin oral tablet 10 mg, 20 mg, 40 mg		6	GC
NEXLETOL ORAL TABLET 180 MG		3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	QL (30 per 30 days)
niacin oral tablet 500 mg	(Niacor)	1	GC
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg		2	
niacor oral tablet 500 mg	(niacin)	2	
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	2	ST; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		3	QL (2 per 28 days)
pravastatin oral tablet 10 mg, 80 mg		6	GC
pravastatin oral tablet 20 mg, 40 mg		6	GC; QL (30 per 30 days)
prevalite oral powder in packet 4 gram	(cholestyramine-aspartame)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		3	QL (6 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 5 mg		6	GC; QL (30 per 30 days)
rosuvastatin oral tablet 40 mg	(Crestor)	6	GC; QL (30 per 30 days)
simvastatin oral tablet 10 mg, 20 mg, 40 mg	(Zocor)	6	GC; QL (30 per 30 days)
simvastatin oral tablet 5 mg, 80 mg		6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	(icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	(icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors			
aliskiren oral tablet 150 mg, 300 mg	(Tekturna)	2	
eplerenone oral tablet 25 mg, 50 mg	(Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG		3	PA; QL (30 per 30 days)
Vasodilators			
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg		2	
isosorbide dinitrate oral tablet 5 mg	(Isordil Titradose)	2	
isosorbide mononitrate oral tablet 10 mg, 20 mg		2	
isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg		1	GC
isosorbide-hydralazine oral tablet 20-37.5 mg	(BiDil)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
minoxidil oral tablet 10 mg, 2.5 mg	2	
nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)	2	
nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg (Nitrostat)	2	
nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (Nitro-Dur)	2	
Central Nervous System Agents		
Central Nervous System Agents		
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)	2	QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG		5	PA; NDS; QL (15 per 30 days)
caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)	(Cafcit)	2	PA BvD
caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)		2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	(glatiramer)	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	(glatiramer)	5	PA; NDS; QL (12 per 28 days)
dalfampridine oral tablet extended release 12 hr 10 mg	(Ampyra)	2	PA; QL (60 per 30 days)
dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg	(Focalin)	2	QL (60 per 30 days)
dextroamphetamine sulfate oral tablet 10 mg	(Zenzedi)	2	QL (180 per 30 days)
dextroamphetamine sulfate oral tablet 15 mg, 5 mg	(Zenzedi)	2	QL (90 per 30 days)
dextroamphetamine sulfate oral tablet 20 mg, 30 mg	(Zenzedi)	2	QL (60 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg	(Adderall XR)	2	QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg	(Adderall XR)	2	QL (60 per 30 days)
dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	(Adderall)	2	QL (60 per 30 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg	(Tecfidera)	5	PA; NDS; QL (14 per 7 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)	(Tecfidera)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg	(Tecfidera)	5	PA; NDS; QL (60 per 30 days)
fingolimod oral capsule 0.5 mg	(Gilenya)	5	PA; NDS; QL (30 per 30 days)
flumazenil intravenous solution 0.1 mg/ml		2	
GILENYA ORAL CAPSULE 0.25 MG		5	PA; NDS; QL (60 per 30 days)
glatiramer subcutaneous syringe 20 mg/ml	(Copaxone)	5	PA; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 40 mg/ml	(Copaxone)	5	PA; NDS; QL (12 per 28 days)
glatopa subcutaneous syringe 20 mg/ml	(glatiramer)	5	PA; NDS; QL (30 per 30 days)
glatopa subcutaneous syringe 40 mg/ml	(glatiramer)	5	PA; NDS; QL (12 per 28 days)
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg	(Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)		5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG		5	PA; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG		5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		5	PA; NDS; QL (1.2 per 28 days)
lithium carbonate oral capsule 150 mg, 300 mg, 600 mg		1	GC
lithium carbonate oral tablet 300 mg		2	
lithium carbonate oral tablet extended release 300 mg	(Lithobid)	2	
lithium carbonate oral tablet extended release 450 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lithium citrate oral solution 8 meq/5 ml	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg (Metadate CD)	2	QL (30 per 30 days)
methylphenidate hcl oral capsule, er biphasic 30-70 30 mg (Metadate CD)	2	QL (60 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg (Ritalin LA)	2	QL (30 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 30 mg (Ritalin LA)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
methylphenidate hcl oral capsule,er biphasic 50-50 60 mg		2	QL (30 per 30 days)
methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml	(Methylin)	2	QL (900 per 30 days)
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg	(Ritalin)	2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 10 mg		2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 20 mg	(Metadate ER)	2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)		2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg	(Concerta)	2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg	(Concerta)	2	QL (60 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)		2	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML		5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML		5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NDS
riluzole oral tablet 50 mg	(Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG		5	PA; NDS; QL (30 per 30 days)
teriflunomide oral tablet 14 mg, 7 mg	(Aubagio)	5	PA; NDS; QL (30 per 30 days)
tetrabenazine oral tablet 12.5 mg, 25 mg	(Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG		5	PA; NDS; QL (120 per 30 days)
Contraceptives			
Contraceptives			
afirmelle oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
altavera (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg		2	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
aubra eq oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
aviane oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
ayuna oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
balziva (28) oral tablet 0.4-35 mg-mcg		2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
briellyn oral tablet 0.4-35 mg-mcg		2	
camila oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg		2	
chateal eq (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
cryselle (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
cyred eq oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
deblitane oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(Azurette (28))	2	
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	(Enskyce)	2	
drospirenone-ethinyl estradiol oral tablet 3-0.02 mg	(Jasmiel (28))	2	
drospirenone-ethinyl estradiol oral tablet 3-0.03 mg	(Syeda)	2	
elinest oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
eluryng vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
emzahh oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
enilloring vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
enskyce oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
errin oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
estarylla oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg	(Kelnor 1/35 (28))	2	
ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg	(Kelnor 1-50 (28))	2	
etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr	(EluRyng)	2	QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
falmina (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
hailey oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
jasmiel (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
kalliga oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kelnor 1-50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(LoJaimiess)	2	QL (91 per 84 days)
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	2	QL (91 per 84 days)
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
lessina oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)	(Balcoltra)	2	
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	(Afirmelle)	2	
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(Iclevia)	2	QL (91 per 84 days)
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	2	
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
loryna (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
lo-zumandimine (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
lutera (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
marlissa (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
mili oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
mono-linyah oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	
nikki (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr	(Xulane)	2	QL (3 per 28 days)
norethindrone (contraceptive) oral tablet 0.35 mg	(Camila)	1	GC
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg	(Aurovela 1.5/30 (21))	2	
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg	(Aurovela 1/20 (21))	2	
norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)	(Merzee)	2	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)	(Aurovela Fe 1-20 (28))	1	GC
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(Aurovela Fe 1.5/30 (28))	2	
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(Tri-Legest Fe)	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg	(Tri-Lo-Estarylla)	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(Tri-Estarylla)	2	
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg	(Mili)	2	
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)		2	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
nylia 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		2	
nymyo oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
philith oral tablet 0.4-35 mg-mcg		2	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
pirmella oral tablet 0.5/0.75/1 mg-35 mcg		2	
pirmella oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
portia 28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
reclipsen (28) oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
sharobel oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
sprintec (28) oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
sronyx oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
syeda oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estradiol-iron)	2	
tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	
tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tulana oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
turqoz (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
tyblume oral tablet,chewable 0.1 mg- 20 mcg		4	
velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg		2	
vestura (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
vienva oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
vyfemla (28) oral tablet 0.4-35 mg-mcg		2	
vylibra oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
wera (28) oral tablet 0.5-35 mg-mcg		2	
xulane transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zafemy transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zarah oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
zovia 1-35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
zumandimine (28) oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
Cough And Cold Products			
Cough And Cold Products			
benzonatate oral capsule 100 mg, 200 mg		1	GC; EX
Dental And Oral Agents			
Dental And Oral Agents			
cevimeline oral capsule 30 mg	(Evoxac)	2	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Paroex Oral Rinse)	1	GC
denta 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
dentagel dental gel 1.1 %	(fluoride (sodium))	1	GC
fluoride (sodium) dental solution 0.2 %	(PreviDent)	1	GC
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	2	
oralone dental paste 0.1 %	(triamcinolone acetonide)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
paroex oral rinse mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
periogard mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
sf 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
sodium fluoride-pot nitrate dental paste 1.1-5 %	(Denta 5000 Plus Sensitive)	1	GC
triamcinolone acetonide dental paste 0.1 %	(Kourzeq)	2	
Dermatological Agents			
Dermatological Agents, Other			
accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	2	
acitretin oral capsule 10 mg, 17.5 mg, 25 mg		2	
acyclovir topical ointment 5 %	(Zovirax)	2	QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ammonium lactate topical cream 12 %		2	
ammonium lactate topical lotion 12 %	(Skin Treatment)	2	
BD SINGLE USE SWAB	(alcohol swabs)	1	GC
calcipotriene scalp solution 0.005 %		2	QL (120 per 30 days)
calcipotriene topical cream 0.005 %		2	QL (120 per 30 days)
calcipotriene topical ointment 0.005 %		2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CURITY ALCOHOL PREPS 2 PLY,MEDIUM	(alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	GC
fluorouracil topical cream 0.5 %	(Carac)	5	NDS
fluorouracil topical cream 5 %	(Efudex)	2	
fluorouracil topical solution 2 %, 5 %		2	
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	GC
imiquimod topical cream in packet 5 %		2	QL (24 per 30 days)
IV ANTISEPTIC WIPES	(alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %		3	QL (5 per 5 days)
methoxsalen oral capsule,liqd-filled,rapid rel 10 mg		5	NDS
PANRETIN TOPICAL GEL 0.1 %		5	NDS; QL (180 per 30 days)
podofilox topical solution 0.5 %		2	
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %		5	PA NSO; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	GC
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	2	
Dermatological Antibacterials			
clindamycin phosphate topical solution 1 %		2	QL (180 per 30 days)
clindamycin phosphate topical swab 1 %	(Clindacin ETZ)	2	
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %	(Neuac)	2	
ery pads topical swab 2 %	(erythromycin with ethanol)	2	
erythromycin with ethanol topical gel 2 %	(Erygel)	2	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %		2	QL (180 per 30 days)
gentamicin topical cream 0.1 %		2	QL (120 per 30 days)
gentamicin topical ointment 0.1 %		2	QL (120 per 30 days)
metronidazole topical cream 0.75 %	(Rosadan)	2	
metronidazole topical gel 0.75 %	(Rosadan)	2	
metronidazole topical gel 1 %	(Metrogel)	2	
metronidazole topical lotion 0.75 %	(MetroLotion)	2	
mupirocin topical ointment 2 %	(Centany)	1	GC; QL (220 per 30 days)
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml		2	
rosadan topical cream 0.75 %	(metronidazole)	2	
selenium sulfide topical lotion 2.5 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
silver sulfadiazine topical cream 1 %	(SSD)	2	
ssd topical cream 1 %	(silver sulfadiazine)	4	
sulfacetamide sodium (acne) topical suspension 10 %	(Klaron)	2	
Dermatological Anti-Inflammatory Agents			
ala-cort topical cream 1 %	(hydrocortisone)	2	
alclometasone topical cream 0.05 %		2	
alclometasone topical ointment 0.05 %		2	
betamethasone dipropionate topical cream 0.05 %		2	
betamethasone dipropionate topical lotion 0.05 %		2	
betamethasone dipropionate topical ointment 0.05 %		2	
betamethasone valerate topical cream 0.1 %		2	
betamethasone valerate topical lotion 0.1 %		2	
betamethasone valerate topical ointment 0.1 %		2	
betamethasone, augmented topical cream 0.05 %		2	
betamethasone, augmented topical gel 0.05 %		2	
betamethasone, augmented topical lotion 0.05 %		2	
betamethasone, augmented topical ointment 0.05 %	(Diprolene (augmented))	2	
clobetasol scalp solution 0.05 %		2	
clobetasol topical cream 0.05 %		2	
clobetasol topical gel 0.05 %		2	
clobetasol topical ointment 0.05 %		2	
clobetasol topical shampoo 0.05 %	(Clobex)	2	
clobetasol-emollient topical cream 0.05 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
desoximetasone topical cream 0.25 %	(Topicort)	2	QL (120 per 30 days)
desoximetasone topical ointment 0.25 %	(Topicort)	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %		3	
fluocinolone topical cream 0.01 %		2	
fluocinolone topical cream 0.025 %	(Synalar)	2	
fluocinolone topical ointment 0.025 %	(Synalar)	2	
fluocinonide topical cream 0.05 %		2	
fluocinonide topical solution 0.05 %		2	
fluocinonide-emollient topical cream 0.05 %	(Fluocinonide-E)	2	
fluticasone propionate topical cream 0.05 %		2	
fluticasone propionate topical ointment 0.005 %		2	
halobetasol propionate topical cream 0.05 %		2	
halobetasol propionate topical ointment 0.05 %		2	
hydrocortisone 2.5% cream		1	GC
hydrocortisone butyrate topical solution 0.1 %		2	QL (120 per 30 days)
hydrocortisone topical cream 1 %	(Ala-Cort)	1	GC
hydrocortisone topical cream with perineal applicator 2.5 %	(Proctosol HC)	1	GC
hydrocortisone topical lotion 2.5 %		2	
hydrocortisone topical ointment 1 %	(Anti-Itch (HC))	1	GC
hydrocortisone topical ointment 2.5 %		1	GC
hydrocortisone valerate topical cream 0.2 %		2	
mometasone topical cream 0.1 %		2	
mometasone topical ointment 0.1 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
mometasone topical solution 0.1 %		2	
pimecrolimus topical cream 1 %	(Elidel)	2	QL (100 per 30 days)
prednicarbate topical ointment 0.1 %		2	
proctosol hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
proctozone-hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
tacrolimus topical ointment 0.03 %, 0.1 %		2	QL (100 per 30 days)
triamcinolone acetonide topical cream 0.025 %		1	GC
triamcinolone acetonide topical cream 0.1 %, 0.5 %	(Triderm)	1	GC
triamcinolone acetonide topical lotion 0.025 %, 0.1 %		2	
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %		2	
Dermatological Retinoids			
adapalene topical cream 0.1 %	(Differin)	2	
adapalene topical gel 0.1 %	(Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %		4	PA
tazarotene topical cream 0.1 %	(Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %		4	
tretinoin topical cream 0.025 %	(Avita)	2	PA
tretinoin topical cream 0.05 %, 0.1 %	(Retin-A)	2	PA
tretinoin topical gel 0.01 %	(Retin-A)	2	PA
tretinoin topical gel 0.025 %	(Avita)	2	PA
tretinoin topical gel 0.05 %	(Atralin)	2	PA
Scabicides And Pediculicides			
malathion topical lotion 0.5 %	(Ovide)	2	
permethrin topical cream 5 %	(Elimite)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Devices			
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"		2	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless)	2	
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	GC
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	GC
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	GC
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		2	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insuln Syr(half unit))	2	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE		2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		2	
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		2	
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		2	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		2	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		2	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTILET PEN NEEDLE 29 GAUGE		2	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		2	
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		2	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	GC
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Enzyme Replacement/Modifiers			
Enzyme Replacement/Modifiers			
CERDELGA ORAL CAPSULE 84 MG		5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT		3	
GALAFOLD ORAL CAPSULE 123 MG		5	PA; NDS; QL (14 per 28 days)
javygtor oral tablet,soluble 100 mg	(sapropterin)	5	PA; NDS
miglustat oral capsule 100 mg	(Yargesa)	5	PA; NDS; QL (90 per 30 days)
nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg	(Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML		5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML		5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML		5	PA BvD; NDS
sapropterin oral tablet,soluble 100 mg	(Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML		5	PA; LA; NDS
yargesa oral capsule 100 mg	(miglustat)	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
apraclonidine ophthalmic (eye) drops 0.5 %	2	
atropine ophthalmic (eye) drops 1 % (Isopto Atropine)	2	
azelastine nasal spray,non-aerosol 137 mcg (0.1 %)	2	QL (30 per 25 days)
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %) (Astepro Allergy)	2	QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	2	
cromolyn ophthalmic (eye) drops 4 %	2	
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
epinastine ophthalmic (eye) drops 0.05 %	2	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)	2	QL (30 per 28 days)
ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)	2	QL (15 per 10 days)
levofloxacin ophthalmic (eye) drops 1.5 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
olopatadine ophthalmic (eye) drops 0.1 %	(Eye Allergy Itch-Redness Rlf)	2	
olopatadine ophthalmic (eye) drops 0.2 %	(Eye Allergy Itch Relief)	2	
proparacaine ophthalmic (eye) drops 0.5 %	(Alcaine)	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
acetic acid otic (ear) solution 2 %		2	
bacitracin ophthalmic (eye) ointment 500 unit/gram		2	
bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram	(Polycin)	2	
ciprofloxacin hcl ophthalmic (eye) drops 0.3 %		2	
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %		2	QL (7.5 per 7 days)
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)		2	QL (3.5 per 4 days)
gatifloxacin ophthalmic (eye) drops 0.5 %		2	
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)		2	
gentamicin ophthalmic (eye) drops 0.3 %		2	
hydrocortisone-acetic acid otic (ear) drops 1-2 %		2	
levofloxacin ophthalmic (eye) drops 0.5 %		2	
moxifloxacin ophthalmic (eye) drops 0.5 %	(Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %		4	
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%	(Neo-Polycin HC)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	(Neo-Polycin)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %	(Maxitrol)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %	(Maxitrol)	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml		2	
neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml		2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%		2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%		2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%	(neomycin-bacitracin-poly-hc)	2	
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	(neomycin-bacitracin-polymyxin)	2	
ofloxacin ophthalmic (eye) drops 0.3 %	(Ocuflox)	2	
ofloxacin otic (ear) drops 0.3 %		2	
polycin ophthalmic (eye) ointment 500-10,000 unit/gram	(bacitracin-polymyxin b)	2	
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml		1	GC
sulfacetamide sodium ophthalmic (eye) drops 10 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
sulfacetamide sodium ophthalmic (eye) ointment 10 %	2	
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)	2	
tobramycin ophthalmic (eye) drops 0.3 %	2	
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %	2	
trifluridine ophthalmic (eye) drops 1 %	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
bromfenac ophthalmic (eye) drops 0.07 % (Prolensa)	3	
bromfenac ophthalmic (eye) drops 0.075 % (BromSite)	3	
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %	2	
diclofenac sodium ophthalmic (eye) drops 0.1 %	2	
difluprednate ophthalmic (eye) drops 0.05 % (Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)	2	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 % (DermOtic Oil)	2	
fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fluticasone propionate nasal spray,suspension 50 mcg/actuation	(24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 %	(Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	QL (5 per 16 days)
loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %	(Lotemax)	2	QL (10 per 14 days)
loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %	(Alrex)	3	ST; QL (10 per 25 days)
mometasone nasal spray,non-aerosol 50 mcg/actuation	(Allergy Nasal (mometasone))	2	QL (34 per 30 days)
prednisolone acetate ophthalmic (eye) drops,suspension 1 %	(Pred Forte)	4	
prednisolone sodium phosphate ophthalmic (eye) drops 1 %		2	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %		3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	(cyclosporine)	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION		3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Gastrointestinal Agents			
Antiulcer Agents And Acid Suppressants			
cimetidine hcl oral solution 300 mg/5 ml		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	(Nexium)	2	QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	(Nexium)	2	QL (60 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg	(Nexium Packet)	2	ST; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg	(Nexium Packet)	2	ST; QL (60 per 30 days)
esomeprazole sodium intravenous recon soln 20 mg, 40 mg		2	
famotidine (pf) intravenous solution 20 mg/2 ml		1	GC
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml		2	
famotidine intravenous solution 10 mg/ml		2	
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Acid Reducer (lansoprazole))	1	GC; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	1	GC; QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg	(Cytotec)	2	
nizatidine oral capsule 150 mg, 300 mg		2	
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg		1	GC
pantoprazole intravenous recon soln 40 mg	(Protonix)	2	
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	(Protonix)	1	GC; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	(Protonix)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
rabeprazole oral tablet,delayed release (dr/ec) 20 mg	(AcipHex)	2	QL (30 per 30 days)
sucralfate oral tablet 1 gram	(Carafate)	2	
Gastrointestinal Agents, Other			
carglumic acid oral tablet, dispersible 200 mg	(Carbaglu)	5	PA; NDS
constulose oral solution 10 gram/15 ml	(lactulose)	2	
cromolyn oral concentrate 100 mg/5 ml	(Gastrocrom)	2	
dicyclomine oral capsule 10 mg		2	
dicyclomine oral solution 10 mg/5 ml		2	
dicyclomine oral tablet 20 mg		2	
diphenoxylate-atropine oral tablet 2.5-0.025 mg	(Lomotil)	2	PA-HRM; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml	(lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NDS
generlac oral solution 10 gram/15 ml	(lactulose)	2	
glycopyrrolate oral tablet 1 mg	(Robinul)	2	
glycopyrrolate oral tablet 2 mg	(Robinul Forte)	2	
kionex (with sorbitol) oral suspension 15-20 gram/60 ml		5	NDS
lactulose oral solution 10 gram/15 ml	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM		3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM		3	QL (30 per 30 days)
loperamide oral capsule 2 mg	(Anti-Diarrheal (loperamide))	2	
lubiprostone oral capsule 24 mcg, 8 mcg	(Amitiza)	3	QL (60 per 30 days)
methscopolamine oral tablet 2.5 mg, 5 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
metoclopramide hcl injection solution 5 mg/ml	2	
metoclopramide hcl injection syringe 5 mg/ml	2	
metoclopramide hcl oral solution 5 mg/5 ml	2	
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
sodium phenylbutyrate oral tablet 500 mg (Buphenyl)	5	PA; NDS
sodium polystyrene sulfonate oral powder	2	
sps (with sorbitol) oral suspension 15-20 gram/60 ml	2	
ursodiol oral capsule 300 mg	2	
ursodiol oral tablet 250 mg (URSO 250)	2	
ursodiol oral tablet 500 mg (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram (peg 3350-electrolytes)	2	
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram (peg 3350-electrolytes)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
gavilyte-n oral recon soln 420 gram	(peg-electrolyte soln)	2	
peg-electrolyte soln oral recon soln 420 gram	(GaviLyte-N)	2	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram	(Suprep Bowel Prep Kit)	3	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)		3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		3	
Phosphate Binders			
calcium acetate(phosphat bind) oral capsule 667 mg		2	
calcium acetate(phosphat bind) oral tablet 667 mg		2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML		4	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram	(Renvela)	2	
sevelamer carbonate oral tablet 800 mg	(Renvela)	2	
sevelamer hcl oral tablet 400 mg		2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG		3	
Genitourinary Agents			
Antispasmodics, Urinary			
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg		2	
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg	(Toviaz)	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	(mirabegron)	2	
oxybutynin chloride oral syrup 5 mg/5 ml		2	
oxybutynin chloride oral tablet 5 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg		2	
solifenacin oral tablet 10 mg, 5 mg	(Vesicare)	1	GC
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	(Detrol LA)	2	
tolterodine oral tablet 1 mg, 2 mg	(Detrol)	2	
trospium oral tablet 20 mg		2	
Genitourinary Agents, Miscellaneous			
alfuzosin oral tablet extended release 24 hr 10 mg	(Uroxatral)	1	GC; QL (30 per 30 days)
dutasteride oral capsule 0.5 mg	(Avodart)	2	
finasteride oral tablet 5 mg	(Proscar)	1	GC
tamsulosin oral capsule 0.4 mg	(Flomax)	1	GC
terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg		1	GC
tiopronin oral tablet 100 mg	(Thiola)	5	NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
deferasirox oral granules in packet 180 mg, 360 mg, 90 mg	(Jadenu Sprinkle)	5	PA; NDS
deferasirox oral tablet 180 mg, 360 mg	(Jadenu)	5	PA; NDS
deferasirox oral tablet 90 mg	(Jadenu)	2	PA
deferasirox oral tablet, dispersible 125 mg	(Exjade)	2	PA
deferasirox oral tablet, dispersible 250 mg, 500 mg	(Exjade)	5	PA; NDS
deferiprone oral tablet 1,000 mg, 500 mg	(Ferriprox)	5	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG		5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NDS
penicillamine oral tablet 250 mg	(Depen Titratabs)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
trientine oral capsule 250 mg	(Syprine)	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
danazol oral capsule 100 mg, 200 mg, 50 mg		2	
oxandrolone oral tablet 10 mg, 2.5 mg	(Oxandrin)	2	PA
testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml	(Depo-Testosterone)	2	PA
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)		2	PA
testosterone enanthate intramuscular oil 200 mg/ml		2	PA; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)	(Vogelxo)	2	PA; QL (300 per 30 days)
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)	(AndroGel)	2	PA; QL (150 per 30 days)
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)	(AndroGel)	2	PA; QL (300 per 30 days)
testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)		2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg	(Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram)	(Estrace)	2	
estradiol vaginal tablet 10 mcg	(Yuvafem)	2	QL (18 per 28 days)
estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml	(Delestrogen)	2	
estradiol-norethindrone acet oral tablet 0.5-0.1 mg	(Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
jinteli oral tablet 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	(Fyavolv)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	PA-HRM; AGE (Max 64 Years)
raloxifene oral tablet 60 mg	(Evista)	2	
yuvafem vaginal tablet 10 mcg	(estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
betamethasone acet,sod phos injection suspension 6 mg/ml	(Celestone Soluspan)	2	
dexamethasone oral solution 0.5 mg/5 ml		2	
dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg		2	
dexamethasone sodium phos (pf) injection solution 10 mg/ml		1	GC
dexamethasone sodium phos (pf) injection syringe 10 mg/ml		1	GC
dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml		1	GC
dexamethasone sodium phosphate injection syringe 4 mg/ml		2	
fludrocortisone oral tablet 0.1 mg		2	
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg	(Cortef)	2	
methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml	(Depo-Medrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
methylprednisolone oral tablet 16 mg, 4 mg, 8 mg	(Medrol)	2	
methylprednisolone oral tablet 32 mg		2	
methylprednisolone oral tablets,dose pack 4 mg	(Medrol (Pak))	2	
methylprednisolone sodium succ injection recon soln 125 mg, 40 mg		2	
methylprednisolone sodium succ intravenous recon soln 1,000 mg	(Solu-Medrol)	1	GC
prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)		2	PA BvD
prednisolone oral solution 15 mg/5 ml		2	PA BvD
prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)		2	PA BvD
prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)	(Pediapred)	2	PA BvD
prednisone oral solution 5 mg/5 ml		2	PA BvD
prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg		1	PA BvD; GC
prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)		2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML		4	
triamcinolone acetonide injection suspension 40 mg/ml	(Kenalog)	2	
Pituitary			
ACTHAR INJECTION GEL 80 UNIT/ML		5	PA; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML		5	PA; NDS; QL (35 per 28 days)
desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
desmopressin injection solution 4 mcg/ml (DDAVP)	2	
desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)	2	
desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml	2	
octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml (Sandostatin)	2	
octreotide acetate injection solution 500 mcg/ml (Sandostatin)	5	NDS
octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SYNAREL NASAL SPRAY,NON-AEROSOL 2 MG/ML	5	PA; NDS
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	4	QL (1 per 84 days)
medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)	2	QL (1 per 84 days)
medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)	2	QL (1 per 84 days)
medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)	1	GC
megestrol oral suspension 400 mg/10 ml (40 mg/ml)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
norethindrone acetate oral tablet 5 mg		2	
progesterone intramuscular oil 50 mg/ml		2	
progesterone micronized oral capsule 100 mg, 200 mg	(Prometrium)	2	
Thyroid And Antithyroid Agents			
levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg	(Euthyrox)	1	GC
levothyroxine oral tablet 300 mcg	(Levo-T)	1	GC
liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg	(Cytomel)	2	
methimazole oral tablet 10 mg, 5 mg		1	GC
propylthiouracil oral tablet 50 mg		2	
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML		5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)		5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML		5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG		5	NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG		4	PA BvD
azathioprine oral tablet 50 mg	(Imuran)	2	PA BvD
azathioprine sodium injection recon soln 100 mg		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NDS
cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)	2	PA BvD
cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)	2	PA BvD
cyclosporine modified oral capsule 50 mg	2	PA BvD
cyclosporine modified oral solution 100 mg/ml (Gengraf)	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
everolimus (immunosuppressive) (Zortress) *oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg*	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD
gengraf oral solution 100 mg/ml (cyclosporine modified)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
infliximab intravenous recon soln 100 mg (Remicade)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
leflunomide oral tablet 10 mg, 20 mg (Arava)	2	
mycophenolate mofetil (hcl) intravenous recon soln 500 mg (CellCept Intravenous)	2	PA BvD
mycophenolate mofetil oral capsule 250 mg (CellCept)	2	PA BvD
mycophenolate mofetil oral suspension for reconstitution 200 mg/ml (CellCept)	5	PA BvD; NDS
mycophenolate mofetil oral tablet 500 mg (CellCept)	2	PA BvD
mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg (Myfortic)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
sirolimus oral solution 1 mg/ml (Rapamune)	5	PA BvD; NDS
sirolimus oral tablet 0.5 mg, 1 mg, 2 mg (Rapamune)	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
Vaccines		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	GC; $0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; $0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; $0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	GC; $0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	GC; $0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	GC; $0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	GC; $0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	GC; $0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	GC; $0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	GC; QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; GC; $0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; GC; $0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; GC; $0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	GC; $0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	GC
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; GC; $0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; GC; $0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	GC; $0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	GC; $0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	GC; $0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	GC; $0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	GC; $0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	GC; $0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	GC; $0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	GC; $0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	GC; $0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	GC; $0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; $0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	6	GC
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; GC; $0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	GC; $0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG-5 LF UNIT/0.5ML (58 UNT/ML)	6	GC
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; GC; $0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; $0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; $0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	GC; $0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML (tetanus-diphtheria toxoids-td)	6	GC; $0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	GC; $0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	GC; $0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	GC
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	GC; QL (0.75 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	GC; $0 copay; QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; $0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	GC; $0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	GC; $0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	6	GC; $0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	GC; $0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	GC; $0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	GC; $0 copay; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	GC; $0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Inflammatory Bowel Disease Agents			
Inflammatory Bowel Disease Agents			
alosetron oral tablet 0.5 mg	(Lotronex)	2	
alosetron oral tablet 1 mg	(Lotronex)	5	NDS
balsalazide oral capsule 750 mg	(Colazal)	2	
budesonide oral capsule,delayed,extend.release 3 mg		2	
budesonide rectal foam 2 mg/actuation	(Uceris)	2	
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NDS
hydrocortisone rectal enema 100 mg/60 ml	(Cortenema)	2	
mesalamine oral capsule (with del rel tablets) 400 mg	(Delzicol)	2	
mesalamine oral capsule,extended release 24hr 0.375 gram	(Apriso)	2	
mesalamine oral tablet,delayed release (dr/ec) 1.2 gram	(Lialda)	2	QL (120 per 30 days)
mesalamine oral tablet,delayed release (dr/ec) 800 mg		2	
mesalamine rectal suppository 1,000 mg	(Canasa)	2	
sulfasalazine oral tablet 500 mg	(Azulfidine)	2	
sulfasalazine oral tablet,delayed release (dr/ec) 500 mg	(Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
alendronate oral solution 70 mg/75 ml		2	QL (300 per 28 days)
alendronate oral tablet 10 mg, 5 mg		1	GC; QL (30 per 30 days)
alendronate oral tablet 35 mg		1	GC; QL (4 per 28 days)
alendronate oral tablet 70 mg	(Fosamax)	1	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation		2	QL (3.7 per 28 days)
calcitriol intravenous solution 1 mcg/ml		2	
calcitriol oral capsule 0.25 mcg, 0.5 mcg	(Rocaltrol)	2	
calcitriol oral solution 1 mcg/ml	(Rocaltrol)	2	
cinacalcet oral tablet 30 mg, 60 mg	(Sensipar)	2	QL (60 per 30 days)
cinacalcet oral tablet 90 mg	(Sensipar)	2	QL (120 per 30 days)
ibandronate intravenous solution 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate intravenous syringe 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate oral tablet 150 mg		1	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NDS; QL (2 per 28 days)
paricalcitol oral capsule 1 mcg, 2 mcg	(Zemplar)	2	
paricalcitol oral capsule 4 mcg		2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML		3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG		3	QL (60 per 30 days)
risedronate oral tablet 150 mg	(Actonel)	2	QL (1 per 28 days)
risedronate oral tablet 30 mg, 5 mg		2	QL (30 per 30 days)
risedronate oral tablet 35 mg	(Actonel)	2	QL (4 per 28 days)
risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)		2	QL (4 per 28 days)
risedronate oral tablet,delayed release (dr/ec) 35 mg	(Atelvia)	2	QL (4 per 28 days)
teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)		2	QL (2.48 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
zoledronic acid intravenous recon soln 4 mg	2	
zoledronic acid intravenous solution 4 mg/5 ml	2	
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml (Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
betaine oral powder 1 gram/scoop (Cystadane)	5	PA; NDS
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NDS
diazoxide oral suspension 50 mg/ml (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML		3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML		3	
hydroxyzine pamoate oral capsule 100 mg		2	
hydroxyzine pamoate oral capsule 25 mg	(Vistaril)	1	GC
hydroxyzine pamoate oral capsule 50 mg		1	GC
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg		2	
leucovorin calcium injection solution 10 mg/ml		2	
leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg		2	
levocarnitine (with sugar) oral solution 100 mg/ml	(Carnitor)	2	
levocarnitine oral tablet 330 mg	(Carnitor)	2	
levocarnitine sf 1 g/10 ml sol 100 mg/ml	(Carnitor (sugar-free))	2	
mesna intravenous solution 100 mg/ml	(Mesnex)	2	
MESNEX ORAL TABLET 400 MG		5	NDS
nitroglycerin rectal ointment 0.4 % (w/w)	(Rectiv)	2	QL (30 per 30 days)
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML		5	PA; NDS
pyridostigmine bromide oral syrup 60 mg/5 ml	(Mestinon)	2	
pyridostigmine bromide oral tablet 30 mg		2	
pyridostigmine bromide oral tablet 60 mg	(Mestinon)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
acetazolamide oral capsule, extended release 500 mg	2	
acetazolamide oral tablet 125 mg, 250 mg	2	
acetazolamide sodium injection recon soln 500 mg	2	
brimonidine ophthalmic (eye) drops 0.1 % (Alphagan P)	2	
brimonidine ophthalmic (eye) drops 0.2 %	2	
brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 % (Combigan)	2	
brinzolamide ophthalmic (eye) drops,suspension 1 % (Azopt)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
carteolol ophthalmic (eye) drops 1 %	2	
dorzolamide ophthalmic (eye) drops 2 %	2	
dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)	2	
latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)	1	GC; QL (2.5 per 25 days)
levobunolol ophthalmic (eye) drops 0.5 %	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %	1	GC
timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %	2	
travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
calcium chloride intravenous syringe 100 mg/ml (10 %)	2	
d5 % and 0.9 % sodium chloride intravenous parenteral solution	2	
d5 %-0.45 % sodium chloride intravenous parenteral solution	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
electrolyte-148 intravenous parenteral solution	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
klor-con m10 oral tablet,er particles/crystals 10 meq (potassium chloride)	2	
klor-con m15 oral tablet,er particles/crystals 15 meq (potassium chloride)	2	
klor-con m20 oral tablet,er particles/crystals 20 meq (potassium chloride)	2	
magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml	2	
magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)	2	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)	2	
magnesium sulfate injection solution 500 mg/ml (50 %)	4	
magnesium sulfate injection syringe 500 mg/ml (50 %)	2	
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION (electrolyte-a)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
potassium chloride intravenous solution 2 meq/ml		1	PA BvD; GC
potassium chloride intravenous solution 2 meq/ml (20 ml)		2	PA BvD
potassium chloride oral capsule, extended release 10 meq, 8 meq		2	
potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml		2	
potassium chloride oral tablet extended release 10 meq	(Klor-Con 10)	2	
potassium chloride oral tablet extended release 20 meq	(K-Tab)	2	
potassium chloride oral tablet extended release 8 meq	(Klor-Con 8)	2	
potassium chloride oral tablet,er particles/crystals 10 meq	(Klor-Con M10)	2	
potassium chloride oral tablet,er particles/crystals 15 meq	(Klor-Con M15)	2	
potassium chloride oral tablet,er particles/crystals 20 meq	(Klor-Con M20)	2	
potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l		2	
potassium citrate oral tablet extended release 10 meq (1,080 mg)	(Urocit-K 10)	2	
potassium citrate oral tablet extended release 15 meq	(Urocit-K 15)	2	
potassium citrate oral tablet extended release 5 meq (540 mg)	(Urocit-K 5)	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %		2	
sodium chloride 0.9 % intravenous parenteral solution		2	
sodium chloride 0.9% solution mini-bag, single use		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(budesonide-formoterol)	2	QL (30.9 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml	(Pulmicort)	2	PA BvD; QL (120 per 30 days)
budesonide inhalation suspension for nebulization 1 mg/2 ml	(Pulmicort)	2	PA BvD; QL (60 per 30 days)
budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(Breyna)	2	QL (30.6 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation		2	QL (12 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation		2	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation		2	QL (21.2 per 30 days)
fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose	(Wixela Inhub)	2	QL (60 per 30 days)
wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose	(fluticasone propion-salmeterol)	2	QL (60 per 30 days)
Antileukotrienes			
montelukast oral tablet 10 mg	(Singulair)	1	GC
montelukast oral tablet,chewable 4 mg, 5 mg	(Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg	(Accolate)	2	
Bronchodilators			
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	(Ventolin HFA)	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)		2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)		2	QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)		2	PA BvD; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml		2	PA BvD; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml		2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
ipratropium bromide inhalation solution 0.02 %	2	PA BvD; QL (312.5 per 30 days)
ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml	2	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
terbutaline oral tablet 2.5 mg, 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
theophylline oral solution 80 mg/15 ml	2	
theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg	2	
theophylline oral tablet extended release 24 hr 400 mg, 600 mg	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
acetylcysteine intravenous solution 200 mg/ml (20 %) (Acetadote)	2	
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
pirfenidone oral capsule 267 mg (Esbriet)	5	PA; NDS; QL (270 per 30 days)
pirfenidone oral tablet 267 mg (Esbriet)	5	PA; NDS; QL (270 per 30 days)
pirfenidone oral tablet 534 mg	5	PA; NDS; QL (90 per 30 days)
pirfenidone oral tablet 801 mg (Esbriet)	5	PA; NDS; QL (90 per 30 days)
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML	5	PA BvD; NDS
roflumilast oral tablet 250 mcg (Daliresp)	2	QL (28 per 28 days)
roflumilast oral tablet 500 mcg (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NDS; QL (1 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG		5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NDS
Skeletal Muscle Relaxants			
Skeletal Muscle Relaxants			
baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg		2	
chlorzoxazone oral tablet 500 mg		2	PA-HRM; AGE (Max 64 Years)
cyclobenzaprine oral tablet 10 mg, 5 mg		1	PA-HRM; GC; AGE (Max 64 Years)
dantrolene oral capsule 100 mg, 50 mg		2	
dantrolene oral capsule 25 mg	(Dantrium)	2	
methocarbamol oral tablet 500 mg, 750 mg		2	PA-HRM; AGE (Max 64 Years)
revonto intravenous recon soln 20 mg	(dantrolene)	2	
tizanidine oral tablet 2 mg		2	
tizanidine oral tablet 4 mg	(Zanaflex)	2	
Sleep Disorder Agents			
Sleep Disorder Agents			
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg	(Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG		3	QL (30 per 30 days)
eszopiclone oral tablet 1 mg, 2 mg, 3 mg	(Lunesta)	2	QL (30 per 30 days)
modafinil oral tablet 100 mg	(Provigil)	2	PA; QL (30 per 30 days)
modafinil oral tablet 200 mg	(Provigil)	2	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
sodium oxybate oral solution 500 mg/ml	(Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG		4	PA; QL (30 per 30 days)
tasimelteon oral capsule 20 mg	(Hetlioz)	5	PA; NDS; QL (30 per 30 days)
zaleplon oral capsule 10 mg, 5 mg		1	GC; QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg	(Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents			
Vasodilating Agents			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NDS; QL (90 per 30 days)
alyq oral tablet 20 mg	(tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
ambrisentan oral tablet 10 mg, 5 mg	(Letairis)	5	PA; NDS; QL (30 per 30 days)
bosentan oral tablet 125 mg, 62.5 mg	(Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NDS; QL (30 per 30 days)
sildenafil (pulm.hypertension) oral tablet 20 mg	(Revatio)	1	PA; GC; QL (360 per 30 days)
sildenafil oral tablet 100 mg, 25 mg, 50 mg	(Viagra)	1	GC; EX; CB (6 EA per 30 days)
tadalafil (pulm. hypertension) oral tablet 20 mg	(Alyq)	2	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG		5	PA; NDS; QL (112 per 28 days)
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG		5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG		5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLET 200 MCG		5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)		5	PA; NDS
Vitamins And Minerals			
Vitamins And Minerals			
bal-care dha combo pack 27-1-430 mg		2	
bal-care dha essential pack 27 mg iron-1 mg -374 mg		2	
c-nate dha softgel 28 mg iron-1 mg - 200 mg		2	
completenate tablet chew 29 mg iron- 1 mg		2	
cyanocobalamin (vitamin b-12) injection solution	(Dodex)	1	GC; EX
ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)	(Drisdol)	1	GC; EX
folic acid oral tablet 1 mg		1	GC; EX
folivane-ob capsule 85-1 mg		2	
kosher prenatal plus iron tab 30 mg iron- 1 mg		2	
marnatal-f capsule 60 mg iron-1 mg		2	
m-natal plus tablet 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	2	
mynatal advance oral tablet 90-1-50 mg		2	
mynatal capsule 65 mg iron- 1 mg		2	
mynatal oral tablet 90-1-50 mg		2	
mynatal plus captab 65 mg iron- 1 mg		2	
mynatal-z captab 65 mg iron- 1 mg		2	
mynate 90 plus oral tablet extended release 90 mg iron-1 mg		2	
newgen tablet 32-1,000 mg-mcg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
niva-plus tablet 27 mg iron- 1 mg	2	
obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe	2	
obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg	2	
o-cal prenatal tablet 15 mg iron- 1,000 mcg	2	
pnv 29-1 tablet (rx) 29 mg iron- 1 mg	2	
pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	
pnv-dha + docusate oral capsule 27-1.25-55-300 mg	2	
pnv-omega softgel 28-1-300 mg	2	
pr natal 400 combo pack 29-1-400 mg	2	
pr natal 400 ec combo pack 29-1-400 mg	2	
pr natal 430 combo pack 29 mg iron-1 mg -430 mg	2	
pr natal 430 ec combo pack 29-1-430 mg	2	
prena1 true combo pack 30 mg iron-1.4 mg-300 mg	2	
prenaissance oral capsule 29-1.25-55-325 mg	2	
prenaissance plus oral capsule 28-1-50-250 mg	2	
prenatabs fa tablet 29-1 mg	2	
prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg	2	
prenatal 19 chewable tablet 29 mg iron- 1 mg	2	
prenatal low iron tablet (rx) 27 mg iron- 1 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
prenatal plus iron tablet (rx) 29 mg iron- 1 mg	(pnv,calcium 72-iron,carb-folic)	2	
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	2	
prenatal-u capsule 106.5-1 mg		2	
preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	2	
pretab 29 mg-1 mg tablet (rx) 29-1 mg		2	
r-natal ob softgel 20 mg iron- 1 mg-320 mg		2	
select-ob chewable caplet 29 mg iron- 1 mg		2	
select-ob chewable caplet 29 mg iron- 1 mg		2	
se-natal 19 chewable tablet 29 mg iron- 1 mg		2	
taron-c dha capsule 35-1-200 mg		2	
taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg		2	
triveen-duo dha combo pack 29-1-400 mg		2	
vinate care oral tablet,chewable 40 mg iron- 1 mg		2	
virt-c dha softgel (rx) 35-1-200 mg		2	
virt-nate dha softgel 28 mg iron-1 mg -200 mg		2	
virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg		2	
virt-pn plus softgel (rx) 28-1-300 mg		2	
vitafol gummies 3.33 mg iron- 0.33 mg		2	
vitafol nano tablet 18 mg iron- 1 mg		2	
vitafol-ob+dha combo pack 65-1-250 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg	2	
vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg	2	
zatean-pn dha capsule 27 mg iron-1 mg -300 mg	2	
zatean-pn plus softgel 28-1-300 mg	2	
zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1ST TIER UNIFINE PENTIPS 113
1ST TIER UNIFINE PENTIPS PLUS 113
abacavir 66
abacavir-lamivudine 66
ABELCET 49
ABILIFY ASIMTUFII 60
ABILIFY MAINTENA 60
abiraterone 19
ABOUTTIME PEN NEEDLE 113
ABRAXANE 19
ABRYSVO (PF) 182
acamprosate 9
acarbose 44
accutane 107
acebutolol 83
acetaminophen-codeine 3
acetazolamide 193
acetazolamide sodium 193
acetic acid 161
acetylcysteine 200
acitretin 107
ACTEMRA 176
ACTEMRA ACTPEN 176
ACTHAR 173
ACTHIB (PF) 183
ACTIMMUNE 191
acyclovir 73, 107
acyclovir sodium 73
ADACEL(TDAP ADOLESN/ADULT)(PF) 183
adapalene 112
adefovir 73
ADEMPAS 203
adrucil 19
ADVAIR HFA 197
ADVOCATE PEN NEEDLE 114
ADVOCATE SYRINGES 113, 114
afirmelle 97
AIRSUPRA 197, 198
AJOVY AUTOINJECTOR 53
AJOVY SYRINGE 53
AKEEGA 19
AKYNZEO (FOSNETUPITANT) 55
AKYNZEO (NETUPITANT) 55
ala-cort 110
albendazole 57
albuterol sulfate 198
alclometasone 110
ALCOHOL PADS 107
ALCOHOL PREP PADS 108
ALCOHOL PREP SWABS 107
ALCOHOL SWABS 107
ALCOHOL WIPES 107
ALECENSA 19
alendronate 189
alfuzosin 169
aliskiren 91
allopurinol 52
alosetron 189
alprazolam 10
altavera (28) 97
ALTRENO 112
ALUNBRIG 19
ALVAIZ 75
alyacen 1/35 (28) 97
alyacen 7/7/7 (28) 97
alyq 203
amabelz 170
amantadine hcl 58
ambrisentan 203
amethia 97
amiloride 88
amiloride-hydrochlorothiazide 88
amiodarone 82
amitriptyline 41
amlodipine 87
amlodipine-atorvastatin 89
amlodipine-benazepril 87
amlodipine-olmesartan 87
amlodipine-valsartan 87
amlodipine-valsartan-hcthiazid 87
ammonium lactate 107
amoxapine 41
amoxicillin 15, 16
amoxicillin-pot clavulanate 16
amphotericin b 50
amphotericin b liposome 50
ampicillin 16
ampicillin sodium 16
ampicillin-sulbactam 16
anagrelide 77
anastrozole 19
ANKTIVA 19
ANORO ELLIPTA 199
apomorphine 58
APONVIE 55
apraclonidine 160
aprepitant 55, 56
APRETUDE 66
apri 97
APTIOM 35
APTIVUS 66
AQINJECT PEN NEEDLE 114
aranelle (28) 97
ARCALYST 176
AREXVY (PF) 183

AREXVY ANTIGEN COMPONENT 183
aripiprazole 60
ARISTADA 60, 61
ARISTADA INITIO 60
armodafinil 202
ARNUITY ELLIPTA 197
ascomp with codeine 3
asenapine maleate 61
ashlyna 97
aspirin-dipyridamole 77
ASSURE ID DUO PRO SFTY PEN NDL 114
ASSURE ID DUO-SHIELD 114
ASSURE ID INSULIN SAFETY 114, 115
ASSURE ID PEN NEEDLE 115
ASSURE ID PRO PEN NEEDLE 115
ASTAGRAF XL 176
atazanavir 66
atenolol 83
atenolol-chlorthalidone 83
atomoxetine 92
atorvastatin 89
atovaquone 57
atovaquone-proguanil 57
atropine 160
ATROVENT HFA 199
aubra eq 97
AUGTYRO 19
aurovela 1.5/30 (21) 97
aurovela 1/20 (21) 98
aurovela 24 fe 98
aurovela fe 1.5/30 (28) 98
aurovela fe 1-20 (28) 98
AUSTEDO 92
AUSTEDO XR 92
AUSTEDO XR TITRATION KT(WK1-4) 92
AUVELITY 41
aviane 98
AVONEX 92, 93
ayuna 98
AYVAKIT 19
azacitidine 19
azathioprine 176
azathioprine sodium 176
azelastine 160
azithromycin 14
aztreonam 15
azurette (28) 98
bacitracin 161
bacitracin-polymyxin b 161
baclofen 202
bal-care dha 204
bal-care dha essential 204
balsalazide 189
BALVERSA 20
balziva (28) 98
BCG VACCINE, LIVE (PF) 183
BD ALCOHOL SWABS 107
BD AUTOSHIELD DUO PEN NEEDLE 115
BD ECLIPSE LUER-LOK ... 115
BD INSULIN SYRINGE 115, 116
BD INSULIN SYRINGE (HALF UNIT) 115
BD INSULIN SYRINGE SLIP TIP 116
BD INSULIN SYRINGE U-500 115
BD INSULIN SYRINGE ULTRA-FINE 115
BD NANO 2ND GEN PEN NEEDLE 116
BD SAFETYGLIDE INSULIN SYRINGE 116, 117
BD SAFETYGLIDE SYRINGE 116
BD ULTRA-FINE MICRO PEN NEEDLE 117
BD ULTRA-FINE MINI PEN NEEDLE 117
BD ULTRA-FINE NANO PEN NEEDLE 117
BD ULTRA-FINE ORIG PEN NEEDLE 117
BD ULTRA-FINE SHORT PEN NEEDLE 117
BD VEO INSULIN SYR (HALF UNIT) 117
BD VEO INSULIN SYRINGE UF 117
BELSOMRA 202
benazepril 81
benazepril-hydrochlorothiazide . 81
bendamustine 20
BENDAMUSTINE 20
BENDEKA 20
BENLYSTA 177
benzonatate 106
benztropine 58
BESREMI 177
betaine 191
betamethasone acet,sod phos .. 172
betamethasone dipropionate ... 110
betamethasone valerate 110
betamethasone, augmented 110
BETASERON 93
betaxolol 83
bethanechol chloride 168
bexarotene 20
BEXSERO 183
bicalutamide 20
BICILLIN L-A 16
BIKTARVY 67
bisoprolol fumarate 84

bisoprolol-hydrochlorothiazide . 84
bleomycin 20
blisovi 24 fe 98
blisovi fe 1.5/30 (28) 98
blisovi fe 1/20 (28) 98
BOOSTRIX TDAP 183
BORDERED GAUZE 117
bortezomib 20
bosentan 203
BOSULIF 20
BRAFTOVI 20
BREO ELLIPTA 197
breyna 197
BREZTRI AEROSPHERE .. 199
briellyn 98
BRILINTA 77
brimonidine 193
brimonidine-timolol 193
brinzolamide 193
BRIVIACT 35
bromfenac 163
bromocriptine 58
BRONCHITOL 200
BRUKINSA 20
budesonide 189, 197
budesonide-formoterol 197
bumetanide 88
buprenorphine hcl 3, 9
buprenorphine-naloxone 9
bupropion hcl 41
bupropion hcl (smoking deter) ... 9
buspirone 191
butalbital-acetaminophen-caff 3
butalbital-aspirin-caffeine 3
CABENUVA 67
cabergoline 58
CABLIVI 77
CABOMETYX 20, 21
cabotegravir 67
caffeine citrate 93
calcipotriene 107
calcitonin (salmon) 190
calcitriol 190
calcium acetate(phosphat bind) 168
calcium chloride 194
CALQUENCE (ACALABRUTINIB MAL) ... 21
camila 98
candesartan 80
candesartan-hydrochlorothiazid 80
CAPLYTA 61
CAPRELSA 21
captopril 81
carbamazepine 35
carbidopa-levodopa 58, 59
carbidopa-levodopa-entacapone 59
CAREFINE PEN NEEDLE 117, 118
CARETOUCH ALCOHOL PREP PAD 107
CARETOUCH INSULIN SYRINGE 118
CARETOUCH PEN NEEDLE 118
carglumic acid 166
carteolol 194
cartia xt 85
carvedilol 84
caspofungin 50
CAYSTON 15
caziant (28) 98
cefaclor 13
cefadroxil 13
cefazolin 13
cefazolin in dextrose (iso-os) ... 13
cefdinir 13
cefepime 13
cefixime 13
cefotaxime 13
cefoxitin 13
cefpodoxime 13
cefprozil 14
ceftazidime 14
ceftriaxone 14
cefuroxime axetil 14
cefuroxime sodium 14
celecoxib 6
cephalexin 14
CERDELGA 159
cevimeline 106
chateal eq (28) 98
chloramphenicol sod succinate .. 11
chlordiazepoxide hcl 10
chlorhexidine gluconate 106
chloroquine phosphate 57
chlorothiazide sodium 88
chlorpromazine 61
chlorthalidone 88
chlorzoxazone 202
cholestyramine (with sugar) 89
cholestyramine light 89
ciclopirox 50
cilostazol 77
CIMDUO 67
cimetidine hcl 164
cinacalcet 190
CINQAIR 200
CINRYZE 75
ciprofloxacin 17
ciprofloxacin hcl 17, 161
ciprofloxacin in 5 % dextrose ... 17
ciprofloxacin-dexamethasone . 161
citalopram 41
clarithromycin 14, 15
CLENPIQ 167

CLICKFINE PEN NEEDLE 119
clindamycin hcl 11
clindamycin in 5 % dextrose 12
clindamycin pediatric 12
clindamycin phosphate 12, 53, 109
clindamycin-benzoyl peroxide . 109
CLINIMIX 5%/D15W SULFITE FREE 77
CLINIMIX 4.25%/D10W SULF FREE 78
CLINIMIX 4.25%/D5W SULFIT FREE 78
CLINIMIX 5%-D20W(SULFITE-FREE) 78
CLINIMIX 6%-D5W (SULFITE-FREE) 78
CLINIMIX 8%-D10W(SULFITE-FREE) 78
CLINIMIX 8%-D14W(SULFITE-FREE) 78
CLINIMIX E 2.75%/D5W SULF FREE 78
CLINIMIX E 4.25%/D10W SUL FREE 78
CLINIMIX E 4.25%/D5W SULF FREE 78
CLINIMIX E 5%/D15W SULFIT FREE 78
CLINIMIX E 5%/D20W SULFIT FREE 79
CLINIMIX E 8%-D10W SULFITEFREE 79
CLINIMIX E 8%-D14W SULFITEFREE 79
clobazam 35, 36
clobetasol 110
clobetasol-emollient 110
clomipramine 41
clonazepam 10
clonidine 80
clonidine hcl 79
clopidogrel 77
clorazepate dipotassium 10
clotrimazole 50
clotrimazole-betamethasone 50
clozapine 61
c-nate dha 204
COARTEM 57
codeine sulfate 3
codeine-butalbital-asa-caff 3
colchicine 52
colesevelam 89
colestipol 89
colistin (colistimethate na) 12
COMBIVENT RESPIMAT .. 199
COMETRIQ 21
COMFORT EZ INSULIN SYRINGE 119, 120, 121
COMFORT EZ PEN NEEDLES 119, 120
COMFORT EZ PRO SAFETY PEN NDL 120
COMFORT TOUCH PEN NEEDLE 121
COMPLERA 67
completenate 204
compro 56
constulose 166
COPAXONE 93
COPIKTRA 21
CORLANOR 86
CORTROPHIN GEL 173
COSENTYX 177, 191
COSENTYX (2 SYRINGES) 177
COSENTYX PEN (2 PENS) 177
COSENTYX UNOREADY PEN 177
COTELLIC 21
CREON 159
cromolyn 160, 166, 200
cryselle (28) 98
CURAD GAUZE PAD 121
CURITY ALCOHOL SWABS 108
CURITY GAUZE 122
cyanocobalamin (vitamin b-12) 204
cyclobenzaprine 202
cyclopentolate 160
cyclophosphamide 21
cyclosporine 177
cyclosporine modified 177
cyproheptadine 52
CYRAMZA 21
cyred eq 98
CYSTARAN 160
d5 % and 0.9 % sodium chloride 194
d5 %-0.45 % sodium chloride .. 194
dabigatran etexilate 73
dalfampridine 93
danazol 170
dantrolene 202
DANYELZA 21
dapsone 55
DAPTACEL (DTAP PEDIATRIC) (PF) 183
daptomycin 12
darunavir 67
dasetta 1/35 (28) 98
dasetta 7/7/7 (28) 98
DAURISMO 21
daysee 99
deblitane 99
decitabine 22
deferasirox 169
deferiprone 169
DELSTRIGO 67

DENGVAXIA (PF).....184
denta 5000 plus..... 106
dentagel..... 106
DEPO-SUBQ PROVERA 104.....175
DERMACEA..... 122
DERMACEA NON-WOVEN.....122
DESCOVY..... 67
desipramine.....41
desmopressin.....173, 174
desog-e.estradiol/e.estradiol..... 99
desogestrel-ethinyl estradiol..... 99
desoximetasone..... 111
desvenlafaxine succinate.....41
dexamethasone.....172
dexamethasone sodium phos (pf)..... 172
dexamethasone sodium phosphate..... 163, 172
dexmethylphenidate..... 93
dextroamphetamine sulfate.....93
dextroamphetamine-amphetamine.....93
dextrose 10 % in water (d10w).79
dextrose 5 % in water (d5w).... 79
DIACOMIT.....36
diazepam.....10, 36
diazepam intensol.....10
diazoxide.....191
diclofenac potassium..... 6
diclofenac sodium..... 6, 163
diclofenac-misoprostol..... 7
dicloxacillin..... 16
dicyclomine..... 166
didanosine.....67
DIFICID.....15
difluprednate..... 163
digitek.....86
digox..... 86
digoxin.....86
dihydroergotamine..... 53
diltiazem hcl.....85
dilt-xr..... 85
dimenhydrinate..... 56
dimethyl fumarate..... 93, 94
DIPENTUM.....189
diphenhydramine hcl.....52
diphenoxylate-atropine.....166
dipyridamole.....77
disopyramide phosphate..... 82
disulfiram..... 9
divalproex.....36
dofetilide.....83
donepezil.....40
DOPTELET (10 TAB PACK) 75
DOPTELET (15 TAB PACK) 75
DOPTELET (30 TAB PACK) 75
dorzolamide..... 194
dorzolamide-timolol..... 194
dotti.....171
DOVATO..... 67
doxazosin.....80
doxepin.....42
doxorubicin.....22
doxorubicin, peg-liposomal.....22
doxy-100.....18
doxycycline hyclate.....18
doxycycline monohydrate.....18
DRIZALMA SPRINKLE.....42
dronabinol.....56
droperidol..... 56
DROPLET INSULIN SYR(HALF UNIT)..... 122
DROPLET INSULIN SYRINGE.....122, 123
DROPLET MICRON PEN NEEDLE..... 123
DROPLET PEN NEEDLE 123, 124
DROPSAFE ALCOHOL PREP PADS..... 108
DROPSAFE INSULIN SYRINGE..... 124
DROPSAFE PEN NEEDLE 124
drospirenone-ethinyl estradiol...99
DROXIA..... 77
droxidopa..... 80
DUAVEE.....171
duloxetine.....42
DUPIXENT PEN.....177
DUPIXENT SYRINGE.....177
dutasteride..... 169
EASY COMFORT ALCOHOL PAD.....108
EASY COMFORT INSULIN SYRINGE....125, 126
EASY COMFORT PEN NEEDLES..... 126
EASY COMFORT SAFETY PEN NEEDLE.....125
EASY GLIDE INSULIN SYRINGE..... 126
EASY GLIDE PEN NEEDLE..... 126
EASY TOUCH.....128
EASY TOUCH ALCOHOL PREP PADS..... 108
EASY TOUCH FLIPLOCK INSULIN..... 127, 128
EASY TOUCH FLIPLOCK SYRINGE..... 127
EASY TOUCH INSULIN SAFETY SYR..... 127
EASY TOUCH INSULIN SYRINGE.....126, 127, 129
EASY TOUCH LUER LOCK INSULIN.....128

EASY TOUCH PEN NEEDLE 128
EASY TOUCH SAFETY PEN NEEDLE 128, 129
EASY TOUCH SHEATHLOCK INSULIN 127, 128
EASY TOUCH UNI-SLIP ... 129
ec-naproxen 7
econazole 50
EDARBI 80
EDARBYCLOR 80
EDURANT 67
efavirenz 67
efavirenz-emtricitabin-tenofov .. 67
efavirenz-lamivu-tenofov disop 67, 68
EGRIFTA SV 174
electrolyte-148 195
ELIGARD 22
ELIGARD (3 MONTH) 22
ELIGARD (4 MONTH) 22
ELIGARD (6 MONTH) 22
elinest 99
ELIQUIS 73
ELIQUIS DVT-PE TREAT 30D START 73
ELLA 99
ELMIRON 191
ELREXFIO 22
eluryng 99
EMBRACE PEN NEEDLE. 129
EMCYT 22
EMEND 56
EMGALITY PEN 53
EMGALITY SYRINGE 53
EMSAM 42
emtricitabine 68
emtricitabine-tenofovir (tdf) 68
EMTRIVA 68
emzahh 99
enalapril maleate 81
enalaprilat 82
enalapril-hydrochlorothiazide ... 82
ENBREL 178
ENBREL MINI 178
ENBREL SURECLICK 178
ENDARI 191
endocet 3
ENGERIX-B (PF) 184
ENGERIX-B PEDIATRIC (PF) 184
enilloring 99
enoxaparin 73, 74
enpresse 99
enskyce 99
entacapone 59
entecavir 73
ENTRESTO 80
enulose 166
EPCLUSA 72
EPIDIOLEX 36
epinastine 160
epinephrine 86
epitol 36
EPIVIR HBV 68
EPKINLY 22
eplerenone 91
EPRONTIA 36
ERBITUX 22
ergocalciferol (vitamin d2) 204
ergoloid 40
ERIVEDGE 22
ERLEADA 22
erlotinib 22, 23
errin 99
ertapenem 15
ery pads 109
erythromycin 15, 161
erythromycin ethylsuccinate 15
erythromycin with ethanol 109
escitalopram oxalate 42
esomeprazole magnesium 165
esomeprazole sodium 165
estarylla 99
estradiol 171
estradiol valerate 171
estradiol-norethindrone acet ... 171
eszopiclone 202
ethambutol 55
ethosuximide 36
ethynodiol diac-eth estradiol 99
etodolac 7
etonogestrel-ethinyl estradiol 99
ETOPOPHOS 23
etoposide 23
etravirine 68
EUCRISA 111
everolimus (antineoplastic) 23
everolimus (immunosuppressive) 178
EVOTAZ 68
EVRYSDI 191
EXEL INSULIN 130
exemestane 23
EXKIVITY 23
EXTENCILLINE 16
EYSUVIS 163
ezetimibe 89
ezetimibe-simvastatin 89
falmina (28) 100
famciclovir 73
famotidine 165
famotidine (pf) 165
famotidine (pf)-nacl (iso-os) 165
FANAPT 61
FARXIGA 44
FASENRA 200
FASENRA PEN 200
febuxostat 52

felbamate 36
FEMRING 171
fenofibrate 89
fenofibrate micronized 89
fenofibrate nanocrystallized 89
fenofibric acid (choline) 90
fentanyl 4
fentanyl citrate 3, 4
FERRIPROX 169
FERRIPROX (2 TIMES A DAY) 169
fesoterodine 168
FETZIMA 42
FIASP FLEXTOUCH U-100 INSULIN 47
FIASP PENFILL U-100 INSULIN 47
FIASP U-100 INSULIN 47
finasteride 169
fingolimod 94
FINTEPLA 36
FIRMAGON KIT W DILUENT SYRINGE 23
FLEBOGAMMA DIF 178
flecainide 83
floxuridine 23
fluconazole 50
fluconazole in nacl (iso-osm) ... 50
flucytosine 50
fludrocortisone 172
flumazenil 94
flunisolide 163
fluocinolone 111
fluocinolone acetonide oil 163
fluocinonide 111
fluocinonide-emollient 111
fluoride (sodium) 106
fluorometholone 163
fluorouracil 23, 108
fluoxetine 42
fluphenazine decanoate 61
fluphenazine hcl 62
flurbiprofen 7
flurbiprofen sodium 163
fluticasone propionate 111, 164, 197, 198
fluticasone propion-salmeterol 198
fluvastatin 90
fluvoxamine 42
folic acid 204
folivane-ob 204
fondaparinux 74
fosamprenavir 68
fosaprepitant 56
foscarnet 71
fosinopril 82
fosinopril-hydrochlorothiazide .. 82
fosphenytoin 36
FOTIVDA 23
FREESTYLE PRECISION .. 130
FRUZAQLA 23
FULPHILA 75
fulvestrant 23
furosemide 88
FUZEON 68
FYARRO 23
fyavolv 171
FYCOMPA 36, 37
gabapentin 37
GALAFOLD 159
galantamine 40
GAMIFANT 178
GAMMAGARD LIQUID ... 178
GAMMAGARD S-D (IGA < 1 MCG/ML) 178
GAMMAPLEX 178
GAMMAPLEX (WITH SORBITOL) 178
GARDASIL 9 (PF) 184
gatifloxacin 161
GATTEX 30-VIAL 166
GAUZE PAD 130
gavilyte-c 167
gavilyte-g 167
gavilyte-n 168
GAVRETO 24
gefitinib 24
gemfibrozil 90
generlac 166
gengraf 178
gentak 161
gentamicin 11, 109, 161
gentamicin sulfate (ped) (pf) ... 11
gentamicin sulfate (pf) 11
GENVOYA 68
GILENYA 94
GILOTRIF 24
glatiramer 94
glatopa 94
GLEOSTINE 24
glimepiride 49
glipizide 49
glipizide-metformin 49
glyburide 49
glyburide micronized 49
glyburide-metformin 49
glycopyrrolate 166
glydo 8
GLYXAMBI 44
granisetron (pf) 56
granisetron hcl 56
GRANIX 75
griseofulvin microsize 50
guanfacine 80, 94
GVOKE 192
GVOKE HYPOPEN 2-PACK 191
GVOKE PFS 1-PACK SYRINGE 191

GVOKE PFS 2-PACK SYRINGE 192
HAEGARDA 75
hailey 100
hailey 24 fe 100
hailey fe 1.5/30 (28) 100
hailey fe 1/20 (28) 100
halobetasol propionate 111
haloette 100
haloperidol 62
haloperidol decanoate 62
haloperidol lactate 62
HARVONI 72
HAVRIX (PF) 184
HEALTHWISE INSULIN SYRINGE 131
HEALTHWISE PEN NEEDLE 131
HEALTHY ACCENTS UNIFINE PENTIP 131, 132
heather 100
heparin (porcine) 74
heparin, porcine (pf) 74
HEPLISAV-B (PF) 184
HERCEPTIN HYLECTA 24
HERZUMA 24
HIBERIX (PF) 184
HUMIRA 179
HUMIRA PEN 179
HUMIRA PEN CROHNS-UC-HS START 179
HUMIRA PEN PSOR-UVEITS-ADOL HS 179
HUMIRA(CF) 179
HUMIRA(CF) PEDI CROHNS STARTER 179
HUMIRA(CF) PEN 179
HUMIRA(CF) PEN CROHNS-UC-HS 179
HUMIRA(CF) PEN PEDIATRIC UC 179
HUMIRA(CF) PEN PSOR-UV-ADOL HS 179
HUMULIN R U-500 (CONC) INSULIN 47
HUMULIN R U-500 (CONC) KWIKPEN 47
hydralazine 86
hydrochlorothiazide 88
hydrocodone-acetaminophen 4
hydrocodone-ibuprofen 4
hydrocortisone 111, 172, 189
hydrocortisone butyrate 111
hydrocortisone valerate 111
hydrocortisone-acetic acid 161
hydromorphone 4
hydromorphone (pf) 4
hydroxychloroquine 57
hydroxyurea 24
hydroxyzine hcl 52
hydroxyzine pamoate 192
ibandronate 190
IBRANCE 24
ibu 7
ibuprofen 7
icatibant 87
iclevia 100
ICLUSIG 24
IDHIFA 24
ifosfamide 24
ILEVRO 164
imatinib 24
IMBRUVICA 24, 25
imipenem-cilastatin 15
imipramine hcl 42
imiquimod 108
IMJUDO 25
IMLYGIC 25
IMOVAX RABIES VACCINE (PF) 184
IMPAVIDO 58
INBRIJA 59
incassia 100
INCONTROL ALCOHOL PADS 108
INCONTROL PEN NEEDLE 132
INCRELEX 174
indapamide 88
indomethacin 7
INFANRIX (DTAP) (PF) 184
infliximab 179
INGREZZA 94
INGREZZA INITIATION PK(TARDIV) 94
INGREZZA SPRINKLE 94
INLYTA 25
INPEN (FOR HUMALOG) BLUE 132
INPEN (NOVOLOG OR FIASP) BLUE 132
INQOVI 25
INREBIC 25
insulin asp prt-insulin aspart 47
insulin aspart u-100 ..... 47, 48
INSULIN SYR/NDL U100 HALF MARK 132
INSULIN SYRINGE 116
INSULIN SYRINGE MICROFINE 116
INSULIN SYRINGE NEEDLELESS 116
INSULIN SYRINGE-NEEDLE U-100 116, 129, 130, 132, 133, 142, 147, 150, 151

INSUPEN PEN NEEDLE 133, 134
INTELENCE.....68
INTRALIPID.....79
INVEGA HAFYERA..... 62
INVEGA SUSTENNA..... 62, 63
INVEGA TRINZA.....63
INVELTYS.....164
INVIRASE..... 68
IPOL..... 185
ipratropium bromide..... 160, 199
ipratropium-albuterol..... 199
irbesartan.....80
irbesartan-hydrochlorothiazide.80
ISENTRESS..... 68
ISENTRESS HD..... 68
isibloom..... 100
ISOLYTE S PH 7.4.....195
ISOLYTE-P IN 5 % DEXTROSE..... 195
ISOLYTE-S..... 195
isoniazid.....55
isosorbide dinitrate.....91
isosorbide mononitrate..... 91
isosorbide-hydralazine.....91
isradipine..... 87
itraconazole..... 50
IV PREP WIPES.....108
ivermectin..... 58
IWILFIN..... 25
IXCHIQ (PF).....185
IXIARO (PF).....185
jaimiess.....100
JAKAFI.....25
jantoven..... 74
JANUMET.....44
JANUMET XR..... 44
JANUVIA.....44
JARDIANCE..... 44
jasmiel (28)..... 100
javygtor.....159
JAYPIRCA.....25
JEMPERLI.....25
jencycla.....100
JENTADUETO.....44
JENTADUETO XR.....44, 45
jinteli..... 171
juleber.....100
JULUCA..... 68
junel 1.5/30 (21)..... 100
junel 1/20 (21)..... 100
junel fe 1.5/30 (28)..... 100
junel fe 1/20 (28)..... 100
junel fe 24..... 101
JUXTAPID.....90
JYLAMVO..... 25
JYNNEOS (PF)..... 185
kalliga.....101
KALYDECO.....200
kariva (28)..... 101
kelnor 1/35 (28).....101
kelnor 1-50 (28)..... 101
KERENDIA.....91
KESIMPTA PEN..... 94
ketoconazole.....50, 51
ketorolac..... 7, 164
KEVZARA.....180
KEYTRUDA..... 25
KIMMTRAK.....25
KINERET..... 180
KINRIX (PF)..... 185
kionex (with sorbitol)..... 166
KISQALI.....26
KISQALI FEMARA CO-PACK.....25, 26
KLISYRI..... 108
klor-con m10.....195
klor-con m15.....195
klor-con m20.....195
KLOXXADO..... 9
KOSELUGO..... 26
kosher prenatal plus iron..... 204
KOURZEQ.....106
KRAZATI..... 26
KRINTAFEL..... 58
kurvelo (28).....101
KYNMOBI.....59
l norgest/e.estradiol-e.estrad... 101
labetalol.....84
lacosamide..... 37
lactulose.....166
lagevrio (eua)..... 73
lamivudine.....69
lamivudine-zidovudine..... 69
lamotrigine.....37
lanreotide.....174
lansoprazole..... 165
lapatinib.....26
larin 1.5/30 (21)..... 101
larin 1/20 (21)..... 101
larin 24 fe.....101
larin fe 1.5/30 (28).....101
larin fe 1/20 (28)..... 101
latanoprost.....194
leflunomide..... 180
lenalidomide.....26
LENVIMA..... 26
lessina..... 101
letrozole.....26
leucovorin calcium.....192
LEUKERAN.....26
LEUKINE..... 75
leuprolide.....26
leuprolide (3 month).....26
levetiracetam.....37
levobunolol.....194
levocarnitine.....192
levocarnitine (with sugar)..... 192
levocetirizine..... 52
levofloxacin.....17, 160, 161

levofloxacin in d5w 17
levonest (28) 101
levonorgest-eth.estradiol-iron . 101
levonorgestrel-ethinyl estrad 101, 102
levonorg-eth estrad triphasic ... 102
levora-28 102
levothyroxine 176
LEXIVA 69
LIBERVANT 37
lidocaine 8
lidocaine (pf) 8, 83
lidocaine hcl 8
lidocaine viscous 8
lidocaine-prilocaine 8
linezolid 12
linezolid in dextrose 5% 12
LINZESS 166
liothyronine 176
LISCO 134
lisinopril 82
lisinopril-hydrochlorothiazide ... 82
LITE TOUCH INSULIN PEN NEEDLES 134
LITE TOUCH INSULIN SYRINGE 134, 135
lithium carbonate 94
lithium citrate 95
LIVALO 90
lojaimiess 102
LOKELMA 166
LONSURF 27
loperamide 166
lopinavir-ritonavir 69
LOQTORZI 27
lorazepam 10, 11
LORBRENA 27
loryna (28) 102
losartan 81
losartan-hydrochlorothiazide 81
LOTEMAX 164
LOTEMAX SM 164
loteprednol etabonate 164
lovastatin 90
low-ogestrel (28) 102
loxapine succinate 63
lo-zumandimine (28) 102
lubiprostone 166
LUMAKRAS 27
LUMIGAN 194
LUNSUMIO 27
LUPRON DEPOT 174
LUPRON DEPOT (3 MONTH) 27, 174
LUPRON DEPOT (4 MONTH) 27
LUPRON DEPOT (6 MONTH) 27
lurasidone 63
lutera (28) 102
LYBALVI 63
lyleq 102
lyllana 171
LYNPARZA 27
LYSODREN 27
LYTGOBI 27
lyza 102
MAGELLAN INSULIN SAFETY SYRNG 135
MAGELLAN SYRINGE 135
magnesium sulfate 195
magnesium sulfate in d5w 195
magnesium sulfate in water 195
malathion 112
maraviroc 69
MARGENZA 27
marlissa (28) 102
marnatal-f 204
MARPLAN 42
MATULANE 27
MAVENCLAD (10 TABLET PACK) 95
MAVENCLAD (4 TABLET PACK) 95
MAVENCLAD (5 TABLET PACK) 95
MAVENCLAD (6 TABLET PACK) 95
MAVENCLAD (7 TABLET PACK) 95
MAVENCLAD (8 TABLET PACK) 95
MAVENCLAD (9 TABLET PACK) 95
MAXICOMFORT II PEN NEEDLE 135
MAXICOMFORT INSULIN SYRINGE 136
MAXI-COMFORT INSULIN SYRINGE 136
MAXICOMFORT SAFETY PEN NEEDLE 136
MAYZENT 95
MAYZENT STARTER(FOR 1MG MAINT) 95
MAYZENT STARTER(FOR 2MG MAINT) 95
meclizine 56
medroxyprogesterone 175
mefenamic acid 7
mefloquine 58
megestrol 28, 175
MEKINIST 28
MEKTOVI 28
meloxicam 7
memantine 40, 41
MENACTRA (PF) 185
MENQUADFI (PF) 185

MENVEO A-C-Y-W-135-DIP (PF) ... 185
mercaptopurine ... 28
meropenem ... 15
merzee ... 102
mesalamine ... 189
mesna ... 192
MESNEX ... 192
metformin ... 45
methadone ... 4
methadose ... 4
methenamine hippurate ... 12
methimazole ... 176
methocarbamol ... 202
methotrexate sodium ... 28
methotrexate sodium (pf) ... 28
methoxsalen ... 108
methscopolamine ... 166
methsuximide ... 38
methyldopa ... 80
methylphenidate hcl ... 95, 96
methylprednisolone ... 173
methylprednisolone acetate ... 172
methylprednisolone sodium succ ... 173
metoclopramide hcl ... 167
metolazone ... 88
metoprolol succinate ... 84
metoprolol ta-hydrochlorothiaz 84
metoprolol tartrate ... 84
metronidazole ... 12, 53, 109
metronidazole in nacl (iso-os) .. 12
metyrosine ... 87
mexiletine ... 83
miconazole-3 ... 51
MICRODOT INSULIN PEN NEEDLE ... 136
MICRODOT READYGARD PEN NEEDLE ... 136
microgestin fe 1/20 (28) ... 102
midodrine ... 80
mifepristone ... 45
miglustat ... 159
mili ... 102
mimvey ... 171
MINI ULTRA-THIN II ... 137
minocycline ... 18
minoxidil ... 92
mirtazapine ... 43
misoprostol ... 165
mitoxantrone ... 28
M-M-R II (PF) ... 185
m-natal plus ... 204
modafinil ... 202
moexipril ... 82
molindone ... 63
mometasone ... 111, 112, 164
mondoxyne nl ... 19
MONOJECT INSULIN SAFETY SYRING ... 137, 138
MONOJECT INSULIN SYRINGE ... 137, 138
MONOJECT SYRINGE ... 137
MONOJECT ULTRA COMFORT INSULIN ... 153
mono-linyah ... 102
montelukast ... 198
morphine ... 4, 5
MORPHINE ... 5
morphine concentrate ... 4
MOUNJARO ... 45
MOVANTIK ... 167
moxifloxacin ... 18, 161
moxifloxacin-sod.ace,sul-water 18
moxifloxacin-sod.chloride(iso) 18
MRESVIA (PF) ... 185
MULTAQ ... 83
mupirocin ... 109
MVASI ... 28
mycophenolate mofetil ... 180
mycophenolate mofetil (hcl) ... 180
mycophenolate sodium ... 180
mynatal ... 204
mynatal advance ... 204
mynatal plus ... 204
mynatal-z ... 204
mynate 90 plus ... 204
MYRBETRIQ ... 168
nabumetone ... 8
nafcillin ... 17
nafcillin in dextrose iso-osm ... 17
naloxone ... 9
naltrexone ... 9
naproxen ... 8
naratriptan ... 53
NATACYN ... 161
nateglinide ... 45
NATPARA ... 190
NAYZILAM ... 38
nebivolol ... 84
necon 0.5/35 (28) ... 102
nefazodone ... 43
neomycin ... 11
neomycin-bacitracin-poly-hc ... 161
neomycin-bacitracin-polymyxin ... 162
neomycin-polymyxin b gu ... 109
neomycin-polymyxin b-dexameth ... 162
neomycin-polymyxin-gramicidin ... 162
neomycin-polymyxin-hc ... 162
neo-polycin ... 162
neo-polycin hc ... 162
NERLYNX ... 28
NEULASTA ONPRO ... 75
nevirapine ... 69
newgen ... 204
NEXLETOL ... 90

NEXLIZET 90
niacin 90
niacor 90
nicardipine 87
NICOTROL 9
NICOTROL NS 10
nifedipine 87
nikki (28) 102
nilutamide 28
NINLARO 28
nitazoxanide 58
nitisinone 159
nitrofurantoin macrocrystal 12
nitrofurantoin monohyd/m-cryst 12
nitroglycerin 92, 192
niva-plus 205
NIVESTYM 76
nizatidine 165
NORDITROPIN FLEXPRO 174
norelgestromin-ethin.estradiol 103
norethindrone (contraceptive) 103
norethindrone acetate 176
norethindrone ac-eth estradiol 103, 171
norethindrone-e.estradiol-iron . 103
norgestimate-ethinyl estradiol . 103
NORMOSOL-M IN 5 % DEXTROSE 195
nortrel 0.5/35 (28) 103
nortrel 1/35 (21) 103
nortrel 1/35 (28) 103
nortrel 7/7/7 (28) 103
nortriptyline 43
NORVIR 69
NOVOFINE 30 138
NOVOFINE 32 138
NOVOFINE PLUS 138
NOVOLIN 70/30 U-100 INSULIN 48
NOVOLIN 70-30 FLEXPEN U-100 48
NOVOLIN N FLEXPEN 48
NOVOLIN N NPH U-100 INSULIN 48
NOVOLIN R FLEXPEN 48
NOVOLIN R REGULAR U100 INSULIN 48
NOVOTWIST 138
NOXAFIL 51
NUBEQA 28
NUCALA 200, 201
NULOJIX 180
NUPLAZID 63
NURTEC ODT 53
NUTRILIPID 79
nyamyc 51
nylia 1/35 (28) 103
nylia 7/7/7 (28) 104
nymyo 104
nystatin 51
nystatin-triamcinolone 51
nystop 51
NYVEPRIA 76
obstetrix dha 205
obstetrix dha prenatal duo 205
o-cal prenatal 205
OCALIVA 167
OCREVUS 96
OCTAGAM 180
octreotide acetate 174
ODEFSEY 69
ODOMZO 28
OFEV 201
ofloxacin 162
OGIVRI 28
OGSIVEO 28, 29
OJEMDA 29
OJJAARA 29
olanzapine 63, 64
olmesartan 81
olmesartan-amlodipin-hcthiazid 81
olmesartan-hydrochlorothiazide 81
olopatadine 161
OLUMIANT 180
omega-3 acid ethyl esters 90
omeprazole 165
OMNIPOD 5 G6 INTRO KIT (GEN 5) 138
OMNIPOD 5 G6 PODS (GEN 5) 138
OMNIPOD 5 G6-G7 INTRO KT(GEN5) 138
OMNIPOD 5 G6-G7 PODS (GEN 5) 138
OMNIPOD CLASSIC PODS (GEN 3) 138
OMNIPOD DASH INTRO KIT (GEN 4) 138
OMNIPOD DASH PDM KIT (GEN 4) 138
OMNIPOD DASH PODS (GEN 4) 139
OMNIPOD GO PODS 139
OMNIPOD GO PODS 10 UNITS/DAY 139
OMNIPOD GO PODS 15 UNITS/DAY 139
OMNIPOD GO PODS 20 UNITS/DAY 139
OMNIPOD GO PODS 25 UNITS/DAY 139
OMNIPOD GO PODS 30 UNITS/DAY 139
OMNIPOD GO PODS 40 UNITS/DAY 139

ondansetron 57
ondansetron hcl 56
ondansetron hcl (pf) 56
ONTRUZANT 29
ONUREG 29
OPDIVO 29
OPDUALAG 29
OPSUMIT 203
oralone 106
ORENCIA 180
ORENCIA (WITH MALTOSE) 180
ORENCIA CLICKJECT 180
ORFADIN 159
ORGOVYX 174
ORILISSA 175
ORKAMBI 201
ORSERDU 29
oseltamivir 71
OSMOLEX ER 59
OTEZLA 180
OTEZLA STARTER 181
oxandrolone 170
oxazepam 11
oxcarbazepine 38
OXLUMO 192
oxybutynin chloride 168, 169
oxycodone 5
oxycodone-acetaminophen 5
OXYCONTIN 5
oxymorphone 5, 6
OZEMPIC 45
pacerone 83
paclitaxel protein-bound 29
paliperidone 64
PALYNZIQ 159
PANRETIN 108
pantoprazole 165
paricalcitol 190
paroex oral rinse 107
paromomycin 58
paroxetine hcl 43
PAXLOVID 71
pazopanib 29
PEDIARIX (PF) 185
PEDVAX HIB (PF) 185
PEGASYS 72, 73
peg-electrolyte soln 168
PEMAZYRE 29
pemetrexed 29
pemetrexed disodium 29
PEMRYDI RTU 29
PEN NEEDLE130, 139, 140, 142
PEN NEEDLE, DIABETIC 121, 136, 139, 140, 142
PEN NEEDLE, DIABETIC, SAFETY 143
PENBRAYA (PF) 186
PENBRAYA MENACWY COMPONENT(PF) 186
PENBRAYA MENB COMPONENT (PF) 186
penicillamine 169
penicillin g potassium 17
penicillin g procaine 17
penicillin v potassium 17
PENTACEL (PF) 186
pentamidine 58
PENTIPS 140
pentoxifylline 77
perindopril erbumine 82
periogard 107
permethrin 112
perphenazine 64
PERSERIS 64
pfizerpen-g 17
phenelzine 43
phenobarbital 38
phenylephrine hcl 80
phenytoin 38
phenytoin sodium 38
phenytoin sodium extended 38
philith 104
PHOSLYRA 168
PIFELTRO 69
pilocarpine hcl 107, 194
pimecrolimus 112
pimozide 64
pimtrea (28) 104
pindolol 84
pioglitazone 45
pioglitazone-metformin 45
PIP PEN NEEDLE 140
piperacillin-tazobactam 17
PIQRAY 30
pirfenidone 201
pirmella 104
piroxicam 8
PLASMA-LYTE A 195
PLEGRIDY 96
pnv 29-1 205
pnv-dha + docusate 205
pnv-omega 205
podofilox 108
polycin 162
polymyxin b sulfate 12
polymyxin b sulf-trimethoprim 162
POMALYST 30
portia 28 104
posaconazole 51
potassium chloride 196
potassium chloride-0.45 % nacl 196
potassium citrate 196
pr natal 400 205
pr natal 400 ec 205
pr natal 430 205
pr natal 430 ec 205
PRALUENT PEN 90
pramipexole 59

prasugrel 77
pravastatin 90
prazosin 80
prednicarbate 112
prednisolone 173
prednisolone acetate 164
prednisolone sodium phosphate 164, 173
prednisone 173
pregabalin 38
PREHEVBRIO (PF) 186
PREMARIN 172
PREMPHASE 172
PREMPRO 172
prena1 true 205
prenaissance 205
prenaissance plus 205
prenatabs fa 205
prenatal 19 205
prenatal 19 (with docusate) 205
prenatal low iron 205
prenatal plus 206
prenatal plus (calcium carb) 205
prenatal vitamin plus low iron 206
prenatal-u 206
preplus 206
pretab 206
PRETOMANID 55
prevalite 90
PREVENT DROPSAFE PEN NEEDLE 140
PREVYMIS 71, 72
PREZCOBIX 69
PREZISTA 69
PRIFTIN 55
PRIMAQUINE 58
primidone 38
PRIORIX (PF) 186
PRIVIGEN 181
PRO COMFORT ALCOHOL PADS 108
PRO COMFORT INSULIN SYRINGE 140, 141
PRO COMFORT PEN NEEDLE 141
probenecid 52
probenecid-colchicine 52
procainamide 83
prochlorperazine 57
prochlorperazine edisylate 57, 64
prochlorperazine maleate 57
proctosol hc 112
proctozone-hc 112
PRODIGY INSULIN SYRINGE 141
progesterone 176
progesterone micronized 176
PROGRAF 181
PROLASTIN-C 201
PROLIA 190
PROMACTA 76
promethazine 52, 57
promethegan 57
propafenone 83
proparacaine 161
propranolol 84
propranolol-hydrochlorothiazid 85
propylthiouracil 176
PROQUAD (PF) 186
PROSOL 20 % 79
protamine 77
protriptyline 43
PULMOZYME 159
PURE COMFORT ALCOHOL PADS 108
PURE COMFORT PEN NEEDLE 141, 142
PURE COMFORT SAFETY PEN NEEDLE 141
PURIXAN 30
pyrazinamide 55
pyridostigmine bromide 192
pyrimethamine 58
QINLOCK 30
QUADRACEL (PF) 186
quetiapine 64
quinapril 82
quinapril-hydrochlorothiazide 82
quinidine gluconate 83
quinidine sulfate 83
quinine sulfate 58
QULIPTA 54
RABAVERT (PF) 187
rabeprazole 166
raloxifene 172
ramipril 82
ranolazine 87
rasagiline 59
RASUVO (PF) 181
RAVICTI 167
RAYALDEE 190
reclipsen (28) 104
RECOMBIVAX HB (PF) 187
RELENZA DISKHALER 72
RELEUKO 76
RELION NEEDLES 142
RELION PEN NEEDLES 142
repaglinide 45, 46
REPATHA PUSHTRONEX 91
REPATHA SURECLICK 91
REPATHA SYRINGE 91
RESTASIS 164
RESTASIS MULTIDOSE 164
RETACRIT 76
RETEVMO 30
RETROVIR 69
revonto 202
REXULTI 64
REYATAZ 70

REZLIDHIA 30
REZUROCK 181
RHOPRESSA 194
RIABNI 30
ribavirin 73
RIDAURA 181
rifabutin 55
rifampin 55
rilpivirine 70
riluzole 96
rimantadine 72
RINVOQ 181
risedronate 190
risperidone 64, 65
risperidone microspheres 64
ritonavir 70
RITUXAN HYCELA 30
rivastigmine 41
rivastigmine tartrate 41
rizatriptan 54
r-natal ob 206
ROCKLATAN 194
roflumilast 201
ropinirole 59
rosadan 109
rosuvastatin 91
ROTARIX 187
ROTATEQ VACCINE 187
ROZLYTREK 30
RUBRACA 30
rufinamide 38
RUKOBIA 70
RUXIENCE 30
RYBELSUS 46
RYBREVANT 30
RYDAPT 30
SAFESNAP INSULIN SYRINGE 142, 143
SAFETY PEN NEEDLE 143
sajazir 87
SANTYL 108
sapropterin 159
SAVELLA 96, 97
SCEMBLIX 31
scopolamine base 57
SECUADO 65
SECURESAFE INSULIN SYRINGE 143
SECURESAFE PEN NEEDLE 143
select-ob 206
select-ob (folic acid) 206
selegiline hcl 59
selenium sulfide 109
SELZENTRY 70
SEMGLEE(INSULIN GLARGINE-YFGN) 48
SEMGLEE(INSULIN GLARG-YFGN)PEN 48
se-natal 19 chewable 206
SEREVENT DISKUS 199
SEROSTIM 175
sertraline 43
setlakin 104
sevelamer carbonate 168
sevelamer hcl 168
SEZABY 38
sf 5000 plus 107
sharobel 104
SHINGRIX (PF) 187
SIGNIFOR 175
sildenafil 203
sildenafil (pulm.hypertension) 203
silver sulfadiazine 110
SIMBRINZA 194
simliya (28) 104
simpesse 104
simvastatin 91
sirolimus 181
SIRTURO 55
SKY SAFETY PEN NEEDLE 143
SKYRIZI 181, 182
sodium chloride 0.45 % 196
sodium chloride 0.9 % 196
sodium fluoride-pot nitrate 107
sodium oxybate 203
sodium phenylbutyrate 167
sodium polystyrene sulfonate .. 167
sodium,potassium,mag sulfates 168
solifenacin 169
SOLIQUA 100/33 48
SOLTAMOX 31
SOLU-CORTEF ACT-O-VIAL (PF) 173
SOMATULINE DEPOT 175
SOMAVERT 175
sorafenib 31
sorine 85
sotalol 85
sotalol af 85
SPIRIVA RESPIMAT 199
SPIRIVA WITH HANDIHALER 199
spironolactone 88
SPRAVATO 43
sprintec (28) 104
SPRITAM 39
SPRYCEL 31
sps (with sorbitol) 167
sronyx 104
ssd 110
stavudine 70
STELARA 182
STERILE PADS 143
STIOLTO RESPIMAT 199
STIVARGA 31
STRENSIQ 159
streptomycin 11

STRIBILD 70
STRIVERDI RESPIMAT 199
subvenite 39
sucralfate 166
sulfacetamide sodium 162, 163
sulfacetamide sodium (acne) .. 110
sulfacetamide-prednisolone 163
sulfadiazine 18
sulfamethoxazole-trimethoprim 18
sulfasalazine 189
sulindac 8
sumatriptan 54
sumatriptan succinate 54
sumatriptan-naproxen 54
sunitinib malate 31
SUNLENCA 70
SUNOSI 203
SURE COMFORT ALCOHOL PREP PADS 108
SURE COMFORT INS. SYR. U-100 143
SURE COMFORT INSULIN SYRINGE 144
SURE COMFORT PEN NEEDLE 144, 145
SURE COMFORT SAFETY PEN NEEDLE 143
SURE-FINE PEN NEEDLES 145
SURE-JECT INSULIN SYRINGE 145
SURE-PREP ALCOHOL PREP PADS 108
SUTAB 168
syeda 104
SYMDEKO 201
SYMLINPEN 120 46
SYMLINPEN 60 46
SYMPAZAN 39
SYMTUZA 70
SYNAREL 175
SYNJARDY 46
SYNJARDY XR 46
SYNRIBO 31
SYRINGE WITH NEEDLE, SAFETY 143
TABLOID 31
TABRECTA 31
tacrolimus 112, 182
tadalafil (pulm. hypertension) 203
TAFINLAR 31
TAGRISSO 31
TAKHZYRO 193
TALTZ AUTOINJECTOR .. 182
TALTZ SYRINGE 182
TALVEY 31
TALZENNA 31
tamoxifen 31
tamsulosin 169
tarina 24 fe 104
tarina fe 1-20 eq (28) 104
taron-c dha 206
taron-prex prenatal-dha 206
TASCENSO ODT 97
TASIGNA 31, 32
tasimelteon 203
tazarotene 112
TAZORAC 112
taztia xt 85
TAZVERIK 32
TDVAX 187
TECHLITE INSULIN SYRINGE 146
TECHLITE INSULN SYR(HALF UNIT) 145, 146
TECHLITE PEN NEEDLE. 146
TECHLITE PLUS PEN NEEDLE 147
TECVAYLI 32
TEFLARO 14
telmisartan 81
telmisartan-hydrochlorothiazid . 81
temazepam 11
TEMIXYS 70
TENIVAC (PF) 187
tenofovir disoproxil fumarate ... 70
TEPMETKO 32
terazosin 169
terbinafine hcl 51
terbutaline 199
terconazole 53
teriflunomide 97
teriparatide 190
TERUMO INSULIN SYRINGE 147
testosterone 170
testosterone cypionate 170
testosterone enanthate 170
TETANUS,DIPHTHERIA TOX PED(PF) 187
tetrabenazine 97
tetracycline 19
THALOMID 193
theophylline 200
THINPRO INSULIN SYRINGE 147
thioridazine 65
thiothixene 65
tiadylt er 85
tiagabine 39
TIBSOVO 32
TICE BCG 32
TICOVAC 187, 188
tigecycline 19
timolol maleate 85, 194
tiopronin 169
TIVDAK 32
TIVICAY 70
TIVICAY PD 70

tizanidine 202
tobramycin 11, 163
tobramycin in 0.225 % nacl 11
tobramycin sulfate 11
tobramycin-dexamethasone 163
tolterodine 169
TOPCARE CLICKFINE..... 147
TOPCARE ULTRA COMFORT 148
topiramate 39
toposar 32
toremifene 32
torsemide 88
TOUJEO MAX U-300 SOLOSTAR 48
TOUJEO SOLOSTAR U-300 INSULIN 49
TRACLEER 203
TRADJENTA 46
tramadol 6
tramadol-acetaminophen 6
trandolapril 82
trandolapril-verapamil 82
tranexamic acid 77
tranylcypromine 43
TRAVASOL 10 %..... 79
travoprost 194
TRAZIMERA 32
trazodone 43
TRECATOR 55
TRELEGY ELLIPTA..... 200
TRELSTAR 32
TREMFYA 182
tretinoin 112
tretinoin (antineoplastic) 32
triamcinolone acetonide 107, 112, 173
triamterene-hydrochlorothiazid 88
tridacaine 9
tridacaine ii 9
trientine 170
tri-estarylla 104
trifluoperazine 65
trifluridine 163
trihexyphenidyl 60
TRIJARDY XR 46
TRIKAFTA 201
tri-legest fe 105
tri-linyah 105
tri-lo-estarylla 105
tri-lo-marzia 105
tri-lo-mili 105
tri-lo-sprintec 105
trimethoprim 12
tri-mili 105
trimipramine 43
TRINTELLIX 43
tri-nymyo 105
tri-sprintec (28) 105
TRIUMEQ 71
TRIUMEQ PD 71
triveen-duo dha 206
trivora (28) 105
tri-vylibra 105
tri-vylibra lo 105
TRIZIVIR 71
TROGARZO 71
TROPHAMINE 10 %.....79
trospium 169
TRUE COMFORT ALCOHOL PADS..... 109
TRUE COMFORT INSULIN SYRINGE..... 148
TRUE COMFORT PEN NEEDLE.....148, 149
TRUE COMFORT PRO ALCOHOL PADS..... 109
TRUE COMFORT PRO INS SYRINGE..... 148, 149
TRUE COMFORT SAFETY PEN NEEDLE.....148
TRUEPLUS INSULIN.149, 150
TRUEPLUS PEN NEEDLE 149
TRULICITY 46
TRUMENBA 188
TRUQAP 32
TRUXIMA 32
TUKYSA 32
tulana 105
TURALIO 32
turqoz (28) 105
TWINRIX (PF)..... 188
tyblume 105
TYBOST 193
TYMLOS 191
TYPHIM VI 188
TYSABRI 182
UBRELVY 54
UDENYCA 77
UDENYCA AUTOINJECTOR 76
UDENYCA ONBODY 76
ULTICARE 151, 152
ULTICARE INSULIN SYRINGE..... 150, 151
ULTICARE INSULN SYR(HALF UNIT)..... 150
ULTICARE PEN NEEDLE 151
ULTICARE SAFETY PEN NEEDLE..... 151
ULTIGUARD SAFEPACK-INSULIN SYR..... 152
ULTIGUARD SAFEPACK-PEN NEEDLE.....152
ULTILET ALCOHOL SWAB..... 109
ULTILET INSULIN SYRINGE.....133, 152, 153
ULTILET PEN NEEDLE.... 153

ULTRA CMFT INS SYR (HALF UNIT).....130, 143
ULTRA COMFORT INSULIN SYRINGE 125, 130, 131, 153
ULTRA FLO INSUL SYR(HALF UNIT)..... 153
ULTRA FLO INSULIN SYRINGE..... 154
ULTRA FLO PEN NEEDLE 153, 154
ULTRA THIN PEN NEEDLE..... 154
ULTRACARE INSULIN SYRINGE..... 154, 155
ULTRACARE PEN NEEDLE..... 155
ULTRA-THIN II (SHORT) INS SYR..... 155
ULTRA-THIN II (SHORT) PEN NDL..... 155
ULTRA-THIN II INS PEN NEEDLES..... 155
ULTRA-THIN II INSULIN SYRINGE..... 155
UNIFINE PEN NEEDLE....156
UNIFINE PENTIPS..... 139, 156
UNIFINE PENTIPS MAXFLOW..... 156
UNIFINE PENTIPS PLUS 156, 157
UNIFINE PENTIPS PLUS MAXFLOW..... 156
UNIFINE PROTECT..... 157
UNIFINE SAFECONTROL157
UNIFINE SAFECONTROL PEN NEEDLE.....157
UNIFINE ULTRA PEN NEEDLE..... 157
UPTRAVI..... 203, 204
ursodiol.....167
UZEDY..... 65
valacyclovir.....73
VALCHLOR..... 109
valganciclovir.....73
valproate sodium.....39
valproic acid.....39
valproic acid (as sodium salt)...39
valsartan.....81
valsartan-hydrochlorothiazide.. 81
VALTOCO..... 39
vancomycin..... 12
VANFLYTA..... 33
VANISHPOINT INSULIN SYRINGE..... 157
VANISHPOINT SYRINGE.157
VAQTA (PF)..... 188
varenicline.....10
VARIVAX (PF).....188
VASCEPA..... 91
VEGZELMA.....33
VELCADE..... 33
velivet triphasic regimen (28).105
VELPHORO.....168
VELTASSA..... 167
VEMLIDY..... 71
VENCLEXTA..... 33
VENCLEXTA STARTING PACK..... 33
venlafaxine.....44
venlafaxine besylate..... 43
verapamil..... 85, 86
VERIFINE INSULIN SYRINGE..... 157, 158
VERIFINE PEN NEEDLE..158
VERIFINE PLUS PEN NEEDLE..... 158
VERIFINE PLUS PEN NEEDLE-SHARP..... 158
VERQUVO.....87
VERSACLOZ.....65
VERSALON..... 158
VERZENIO.....33
vestura (28).....105
V-GO 20.....158
V-GO 30.....158
V-GO 40.....158
vienva.....105
vigabatrin.....39
vigadrone..... 39
vigpoder.....40
vilazodone.....44
vinate care.....206
vinorelbine..... 33
viorele (28).....106
VIRACEPT..... 71
VIREAD.....71
virt-c dha.....206
virt-nate dha.....206
virt-pn dha.....206
virt-pn plus.....206
vitafol gummies.....206
vitafol nano..... 206
vitafol-ob+dha..... 206
VITRAKVI.....33
VIZIMPRO..... 33
VOCABRIA..... 71
volnea (28)..... 106
VONJO.....33
voriconazole..... 51, 52
VOSEVI.....72
VOWST.....193
vp-ch-pnv..... 207
vp-pnv-dha..... 207
VRAYLAR.....66
VUMERITY.....97
vyfemla (28).....106
vylibra.....106
VYZULTA..... 194
warfarin.....74

WEBCOL 109
WELIREG 33
wera (28) 106
WINREVAIR 201
wixela inhub 198
XALKORI 33, 34
XARELTO 75
XARELTO DVT-PE TREAT 30D START 74
XATMEP 34
XCOPRI 40
XCOPRI MAINTENANCE PACK 40
XCOPRI TITRATION PACK 40
XELJANZ 182
XELJANZ XR 182
XERMELO 167
XGEVA 191
XHANCE 164
XIFAXAN 13
XIGDUO XR 46, 47
XIIDRA 164
XOFLUZA 72
XOLAIR 202
XOSPATA 34
XPOVIO 34
XTAMPZA ER 6
XTANDI 34
xulane 106
XULTOPHY 100/3.6 49
XYOSTED 170
yargesa 159
YERVOY 34
YF-VAX (PF) 188
YONSA 34
yuvafem 172
zafemy 106
zafirlukast 198
zaleplon 203
zarah 106
ZARXIO 77
zatean-pn dha 207
zatean-pn plus 207
ZEGALOGUE AUTOINJECTOR 193
ZEGALOGUE SYRINGE ... 193
ZEJULA 34
ZELBORAF 34
zenatane 109
ZENPEP 160
zidovudine 71
zingiber 207
ziprasidone hcl 66
ziprasidone mesylate 66
ZIRABEV 34
ZIRGAN 163
ZOLADEX 35
zoledronic acid 191
zoledronic acid-mannitol-water 191
ZOLINZA 35
zolmitriptan 54
zolpidem 203
ZONISADE 40
zonisamide 40
zovia 1-35 (28) 106
ZTALMY 40
ZTLIDO 9
zumandimine (28) 106
ZURZUVAE 44
ZYDELIG 35
ZYKADIA 35
ZYLET 163
ZYNLONTA 35
ZYNYZ 35
ZYPREXA RELPREVV 66