

Champion Health Plan of Nevada

Renal Payer Solutions, Inc.

Formulario 2025 (Lista de medicamentos cubiertos)

POR FAVOR, LEA: ESTE DOCUMENTO CONTIENE INFORMACIÓN ACERCA DE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN

Formulario 00025245, número de versión 13

Este formulario se actualizó el 1 de mayo de 2025. Para obtener información más reciente o si tiene pregunta, comuníquese con Servicios para Miembros de Champion Health Plan al 1-844-282-5341 (los usuarios de TTY deben llamar al 711), de 8:00 a. m. a 8:00 p. m., los 7 días de la semana, desde el 1 de octubre hasta el 31 de marzo. Desde el 1 de abril hasta el 30 de septiembre, el horario es de 8:00 a. m. a 8:00 p. m., de lunes a Viernes (los mensajes recibidos en días festivos y fuera del horario de atención se responderán en el plazo de un día hábil). También puede visitar www.championhmo.com.

Nota a los miembros existentes: Esta lista de medicamentos es diferente al del año anterior. Por favor revise este documento para asegurarse de que todavía contenga los medicamentos que usted toma.

Cuando esta lista de medicamentos (formulario) se refiere a “nosotros” o a “nuestro”, se estará refiriendo a Champion. Cuando se refiere al “plan” o a “nuestro plan”, significa Champion.

Este documento incluye una lista de los medicamentos (formulario) de nuestro plan, que entrará en vigencia el 1 de mayo de 2025. Para obtener un formulario actualizado, por favor póngase en contacto con nosotros. Nuestra información de contacto, junto con la fecha en la que se actualizó el formulario por última vez, aparecen en la portada y contraportada.

De forma general debe usar las farmacias de la red para utilizar su beneficio de medicamentos controlados. Los beneficios, el formulario, la red de farmacias, y/o los copagos/coaseguros pueden cambiar el 1 de enero de 2025, y también de vez en cuando durante el año.

¿Qué es el Formulario de Champion?

Un formulario es una lista de medicamentos seleccionados que están cubiertos por Champion en consulta con un equipo de proveedores de atención médica, que representa los medicamentos controlados que se cree son una parte necesaria de un programa de tratamiento de calidad. Por lo general, Champion cubrirá los medicamentos descritos en nuestro formulario siempre que el medicamento sea médicaamente necesario, y la receta se surta en una farmacia de la red y se cumplan otras reglas del plan. Para obtener más información sobre cómo surtir sus recetas, favor de revisar la Evidencia de Cobertura.

¿Puede cambiar el formulario (la lista de medicamentos)?

La mayoría de los cambios en la cobertura de medicamentos ocurren el 1 de enero, pero Champion puede agregar o eliminar medicamentos de la Lista de medicamentos durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las reglas de Medicare al hacer estos cambios.

Cambios que pueden afectarlo este año: En los siguientes casos, usted se verá afectado por cambios de cobertura durante el año:

- **Nuevos medicamentos genéricos.** Podemos eliminar inmediatamente un medicamento de marca de nuestra Lista de medicamentos si lo reemplazamos por un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o en un nivel más bajo y con las mismas o menos restricciones. Además, cuando agregamos el nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de medicamentos, pero inmediatamente lo movemos a otro nivel de costo compartido o agregamos nuevas restricciones. Si actualmente toma el medicamento de marca, es posible que no le informemos con anticipación antes de hacer ese cambio, pero posteriormente le proporcionaremos información sobre los cambios específicos que hayamos hecho.
 - Si hacemos dicho cambio, usted o su recetador pueden solicitarnos que hagamos una excepción y que continuemos cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluye información sobre cómo solicitar una excepción, y puede encontrar información en la siguiente sección titulada “¿Cómo solicito una excepción al Formulario de Champion?”

Medicamentos retirados del mercado. Si la Administración de Alimentos y Medicamentos (FDA por sus siglas en inglés) considera que alguno de los medicamento de nuestro formulario es inseguro o si el fabricante del mismo lo retira del mercado, inmediatamente retiraremos el medicamento de nuestro formulario y daremos aviso a los miembros que toman dicho medicamento.

- **Otros cambios.** Podríamos hacer otros cambios que afecten a los miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un nuevo medicamento genérico para reemplazar un medicamento de marca que se encuentra actualmente en el formulario o agregar nuevas restricciones al medicamento de marca o moverlo a otro nivel de costo compartido, o las dos cosas. O bien, podemos hacer cambios con base en nuevos lineamientos clínicos. Si quitamos medicamentos de nuestro formulario [o] agregamos una autorización previa, o límites de cantidad y/o restricciones de

tratamiento por pasos de algún medicamento o si movemos un medicamento a un nivel más alto de costo compartido, debemos notificarle a los miembros afectados sobre dicho cambio al menos 30 días antes de que el cambio sea efectivo, o en el momento en que el miembro solicite una reposición del medicamento, en cuyo caso el miembro recibirá un suministro de 30 días del medicamento.

- Si hacemos estos u otros cambios, usted o su recetador pueden solicitarnos que hagamos una excepción y que continuemos cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluye información sobre cómo solicitar una excepción, y también puede encontrar información en la siguiente sección titulada “¿Cómo solicito una excepción al Formulario de Champion?”

Cambios que no lo afectarán si toma actualmente el medicamento. Por lo general, si está tomando un medicamento de nuestro formulario 2025 que estaba cubierto a principios de año, no interrumpiremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2025, excepto en las condiciones descritas anteriormente. Esto significa que estos medicamentos permanecerán disponibles al mismo costo compartido y sin nuevas restricciones para aquellos miembros que los toman por el resto del año de cobertura. No recibirá una notificación directa este año sobre los cambios que no le afecten. Sin embargo, el 1 de enero del próximo año, dichos cambios le afectarán y es importante que revise la Lista de medicamentos para el nuevo año de beneficios para conocer cualquier cambio en los medicamentos.

El formulario adjunto está actualizado a partir el 1 de mayo de 2025. Para obtener información actualizada acerca de los medicamentos cubiertos por Champion, póngase en contacto con nosotros. Nuestra información de contacto aparece en la portada y contraportada.

¿Cómo puedo utilizar el formulario?

Existen dos maneras de encontrar su medicamento dentro del formulario:

Padecimiento médico

El formulario comienza en la página 1. Los medicamentos de este formulario se agrupan en categorías según el tipo de padecimiento médico que tratan. Por ejemplo, los medicamentos utilizados para tratar una afección del corazón aparecen bajo la categoría de Agentes cardiovasculares. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que comienza en la página 1. Luego, busque en la categoría el nombre de su medicamento.

Lista alfabética

Si no está seguro de en qué categoría buscar, busque su medicamento en el Índice. El índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. Ambos medicamentos, tanto de marca como genéricos, están enlistados en el índice. Busque en el Índice y encuentre su medicamento. Al lado de su medicamento, verá el número de la página donde podrá encontrar la información de cobertura. Vaya a la página que aparece en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

¿Qué son los medicamentos genéricos?

Champion cubre medicamentos de marca y medicamentos genéricos. Un medicamento genérico está aprobado por la Administración de Alimentos y Medicamentos (FDA por sus siglas en inglés), ya que contiene el mismo ingrediente activo que el medicamento de marca. Por lo general, los medicamentos

genéricos cuestan menos que los medicamentos de marca.

¿Existen restricciones en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos adicionales o límites de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa:** Champion requiere que usted [o su médico] obtenga una autorización previa para ciertos medicamentos. Esto significa que deberá obtener la aprobación de Champion antes de surtir sus recetas. Si no obtiene la aprobación, Champion podría no cubrir el medicamento.
- **Límites de cantidad:** Para ciertos medicamentos, Champion limita la cantidad del medicamento que Champion cubrirá. Por ejemplo, nuestro Plan proporciona 18 comprimidos de succinato de sumatriptán oral por receta para 28 días. Esto puede ser adicional al suministro estándar para un mes o tres meses.
- **Tratamiento por pasos:** En algunos casos, Champion requiere que primero pruebe ciertos medicamentos para tratar su afección médica antes de cubrir otro medicamento para dicha afección. Por ejemplo, si tanto el medicamento A como el medicamento B tratan su afección médica, Champion podría no cubrir el medicamento B a menos que primero pruebe el medicamento A. Si el medicamento A no funciona para usted, Champion cubrirá el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, revise el formulario que comienza en la página 1. También puede obtener más información sobre las restricciones que se aplican a medicamentos específicos cubiertos si visita nuestro sitio web. Hemos publicado documentos en línea que explican nuestras restricciones en cuanto a autorizaciones previas y tratamiento por pasos. También puede solicitar que le enviemos una copia. Nuestra información de contacto, junto con la fecha en la que se actualizó el formulario por última vez, aparecen en la portada y contraportada.

Puede solicitarle a Champion una excepción a estas restricciones o límites, o una lista de otros medicamentos similares, que pudieran tratar la misma afección médica. Consulte la sección “¿Cómo solicito una excepción al Formulario de Champion?” en la página 1 para obtener información sobre cómo solicitar una excepción.

¿Qué sucede si mi medicamento no está en el Formulario?

Si su medicamento no está incluido en este formulario (lista de medicamentos cubiertos), primero debe comunicarse con el Servicio a Miembros y preguntar si su medicamento está cubierto. Para obtener más información, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha en la que se actualizó el formulario por última vez, aparecen en la portada y contraportada.

Si Champion no cubre su medicamento, usted tiene dos opciones:

- Puede solicitar a Servicio a Miembros una lista de medicamentos similares que estén cubiertos por Champion. Cuando usted reciba la lista, muéstresela a su médico y pídale que le recete un

medicamento similar que esté cubierto por Champion.

- Usted puede solicitarle a Champion que haga una excepción y cubra su medicamento. Consulte lo siguiente para obtener información sobre cómo solicitar una excepción.

¿Cómo solicito una excepción al formulario de Champion?

Usted puede solicitarle a Champion que haga una excepción a nuestras reglas de cobertura. Existen varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento incluso si no está en nuestro formulario. Si se aprueba, este medicamento estará cubierto a un nivel predeterminado de costo compartido, y usted no podría pedirnos que suministremos el medicamento a un nivel inferior de costo compartido.
- Puede pedirnos que cubramos un medicamento del formulario a un nivel inferior de costo compartido, a menos que el medicamento esté en el nivel de especialidades. Si se aprueba, esto disminuiría la cantidad que usted debe pagar por su medicamento.
- Puede solicitarnos que exoneremos las restricciones de cobertura o los límites de su medicamento. Por ejemplo, para algunos medicamentos, Champion limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede solicitarnos que exoneremos el límite y cubramos una cantidad mayor.

Por lo general, Champion solo aprobará su solicitud de excepción si los medicamentos alternativos incluidos en el formulario del plan, el medicamento de costo compartido inferior o las restricciones adicionales de uso pudieran no ser tan efectivos para tratar su afección o pudieran provocarle efectos médicos adversos.

Debe contactarnos para solicitarnos una decisión inicial de cobertura con respecto a alguna excepción del formulario o restricción de uso. **Cuando solicite alguna excepción al formulario o a alguna restricción de uso, deberá ingresar una declaración de quién se lo haya recetado o de su médico quien apoya su solicitud.** Por lo general, debemos emitir una decisión dentro de las siguientes 72 horas a partir de recibir la declaración de apoyo de su médico. Puede solicitar una excepción expedita (rápida) si usted o su médico consideran que su salud podría verse seriamente comprometida si espera hasta 72 horas para obtener una decisión. Si se autoriza su solicitud expedita, debemos proporcionarle una decisión a más tardar 24 horas después de haber recibido la declaración de apoyo de su médico u otra persona autorizada para recetar.

Qué debo hacer antes de que pueda hablar con mi médico sobre un cambio en mis medicamentos o de solicitar una excepción?

Como un miembro nuevo o uno que continua en nuestro plan, es posible que esté tomando medicamentos que no se encuentren en nuestro formulario. O bien, es posible que esté tomando un medicamento que no esté en nuestro formulario, pero su capacidad para obtenerlo sea limitada. Por ejemplo, puede ser que necesite una autorización previa de nuestra parte antes de poder surtir su receta médica. Usted deberá hablar con su médico para decidir si deben cambiar a un medicamento apropiado que sí cubramos o solicitar una excepción al formulario para que cubramos el medicamento que toma. En el transcurso antes de hablar con su médico para determinar el curso correcto de acción para usted, podemos cubrir su medicamento en ciertos casos durante los primeros 90 días a partir de que se afilie a nuestro plan.

Para cada uno de sus medicamentos que no estén incluidos en nuestro formulario, o si su capacidad de obtener los medicamentos es limitada, cubriremos un suministro temporal para 30 días. Si su receta está escrita para menos días, permitiremos resurtidos para proporcionar hasta un suministro máximo para 30 días del medicamento. Después de su primer suministro de 30 días, no pagaremos por dichos medicamentos, incluso si usted lleva menos de 90 días siendo miembro del plan.

Si usted es residente de un centro de cuidados a largo plazo y necesita un medicamento que no esté incluido en nuestro formulario, o si su capacidad de obtener los medicamentos es limitada, pero usted lleva más de 90 días afiliado a nuestro plan, cubriremos un suministro de emergencia de 31 días de ese medicamento mientras tramita una excepción al formulario.

Los miembros que cambian de lugar de tratamiento debido a cambios en el nivel de atención también se consideran en transición. Estos miembros recibirán un resurtido de transición adecuado.

Para obtener más información

Para obtener información más detallada acerca de su cobertura de medicamentos controlados por Champion, consulte su Evidencia de Cobertura y otros materiales del plan.

Si tiene preguntas sobre Champion, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha en la que se actualizó el formulario por última vez, aparecen en la portada y contraportada.

Si tiene preguntas generales sobre la cobertura de medicamentos controlados por Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227) 24 horas del día / 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O visite <http://www.medicare.gov>.

Formulario de Champion

El formulario proporciona información de cobertura sobre los medicamentos cubiertos por Champion. Si tiene problemas para encontrar su medicamento en la lista, consulte el Índice que comienza en la página 107.

La primera columna del cuadro muestra el nombre del medicamento. Los medicamentos de marca están en mayúsculas (por ej., HUMIRA) y los medicamentos genéricos están escritos en minúsculas en bastardilla (p. ej., atorvastatina).

La información en la columna de Requisitos/Límites indica si Champion tiene algún requisito especial para la cobertura de su medicamento. La siguiente es una lista de abreviaturas que pueden aparecer en las siguientes páginas en la columna de Requisitos/Límites para indicarle si su medicamento está sujeto a algún requisito especial de cobertura.

Lista de Abreviaciones

B/D PA: Este medicamento recetado podría estar cubierto bajo Medicare Parte B o Parte D, dependiendo de las circunstancias. Puede ser necesario que se presente información que describa la utilización y las circunstancias en las que se administrará el medicamento, para que se pueda tomar una determinación.

EX: Medicamento excluido. Este medicamento recetado no se cubre normalmente bajo un plan de medicamentos recetados Medicare. La cantidad que usted paga cuando se surte una receta de este medicamento no se imputa al costo total de sus medicamentos (es decir, la cantidad que pague no le ayudará a calificar para recibir cobertura catastrófica). Además, si recibe asistencia suplementaria para pagar sus medicamentos recetados, no recibirá asistencia suplementaria para pagar este medicamento.

LA: Disponibilidad limitada. Esta receta puede estar disponible solo en ciertas farmacias. Para obtener más información, llame al Servicio de atención al cliente de Express Scripts.

MO: Medicamento obtenido por correo. Este medicamento recetado está disponible a través de nuestro servicio de pedido por correo, así como en las farmacias minoristas de nuestra red. Considere utilizar el servicio de farmacia por correo para obtener sus medicamentos de uso continuo, o de mantenimiento (por ejemplo, los medicamentos para la presión sanguínea elevada). Las farmacias minoristas de la red pueden ser más adecuadas para obtener medicamentos de uso a corto plazo (por ejemplo, los antibióticos).

NDS: Medicamentos con suministro de día no extendido. Este medicamento solo está disponible como suministro de 30 días o menos.

PA: Autorización previa. El Plan requiere que usted o su médico obtengan autorización previa para obtener ciertos medicamentos. Esto significa que deberá obtener aprobación antes de que se surtan sus recetas. Si no obtiene aprobación, podríamos no cubrir el medicamento.

QL: Límite de cantidad. En el caso de ciertos medicamentos, el Plan limita la cantidad del medicamento que cubriremos.

ST: Terapia de paso. En algunos casos, el Plan requiere que primero pruebe ciertos medicamentos para el tratamiento de su afección médica antes de que podamos cubrir otro medicamento para tratar esa afección. Por ejemplo, si puede utilizarse tanto un medicamento A como un medicamento B en el tratamiento de la misma afección médica, es posible que no cubramos el medicamento B a menos que usted pruebe primero el medicamento A. Si el medicamento A no le produce mejoras, cubriremos el medicamento B.

V: Esta vacuna se suministra a los adultos sin costo alguno cuando se usa según las recomendaciones del Comité Asesor sobre Prácticas de Inmunización (ACIP) de los Centros para el Control y la Prevención de Enfermedades (CDC).

Tabla de Contenido

Agentes Anti Cáncer	3
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias	21
Agentes Antiansiedad	22
Agentes Antidemencia	23
Agentes Antidiabetico	24
Agentes Antigota	30
Agentes Antimigraña	30
Agentes Antinausea	32
Agentes Antiparasitarios	33
Agentes Antiparkinson	34
Agentes Antipsicóticos	35
Agentes Calóricos	42
Agentes Cardiovasculares	43
Agentes De Enfermedad Intestinal Inflamatoria	54
Agentes De Enfermedad Ósea Metabólica	54
Agentes De Trastorno De Sueño	55
Agentes Del Sistema Nervioso Central	56
Agentes Del Tracto Respiratorio	60
Agentes Dentales Y Orales	65
Agentes Dermatológicos	65
Agentes Gastrointestinales	70
Agentes Genitourinarios	73
Agentes Hormonales, Estimulante/Reemplazo/Modificador	74
Agentes Inmunológicos	79
Agentes Oftálmicos	92
Agentes Para Los Ojos, Oídos, Nariz, Garganta	93
Agentes Terapeuticos Misceláneos	98
Agentes Vasodilatadores	99
Analgésicos	100
Anestésicos	103
Antagonistas De Metales Pesados	104
Anti Infecciosos (Membrana Cutánea Y Mucosa)	104
Antibacterianos	105
Anticonceptivos	112
Anticonvulsivos	121
Antidepresivos	126
Antifúngicos	129
Antihistamínicos	131

Antimicobacteriales	131
Antivirales (Sítémico)	132
Cofactores Enzimáticos/Otros	139
Dispositivos	139
Preparaciones De Reemplazo	186
Productos Para La Tos Y Resfriado	188
Productos Sanguíneos/Modificadores/Expansores De Volumen	188
Reemplazo/Modificadores De Enzima	191
Relajantes Musculares Esqueléticos	192
Vitaminas Y Minerales	192

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
Agentes Anti Cáncer			
Agentes Anti Cáncer			
<i>abiraterone oral tablet 250 mg</i>	(Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i>	(Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i>	(abiraterone)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)		5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML		5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG		5	NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i>	(Vidaza)	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i>	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i>	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i>	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i>	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, (Sprycel) 50 mg, 70 mg, 80 mg</i>	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg (Sprycel)</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG	5	NM; NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWLFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml (Purixan)</i>	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SOLTAMOX ORAL SOLUTION 20 MG/10 ML		5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)		5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG		5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)		5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG		5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)		4	
TABRECTA ORAL TABLET 150 MG, 200 MG		5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG		5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG		5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML		5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>		2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	(nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	(nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML		5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XALKORI ORAL PELLET 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
acamprosate oral tablet,delayed release (dr/ec) 333 mg	2	
buprenorphine hcl sublingual tablet 2 mg, 8 mg	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual film 12-3 mg	2	QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg	2	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	2	
disulfiram oral tablet 250 mg, 500 mg	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml	2	
naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml	2	
naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)	2	QL (4 per 30 days)
naltrexone oral tablet 50 mg	2	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	ST; QL (240 per 180 days)
varenicline tartrate oral tablet 0.5 mg, 1 mg (Chantix)	2	QL (336 per 365 days)
varenicline tartrate oral tablet 1 mg (56 pack)	2	QL (336 per 365 days)
varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42) (Chantix Starting Month Box)	2	
Agentes Antiansiedad		
Benzodiacepinas		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	NM; QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	NM; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	NM; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	2	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	QL (120 per 30 days)
<i>lorazepam 2 mg/ml oral concnet (Lorazepam Intensol)</i>	2	NM; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner (Ativan)</i>	1	
<i>lorazepam injection solution 2 mg/ml (Ativan)</i>	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml (Ativan)</i>	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml (lorazepam)</i>	2	NM; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	NM; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	NM; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	1	NM; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg (Restoril)</i>	2	NM; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg (Restoril)</i>	2	NM; QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	NM; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg (Halcion)</i>	2	NM; QL (60 per 30 days)
Agentes Antidemencia		
Agentes Antidemencia		
<i>donepezil oral tablet 10 mg, 5 mg (Aricept)</i>	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg (Aricept)</i>	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>donepezil oral tablet,disintegrating 10 mg</i>	2	
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 7 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	2	QL (30 per 30 days)
Agentes Antidiabetico		
Agentes Antidiabeticos, Varios		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	(Precose)	2
<i>FARXIGA ORAL TABLET 10 MG, 5 MG</i>	(dapagliflozin propanediol)	3
<i>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</i>		3
<i>JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG</i>		3
<i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG</i>		3

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	6	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg (Korlym)</i>	5	PA; NM; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	6	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	6	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites	
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned- metformin)	3	QL (30 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned- metformin)	3	QL (60 per 30 days)	
Insulinas			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insuln)	2	max \$35 copay per month supply; QL (40 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2 max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	2 max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2 max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3 max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3 max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3 max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3 max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3 max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3 max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3 max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3 max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3 max \$35 copay per month supply

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites	
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec)	3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max \$35 copay per month supply; QL (15 per 28 days)
Sulfonilureas			
glimepiride oral tablet 1 mg, 2 mg	6	QL (30 per 30 days)	
glimepiride oral tablet 4 mg	6	QL (60 per 30 days)	
glipizide oral tablet 10 mg	6	QL (120 per 30 days)	
glipizide oral tablet 2.5 mg	6	QL (60 per 30 days)	
glipizide oral tablet 5 mg	6	QL (240 per 30 days)	
glipizide oral tablet extended release 24hr 10 mg	(Glucotrol XL)	6	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	(Glucotrol XL)	6	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)
Agentes Antigota		
Agentes Antigota, Otros		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Agentes Antimigraña		
Agentes Antimigraña		
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	3	PA; QL (2 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Agentes Antinausea		
Agentes Antinausea		
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>scopolamine base transdermal patch (Transderm-Skop) 3 day 1 mg over 3 days</i>	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Agentes Antiparasitarios		
Agentes Antiparasitarios		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<i>COARTEM ORAL TABLET 20-120 MG</i>	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i>	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i>	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
<i>IMPAVIDO ORAL CAPSULE 50 MG</i>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i>	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i>	2	
<i>pentamidine inhalation recon soln 300 mg</i>	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Agentes Antiparkinson		
Agentes Antiparkinson		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>entacapone oral tablet 200 mg</i>	2	
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)

Agentes Antipsicóticos

Agentes Antipsicóticos

ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 20 mg</i> (Zyprexa)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i>	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i>	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal)	2
<i>risperidone oral tablet 0.25 mg</i>		2

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)</i>	2	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	NM; NDS; QL (2 per 28 days) ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Agentes Calóricos		
Agentes Calóricos		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 % <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
Agentes Cardiovasculares		
Agentes Alfa-Adrenérgicos		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	1	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg	2	
Agentes Antiarrítmicos		
amiodarone oral tablet 100 mg, 200 mg, 400 mg (Pacerone)	2	
dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)	2	
flecainide oral tablet 100 mg, 150 mg, 50 mg	2	
MULTAQ ORAL TABLET 400 MG	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pacerone oral tablet 100 mg, 200 mg, (amiodarone) 400 mg</i>	2	
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Agentes Bloqueadores Beta- Adrenérgicos		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, (Tenormin) 50 mg</i>	1	
<i>atenolol-chlorthalidone oral tablet (Tenoretic 100) 100-25 mg</i>	2	
<i>atenolol-chlorthalidone oral tablet (Tenoretic 50) 50-25 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5- 6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 (Coreg) mg, 3.125 mg, 6.25 mg</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>metoprolol tartrate oral tablet 100 (Lopressor) mg, 50 mg</i>	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, (Bystolic) 20 mg, 5 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	(Inderal LA)	2
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>		2
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	(sotalol)	2
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	(sotalol)	2
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i>	(Sotalol AF)	2
<i>sotalol oral tablet 240 mg</i>	(Betapace)	2
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>		2
Agentes Bloqueadores Da Canal De Calcio		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(diltiazem hcl)	2
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i>	(Tiadylt ER)	2
<i>diltiazem 24hr er 420 mg cap</i>	(Tiadylt ER)	2
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>		2
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	(Tiadylt ER)	2
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(Cartia XT)	2
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	(Cardizem)	2
<i>diltiazem hcl oral tablet 90 mg</i>		2
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	(diltiazem hcl)	2

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
Agentes Cardiovasculares, Varios		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
Antagonistas De Receptores De Angiotensina II		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	6	
<i>candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	6	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-amlodipine-hydrochlorothiazide oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)</i>	6	
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg (Micardis HCT)</i>	6	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)</i>	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg (Diovan HCT)</i>	6	
Dihidropiridinas		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)</i>	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg (Lotrel)</i>	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg (Azor)</i>	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)</i>	6	
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)</i>	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
Dislipidémicos		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg (Caduet)</i>	6	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	(Caduet)	6	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>		6	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	(Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>		2	
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	2	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	
<i>colestipol oral packet 5 gram</i>		2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 10 mg</i>	(Vytorin 10-10)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 20 mg</i>	(Vytorin 10-20)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 40 mg</i>	(Vytorin 10-40)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 80 mg</i>	(Vytorin 10-80)	6	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	(Fenoglide)	2	
<i>fenofibrate oral tablet 160 mg</i>		1	
<i>fenofibrate oral tablet 54 mg</i>		2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		6	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	6	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Diuréticos		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Inhibidores De Enzima Convertidoras De Angiotensina		
benazepril oral tablet 10 mg, 20 mg, (Lotensin) 40 mg	6	
benazepril oral tablet 5 mg	6	
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	6	
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg	6	
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg	6	
enalapril maleate oral tablet 10 mg, (Vasotec) 2.5 mg, 20 mg, 5 mg	6	
enalapril-hydrochlorothiazide oral tablet 10-25 mg	6	
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	6	
fosinopril oral tablet 10 mg, 20 mg, 40 mg	6	
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg	6	
lisinopril oral tablet 10 mg, 2.5 mg, (Zestril) 20 mg, 30 mg, 40 mg, 5 mg	6	
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	6	
moexipril oral tablet 15 mg, 7.5 mg	6	
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg	6	
quinapril oral tablet 10 mg, 20 mg, (Accupril) 40 mg, 5 mg	6	
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	6	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	6	
Inhibidores Del Sistema De Renina-Angiotensina-Aldosterona		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
Vasodilatadores		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Agentes De Enfermedad Intestinal Inflamatoria		
Agentes De Enfermedad Intestinal Inflamatoria		
<i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i>	2	
<i>balsalazide oral capsule 750 mg (Colazal)</i>	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	2	
<i>budesonide rectal foam 2 mg/actuation (Uceris)</i>	2	
<i>hydrocortisone rectal enema 100 mg/60 ml (Cortenema)</i>	2	
<i>mesalamine oral capsule, extended release 500 mg (Pentasa)</i>	2	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram (Apriso)</i>	2	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram (Lialda)</i>	2	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg (Azulfidine)</i>	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg (Azulfidine EN-tabs)</i>	4	
Agentes De Enfermedad Ósea Metabólica		
Agentes De Enfermedad Ósea Metabólica		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg (Fosamax)</i>	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>cinacalcet oral tablet 30 mg, 60 mg (Sensipar)</i>	2	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)	
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2		
<i>paricalcitol oral capsule 4 mcg</i>	2		
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)	
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)	
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	5	PA; NM; NDS; QL (2.48 per 28 days)	
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)	
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS	
Agentes De Trastorno De Sueño			
Agentes De Trastorno De Sueño			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)	
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)	
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)	
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)	
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
sodium oxybate oral solution 500 mg/ml (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
zaleplon oral capsule 10 mg, 5 mg	2	QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg (Ambien)	1	QL (30 per 30 days)
zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg (Ambien CR)	2	QL (30 per 30 days)
Agentes Del Sistema Nervioso Central		
Agentes Del Sistema Nervioso Central		
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)	2	QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT-REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	(Ampyra) 2	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR) 2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR) 2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall) 2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera) 5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera) 5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera) 5	PA; NM; NDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i>	(Gilenya) 5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Glatopa) 5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Glatopa) 5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer) 5	PA; NM; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Agentes Del Tracto Respiratorio		
Agentes Del Tracto Respiratorio, Otros		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10-50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20-50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-Injector 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
NUCALA SUBCUTANEOUS AUTO-Injector 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-Injector 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Antiinflamatorios, Corticoesteroides		
Inhalados		
ADVAIR HFA INHALATION HFA (fluticasone propion-salmeterol) AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler (budesonide-formoterol) 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa (Breyna) aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
Antileucotrienos		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
Broncodilatadores		
<i>AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION</i>	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</i> (umeclidinium-vilanterol)	3	QL (60 per 30 days)
<i>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</i>	4	QL (25.8 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)	
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD	
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)	
<i>theophylline oral solution 80 mg/15 ml</i>	2		
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2		
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2		
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i>	(Spiriva with HandiHaler)	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Agentes Dentales Y Orales		
Agentes Dentales Y Orales		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	1	
<i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)	2	
Agentes Dermatológicos		
Agentes Antiinflamatorios		
Dermatológicos		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i>	2	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical cream 0.5 %</i>	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>triamicinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
Agentes Dermatológicos, Otros		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>podofilox topical solution 0.5 %</i>	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Antibacterianos Dermatológicos		
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 % (Clindacin ETZ)</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 1 % (Metrogel)</i>	2	
<i>mupirocin topical ointment 2 % (Centany)</i>	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 % (clindamycin-benzoyl peroxide)</i>	1	
<i>rosadan topical cream 0.75 % (metronidazole)</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	2	
<i>ssd topical cream 1 % (silver sulfadiazine)</i>	4	
Escabicidas Y Pediculicidas		
<i>malathion topical lotion 0.5 % (Ovide)</i>	2	
<i>permethrin topical cream 5 % (Elimite)</i>	2	QL (60 per 30 days)
Retinoides Dermatológicos		
<i>adapalene topical cream 0.1 % (Differin)</i>	2	
<i>ALTRENO TOPICAL LOTION 0.05 %</i>	4	PA
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	2	
<i>tretinooin topical cream 0.025 % (Avita)</i>	2	PA
<i>tretinooin topical cream 0.05 %, 0.1 % (Retin-A)</i>	2	PA

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Agentes Gastrointestinales		
Agentes Antiúlceras Y Supresores De Ácidos		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Agentes Gastrointestinales, Otros		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml, 15-20 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
<i>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</i>	3	QL (30 per 30 days)
<i>LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM</i>	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
<i>MOVANTIK ORAL TABLET 12.5 MG, 25 MG</i>	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
Enlaces De Fosfato		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	
Laxantes		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
sodium,potassium,mag sulfates oral (Suprep Bowel Prep Kit) recon soln 17.5-3.13-1.6 gram	3	
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)	2	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
Agentes Genitourinarios		
Agentes Genitourinarios, Varios		
alfuzosin oral tablet extended release (Uroxatral) 24 hr 10 mg	2	QL (30 per 30 days)
dutasteride oral capsule 0.5 mg (Avodart)	2	
finasteride oral tablet 5 mg (Proscar)	1	
tamsulosin oral capsule 0.4 mg (Flomax)	1	
terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg	1	
Antiespasmódicos, Urinario		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	2	
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg (Toviaz)	2	
flavoxate oral tablet 100 mg	2	
MYRBETRIQ ORAL TABLET (mirabegron) EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	
oxybutynin chloride oral syrup 5 mg/5 ml	2	
oxybutynin chloride oral tablet 5 mg	2	
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg	2	
solifenacin oral tablet 10 mg, 5 mg (Vesicare)	1	
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	2	
tolterodine oral tablet 1 mg, 2 mg	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Agentes Hormonales, Estimulante/Reemplazo/Modificador		
Agentes Tiroideos Y Antitiroideos		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	
<i>levothyroxine oral tablet 300 mcg</i>	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Andrógenos		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; QL (300 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrógenos Y Antiestrógenos		
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	QL (18 per 28 days)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Mimvey)	2	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoides/Mineralocorticoide		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>triamicinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitario		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
Progestinas		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	

Agentes Inmunológicos

Agentes Inmunológicos

ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)	4	PA BvD
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG (tacrolimus)	5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm) HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg (Zortress)</i>	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml (cyclosporine modified)</i>	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	(CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	(CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	(CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	(CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg</i>	(Myfortic)	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML		5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG		5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG		5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML		5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML		5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG		5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)		5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML		4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG		4	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
RASUVO (PF) SUBCUTANEOUS AUTO-Injector 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
Vacunas		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	6	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOV INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	6	
PREHEVBARIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	6	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	6	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	6	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	\$0 copay
Agentes Oftálmicos		
Agentes Antiglaucoma		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	2	
<i>brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i>	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol ophthalmic (eye) drops 0.5 % (Betimol)</i>	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Agentes Para Los Ojos, Oídos, Nariz, Garganta		
Agentes Antiinfecciosos De Ojos, Oídos, Nariz Y Garganta		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %</i>	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>		2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>		2	
XDEM VY OPHTHALMIC (EYE) DROPS 0.25 %		5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %		3	
Agentes Antiinflamatorios De Ojos, Oídos, Nariz Y Garganta			
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	(loteprednol etabonate)	3	ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
bromfenac ophthalmic (eye) drops 0.07 %	(Prolensa)	2	
bromfenac ophthalmic (eye) drops 0.075 %	(BromSite)	2	
bromfenac ophthalmic (eye) drops 0.09 %		2	
cyclosporine ophthalmic (eye) dropperette 0.05 %	(Restasis)	2	QL (60 per 30 days)
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %		2	
diclofenac sodium ophthalmic (eye) drops 0.1 %		2	
difluprednate ophthalmic (eye) drops 0.05 %	(Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %		3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)		2	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 %	(DermOtic Oil)	2	
fluorometholone ophthalmic (eye) drops,suspension 0.1 %	(FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %		2	
fluticasone propionate nasal spray,suspension 50 mcg/actuation	(24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 %	(Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	QL (5 per 16 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>loteprednol etabonate ophthalmic (eye) drops, gel 0.5 %</i>	(Lotemax)	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.2 %</i>	(Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.5 %</i>		2	QL (15 per 19 days)
<i>mometasone nasal spray, non-aerosol 50 mcg/actuation</i>	(Allergy Nasal (mometasone))	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i>	(Pred Forte)	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Agentes De Ojos, Oídos, Nariz Y Garganta, Varios			
<i>atropine ophthalmic (eye) drops 1 %</i>	(Isopto Atropine)	2	
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>		2	QL (60 per 30 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i>	(Astupro Allergy)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>		2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>		2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>		2	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>		2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>		2	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Agentes Terapeúticos Misceláneos		
Agentes Terapeúticos Misceláneos		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Agentes Vasodilatadores		
Agentes Vasodilatadores		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	1	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Analgésicos		
Agentes Antiinflamatorios No Esteroideos		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>ibu oral tablet 400 mg</i>	(ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>		2	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>		2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		2	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	(EC-Naprosyn)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>		2	
Analgésicos, Varios			
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>		1	NM; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		2	NM; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		2	NM; QL (180 per 30 days)
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	2	NM; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>		2	PA-HRM; NM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i>	(Fioricet)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	2	NM; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	2	NM; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	2	NM; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)	
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; QL (120 per 30 days)	
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	NM; QL (10 per 30 days)	
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml</i>	2	QL (2700 per 30 days)	
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; QL (2700 per 30 days)	
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	NM; QL (180 per 30 days)	
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	2	NM; QL (240 per 30 days)	
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid)	2	NM; QL (180 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	NM; QL (120 per 30 days)	
<i>methadone oral tablet 5 mg</i>	2	NM; QL (180 per 30 days)	
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; NM; QL (180 per 30 days)	
<i>morphine oral solution 10 mg/5 ml</i>	2	NM; QL (700 per 30 days)	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NM; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	NM; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NM; QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	NM; QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NM; QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	NM; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NM; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NM; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 10-325 mg	2	NM; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 2.5-325 mg, 5-325 mg	2	NM; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 7.5-325 mg	2	NM; QL (240 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NM; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet</i> 37.5-325 mg	2	NM; QL (300 per 30 days)
Anestésicos		
Anestesia Local		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	2	PA; QL (90 per 30 days)	
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)	
<i>lidocaine viscous mucous membrane solution 2 %</i>	2		
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)	
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	2	PA; QL (90 per 30 days)	
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)	
Antagonistas De Metales Pesados			
Antagonistas De Metales Pesados			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	(Jadenu)	2	PA
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Anti Infecciosos (Membrana Cutánea Y Mucosa)			
Anti Infecciosos (Membrana Cutánea Y Mucosa)			
<i>clindamycin phosphate vaginal cream 2 %</i>	(Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	(Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>		2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>terconazole vaginal suppository 80 mg</i>	2	
Antibacterianos		
Aminoglicósidos		
<i>amikacin injection solution 500 mg/2 ml</i>	2	
<i>ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML</i>	5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
<i>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</i>	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
Antibacteriales, Misceláneos		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
<i>XIFAXAN ORAL TABLET 200 MG</i>	3	PA; QL (9 per 30 days)
<i>XIFAXAN ORAL TABLET 550 MG</i>	5	PA; NM; NDS; QL (90 per 30 days)
Antibióticos B-Lactam Misceláneos		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
<i>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</i>	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
Cefalosporinas		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrólidos		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Penicilinas		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
Quinolonas		
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, outer</i>	2	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	2	
Sulfonamidas		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	1	
Tetraciclinas		
<i>demeclacycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet 50 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg</i>	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	
<i>doxycycline monohydrate oral capsule 75 mg</i>	2	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet (Avidoxy) 100 mg</i>	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
Anticonceptivos		
Anticonceptivos		
<i>afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethyst (28) oral tablet 90-20 mcg (28) (levonorgestrel-ethinyl estrad)</i>	2	
<i>apri oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>	2	
<i>aubra eq oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg (norethindrone ac-eth estradiol)</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol)</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
aurovelafe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estriadiol-iron)	2	
aurovelafe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estriadiol-iron)	2	
aviane oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinylestradiol)	2	
ayuna oral tablet 0.15-0.03 mg (levonorgestrel-ethinylestradiol)	2	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desogestrel-e.estriadiol/e.estriadiol)	2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estriadiol-iron)	2	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estriadiol-iron)	2	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estriadiol-iron)	2	
camila oral tablet 0.35 mg (norethindrone (contraceptive))	2	
chateal eq (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinylestradiol)	2	
cryselle (28) oral tablet 0.3-30 mg-mcg (norgestrel-ethinylestradiol)	2	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethinestradiol)	2	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
cyred eq oral tablet 0.15-0.03 mg (desogestrel-ethinylestradiol)	2	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethinestradiol)	2	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
deblitane oral tablet 0.35 mg (norethindrone (contraceptive))	2	
desog-e.estriadiol/e.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Azurette (28))	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>elonest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarrylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron) 2	
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron) 2	
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron) 2	
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol) 2	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive)) 2	
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad) 2	QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive)) 2	
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol) 2	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive)) 2	
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad) 2	QL (91 per 84 days)
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol) 2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol) 2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol) 2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron) 2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron) 2	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron) 2	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estriadiol/e.estriadiol) 2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol) 2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> (ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG	4	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estriadiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estriadiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estriadiol-iron)	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)	2	
<i>levonorgest-eth.estriadiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> (Balcoltra)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> (Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG	3	
<i>lilow (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estriadiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estriadiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estriadiol-iron)	2	
<i>milki oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG	4	
<i>mono-linyah oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>norelgestromin-ethinestradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarrylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarrylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Estarrylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>tilia fe oral tablet 1-20(5)/1-30(7)/1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet 1-50 mg-mcg</i> (ethynodiol diac-eth estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>vylibra oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estriadiol-iron)	2	
xulane transdermal patch weekly 150-35 mcg/24 hr	(norelgestrominethin.estriadiol)	2	QL (3 per 28 days)
zafemy transdermal patch weekly 150-35 mcg/24 hr	(norelgestrominethin.estriadiol)	2	QL (3 per 28 days)
zovia 1-35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
Anticonvulsivos			
Anticonvulsivos			
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)	
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)	
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)	
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)	
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)	
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg	(Carbatrol)	2	
carbamazepine oral suspension 100 mg/5 ml	(Tegretol)	2	
carbamazepine oral tablet 200 mg	(Epitol)	2	
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg	(Tegretol XR)	2	
carbamazepine oral tablet, chewable 100 mg, 200 mg		2	
clobazam oral suspension 2.5 mg/ml	(Onfi)	2	QL (480 per 30 days)
clobazam oral tablet 10 mg, 20 mg	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i>	(Depakote Sprinkles) 2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER) 2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote) 2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphénytoïn injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	2	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>PHENYTEK ORAL CAPSULE 200 MG, 300 MG</i>	4	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	2	
<i>phenytoin sodium extended oral capsule 100 mg</i>	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i>	2	
<i>rufinamide oral suspension 40 mg/ml</i>	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i>	2	ST
<i>rufinamide oral tablet 400 mg</i>	5	ST; NM; NDS
<i>SEZABY INTRAVENOUS RECON SOLN 100 MG</i>	5	PA BvD; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg (Vigadron)</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg (Vigadron)</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg (vigabatrin)</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadron oral tablet 500 mg (vigabatrin)</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
vigpoder oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	2	
zonisamide oral capsule 50 mg	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
Antidepresivos		
Antidepresivos		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
bupropion hcl oral tablet 100 mg, 75 mg	2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
citalopram oral solution 10 mg/5 ml	2	
citalopram oral tablet 10 mg (Celexa)	1	QL (120 per 30 days)
citalopram oral tablet 20 mg, 40 mg (Celexa)	1	QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)	2	
desipramine oral tablet 10 mg, 25 mg (Norpramin)	2	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	2	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg (Pristiq)	2	QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
doxepin oral concentrate 10 mg/ml	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	2	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>fluoxetine oral capsule 10 mg, 20 mg, (Prozac) 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 (Pamelor) mg, 50 mg, 75 mg</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 (Paxil) mg/5 ml</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 (Paxil) mg, 30 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4- 25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
RALDESY ORAL SOLUTION 10 MG/ML	5	PA NSO; NM; NDS; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i>	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
Antifúngicos		
Antifúngicos		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 % (Ciclodan)</i>	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 % (Ciclodan)</i>	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i>	2	QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole nitrate topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 165 mg</i> (Fulvicin P/G)	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
<i>nyamyc topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystop topical powder 100,000 unit/gram (nystatin)</i>	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i>	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg</i>	2	
<i>voriconazole oral tablet 50 mg (Vfend)</i>	2	
Antihistamínicos		
Antihistamínicos		
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	
Antimicobacteriales		
Antimicobacteriales		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antivirales (Sítémico)		
Antirretrovirales		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg (Reyataz)</i>	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg (Prezista)</i>	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg (Emtriva)</i>	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	2	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg (Intelence)</i>	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml (Epivir)</i>	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg (Epivir)</i>	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)</i>	2	QL (300 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)</i>	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg (Norvir)</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50- 300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300- 150-300 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirales Hcv		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
Antivirales, Varios		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
Interferones		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
Nucleósidos Y Nucleótidos		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2		
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2		
<i>ribavirin oral tablet 200 mg</i>	2		
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2		
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2		
Cofactores Enzimáticos/Otros			
Cofactores Enzimáticos/Otros			
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)	
Dispositivos			
Dispositivos			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRNG UF 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYRNG UF 0.5 ML 8MMX31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	PA; ST
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
BD INSULIN SYRINGE U-500 SYRINGE 1/2 ML 31 GAUGE X 15/64"	(insulin u-500 syringe-needle)	2	PA; ST
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 "	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPSAFE ALCOHOL 70% PREP (alcohol swabs) PADS	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16		2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 30 GAUGE X 5/16", 0.3 u-100) ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 ML u-100) 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST	
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST	
HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	PA; ST	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	PA; ST	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	PA; ST	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	PA; ST	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"	2	PA; ST	
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST	
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST	
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST	
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST	
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST	
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3		
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3		
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(Droplet Insulin Syr(half unit))	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1/2 ML 28 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin (OTC) 0.5 ML 29 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin (RX) 0.5 ML 30 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" (Easy Touch Insulin OUTER 1/2 ML 27 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" (Easy Touch Insulin INNER 1 ML 27 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	PA; ST	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	PA; ST	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	PA; ST	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	PA; ST	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	PA; ST	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NOVOFINE 30 NEEDLE	2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)	
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	PA; ST
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
TRUE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFR PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFR SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFR SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFR SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE	2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	PA; ST
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	PA; ST
Preparaciones De Reemplazo			
Preparaciones De Reemplazo			
<i>d5 % (d-glucose)-0.9 % sodchl intravenous parenteral solution</i>	(d5 % and 0.9 % sodium chloride)	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	(D5 % (d-glucose)-0.9 % sodchl)	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	2	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	
Productos Para La Tos Y Resfriado		
Productos Para La Tos Y Resfriado		
<i>benzonatate oral capsule 100 mg, 200 mg</i>	1	EX
Productos Sanguíneos/Modificadores/Expansores De Volumen		
Agentes Hematológicos, Varios		
<i>anagrelide oral capsule 0.5 mg (Agrylin)</i>	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>tranexamic acid oral tablet 650 mg</i>	2	
Anticoagulantes		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg (Pradaxa)</i>	2	QL (60 per 30 days)
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	
<i>ELIQUIS ORAL TABLET 2.5 MG</i>	3	QL (60 per 30 days)
<i>ELIQUIS ORAL TABLET 5 MG</i>	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml (Lovenox)</i>	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml (Lovenox)</i>	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml (Lovenox)</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml (Lovenox)</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml (Lovenox)</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml (Arixtra)</i>	5	NM; NDS; QL (24 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)
Inhibidores De Agregación De Plaquetas		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG	3	
BRILINTA ORAL TABLET 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
Modificadores De Formación De Sangre		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/Límites
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
Reemplazo/Modificadores De Enzima		
Reemplazo/Modificadores De Enzima		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg,</i> (Orfadin) <i>20 mg, 5 mg</i>	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	
Relajantes Musculares Esqueléticos		
Relajantes Musculares Esqueléticos		
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg (Dantrium)</i>	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	
Vitaminas Y Minerales		
Vitaminas Y Minerales		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	
<i>cyanocobalamin (vitamin b-12) (Dodox) injection solution</i>	1	EX

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/Límites
<i>dodex injection solution 1,000 mcg/ml</i>	(cyanocobalamin (vitamin b-12))	1	EX
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i>	(Vitamin D2)	1	EX
<i>folic acid oral tablet 1 mg</i>		1	EX
<i>folivane-ob capsule 85-1 mg</i>		2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>		2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>		2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>		2	
<i>mynatal capsule 65 mg iron- 1 mg</i>		2	
<i>mynatal oral tablet 90-1-50 mg</i>		2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>		2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>		2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>		2	
<i>newgen tablet 32-1,000 mg-mcg</i>		2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>		2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>		2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>		2	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>		2	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>		2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>		2	
<i>pnv-omega softgel 28-1-300 mg</i>		2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prenatal true combo pack 30 mg iron- 1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25- 55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1- 50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72- iron,carb-folic)	2
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron- folic acid)	2
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron- folic acid)	2
<i>pretab oral tablet 29-1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29- 1-400 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento.

05/01/2025

ÍNDICE

1ST TIER UNIFINE PENTIPS	139	AIRSUPRA.....	62, 63	<i>amlodipine-valsartan</i>	48
1ST TIER UNIFINE PENTIPS		AJOVY AUTOINJECTOR.....	30	<i>amlodipine-valsartan-hcthiazid</i>	48
PLUS.....	139	AJOVY SYRINGE.....	30	<i>ammonium lactate</i>	68
<i>abacavir</i>	132	AKEEGA.....	3	<i>amoxapine</i>	126
<i>abacavir-lamivudine</i>	132	<i>ala-cort</i>	65	<i>amoxicil-clarithromy-lansopraz</i>	70
ABELCET.....	129	<i>albendazole</i>	33	<i>amoxicillin</i>	109
ABILIFY ASIMTUFII.....	35	<i>albuterol sulfate</i>	63	<i>amoxicillin-pot clavulanate</i>	109
ABILIFY MAINTENA.....	35, 36	ALCOHOL PADS.....	140	<i>amphotericin b</i>	129
<i>abiraterone</i>	3	ALCOHOL PREP PADS.....	161	<i>amphotericin b liposome</i>	129
<i>abirtega</i>	3	ALCOHOL PREP SWABS.....	141	<i>ampicillin</i>	109
ABOUTTIME PEN NEEDLE..	139	ALCOHOL SWABS.....	140	<i>ampicillin sodium</i>	109
ABRYSVO (PF).....	86	ALCOHOL WIPES.....	141	<i>ampicillin-sulbactam</i>	109
<i>acamprosate</i>	21	ALECENSA.....	3	<i>anagrelide</i>	188
<i>acarbose</i>	24	<i>alendronate</i>	54	<i>anastrozole</i>	3
<i>acebutolol</i>	44	<i>alfuzosin</i>	73	ANKTIVA.....	3
<i>acetaminophen-codeine</i>	101	<i>aliskiren</i>	53	ANORO ELLIPTA.....	63
<i>acetazolamide</i>	92	<i>allopurinol</i>	30	<i>aprepitant</i>	32
<i>acetazolamide sodium</i>	92	<i>alosetron</i>	54	APRETUDE.....	132
<i>acetic acid</i>	93	<i>alprazolam</i>	22	<i>apri</i>	112
<i>acetylcysteine</i>	60	ALREX.....	95	APTIOM.....	121
<i>acitretin</i>	68	<i>altavera (28)</i>	112	APTIVUS.....	132
ACTEMRA.....	79	ALTRENO.....	69	AQINJECT PEN NEEDLE.....	141
ACTEMRA ACTPEN.....	79	ALUNBRIG.....	3	ARCALYST.....	79
ACTHAR.....	77	ALVAIZ.....	190	AREXVY (PF).....	86
ACTHAR SELFJECT.....	77	<i>alyacen 1/35 (28)</i>	112	AREXVY ANTIGEN	
ACTHIB (PF).....	86	<i>alyacen 7/7/7 (28)</i>	112	COMPONENT.....	86
ACTIMMUNE.....	98	ALYFTREK.....	60	ARIKAYCE.....	105
<i>acyclovir</i>	68, 138	<i>alyq</i>	99	<i>ariPIPRAZOLE</i>	36
<i>acyclovir sodium</i>	138	<i>amantadine hcl</i>	34	ARISTADA.....	36
ADACEL(TDAP		<i>amethyst (28)</i>	112	ARISTADA INITIO.....	36
ADOLESN/ADULT)(PF).....	86	<i>amikacin</i>	105	<i>armodafinil</i>	55
<i>adapalene</i>	69	<i>amiloride</i>	51	ARNUITY ELLIPTA.....	62
<i>adefovir</i>	138	<i>amiloride-hydrochlorothiazide</i>	51	<i>asenapine maleate</i>	36
ADEMPAS.....	99	<i>amiodarone</i>	43	<i>aspirin-dipyridamole</i>	189
<i>adrucil</i>	3	<i>amitriptyline</i>	126	ASSURE ID DUO PRO SFTY	
ADVAIR HFA.....	62	<i>amlodipine</i>	48	PEN NDL.....	141
ADVOCATE PEN NEEDLE	140	<i>amlodipine-atorvastatin</i>	48, 49	ASSURE ID DUO-SHIELD....	141
ADVOCATE SYRINGES.....	140	<i>amlodipine-benazepril</i>	48	ASSURE ID INSULIN	
<i>afirmelle</i>	112	<i>amlodipine-olmesartan</i>	48	SAFETY	141

ASSURE ID PEN NEEDLE.....	141	<i>bal-care dha</i>	192	BENDAMUSTINE.....	4
ASSURE ID PRO PEN NEEDLE.....	141	<i>bal-care dha essential</i>	192	BENDEKA.....	4
ASTAGRAF XL.....	79	<i>balsalazide</i>	54	BENLYSTA.....	79, 80
atazanavir.....	132	BALVERSA.....	4	<i>benzonatate</i>	188
atenolol.....	44	BCG VACCINE, LIVE (PF).....	87	<i>benztropine</i>	34
atenolol-chlorthalidone.....	44	BD ALCOHOL SWABS.....	143	BESREMI.....	80
atomoxetine.....	56	BD AUTOSHIELD DUO PEN NEEDLE.....	141	<i>betaine</i>	98
atorvastatin.....	49	BD ECLIPSE LUER-LOK.....	142	<i>betamethasone dipropionate</i>	65
atovaquone.....	33	BD INSULIN SYRINGE.....	142	<i>betamethasone valerate</i>	65, 66
atovaquone-proguanil.....	33	BD INSULIN SYRINGE (HALF UNIT).....	142	<i>betamethasone, augmented</i>	66
atropine.....	97	BD INSULIN SYRINGE SLIP TIP.....	142	BETASERON.....	57
ATROVENT HFA.....	63	BD INSULIN SYRINGE U- 500.....	143	<i>betaxolol</i>	92
<i>aubra eq</i>	112	BD INSULIN SYRINGE		<i>bethanechol chloride</i>	73
AUGTYRO.....	3	ULTRA-FINE.....	142	<i>bexarotene</i>	4
aurovela 1.5/30 (21).....	112	BD NANO 2ND GEN PEN NEEDLE.....	143	BEXSERO.....	87
aurovela 1/20 (21).....	112	BD SAFETYGLIDE INSULIN SYRINGE.....	143	<i>bicalutamide</i>	4
aurovela 24 fe.....	112	BD SAFETYGLIDE SYRINGE		BICILLIN L-A.....	109
aurovela fe 1.5/30 (28).....	113	BD ULTRA-FINE MICRO PEN NEEDLE.....	143	BIKTARVY.....	132
aurovela fe 1-20 (28).....	113	BD ULTRA-FINE MINI PEN NEEDLE.....	143	<i>bimatoprost</i>	92
AUSTEDO.....	56	BD ULTRA-FINE NANO PEN NEEDLE.....	144	<i>bisoprolol fumarate</i>	44
AUSTEDO XR.....	56	BD ULTRA-FINE ORIG PEN NEEDLE.....	144	<i>bisoprolol-hydrochlorothiazide</i> ..	44
AUSTEDO XR TITRATION KT(WK1-4).....	56	BD ULTRA-FINE SHORT PEN NEEDLE.....	144	BIZENGRI.....	4
AUTOSHIELD DUO PEN NEEDLE.....	141	BD VEO INSULIN SYR (HALF UNIT).....	144	<i>bleomycin</i>	4
AUVELITY.....	126	BD VEO INSULIN SYRINGE		<i>blisovi 24 fe</i>	113
<i>aviane</i>	113	UF.....	144	<i>blisovi fe 1.5/30 (28)</i>	113
AVONEX.....	57	BELSOMRA.....	55	<i>blisovi fe 1/20 (28)</i>	113
AXTLE.....	3	<i>benazepril</i>	52	BOOSTRIX TDAP.....	87
<i>ayuna</i>	113	<i>benazepril-hydrochlorothiazide</i> ..	52	BORDERED GAUZE.....	144
AYVAKIT.....	3	<i>bendamustine</i>	4	<i>bortezomib</i>	4
azacitidine.....	3			BORUZU.....	4
azathioprine.....	79			<i>bosentan</i>	99
azathioprine sodium.....	79			BOSULIF.....	4
azelastine.....	97			BRAFTOVI.....	5
azithromycin.....	108			BREO ELLIPTA.....	62
aztreonam.....	106			<i>breyna</i>	62
azurette (28).....	113			BREZTRI AEROSPHERE.....	64
bacitracin.....	93			BRILINTA.....	189
bacitracin-polymyxin b.....	93			<i>brimonidine</i>	92
<i>baclofen</i>	192			<i>brimonidine-timolol</i>	92
				<i>brinzolamide</i>	92
				BRIVIACT.....	121
				<i>bromfenac</i>	96

bromocriptine.....	34	carteolol	92	CLENPIQ.....	72
BRONCHITOL.....	60	cartia xt.....	45	CLICKFINE PEN NEEDLE....	145
BRUKINSA.....	5	carvedilol.....	44	clindamycin hcl.....	105
budesonide.....	54, 62	CAYSTON.....	106	clindamycin phosphate	69, 104, 105
budesonide-formoterol.....	62	cefaclor.....	107	clindamycin-benzoyl peroxide....	69
bumetanide.....	51	cefadroxil.....	107	CLINIMIX 6%-D5W	
buprenorphine.....	101	cefazolin.....	107	(SULFITE-FREE).....	42
buprenorphine hcl.....	21	cefdinir.....	107	CLINIMIX 8%-	
buprenorphine-naloxone.....	21	cefepime.....	107	D10W(SULFITE-FREE).....	42
bupropion hcl.....	126	cefixime.....	107	CLINIMIX 8%-	
bupropion hcl (smoking deter) ...	22	cefoxitin.....	107	D14W(SULFITE-FREE).....	42
buspirone.....	98	cefpodoxime.....	107	CLINIMIX E 8%-D10W	
butalbital-acetaminop-caf-cod.	101	cefprozil.....	107	SULFITEFREE.....	42
butalbital-acetaminophen-caff.....	101, 102	ceftazidime.....	107	CLINIMIX E 8%-D14W	
CABENUVA.....	132	ceftriaxone.....	107	SULFITEFREE.....	43
cabergoline.....	34	cefuroxime axetil.....	107	clobazam.....	121
CABOMETYX.....	5	cefuroxime sodium.....	107	clobetasol.....	66
cabotegravir.....	133	celecoxib.....	100	clobetasol-emollient.....	66
calcipotriene.....	68	cephalexin.....	108	clomipramine.....	127
calcitonin (salmon).....	54	cevimeline.....	65	clonazepam.....	22, 23
calcitriol.....	54	chateal eq (28).....	113	clonidine.....	43
calcium acetate(phosphat bind) ..	72	chlordiazepoxide hcl.....	22	clonidine hcl.....	43
CALQUENCE.....	5	chlorhexidine gluconate.....	65	clopidogrel.....	189
CALQUENCE (ACALABRUTINIB MAL).....	5	chloroquine phosphate.....	33	clorazepate dipotassium.....	23
camila.....	113	chlorpromazine.....	36	clotrimazole.....	130
candesartan.....	47	chlorthalidone.....	51	clotrimazole-betamethasone....	130
candesartan-hydrochlorothiazid	47	cholestyramine (with sugar).....	49	clozapine.....	37
CAPLYTA.....	36	cholestyramine light.....	49	c-nate dha.....	192
CAPRELSA.....	5	ciclopirox.....	129	COARTEM.....	33
captopril.....	52	cilostazol.....	189	COBENFY.....	37
carbamazepine.....	121	CIMDUO.....	133	COBENFY STARTER PACK...	37
carbidopa-levodopa.....	34	cimetidine hcl.....	70	colchicine.....	30
CAREFINE PEN NEEDLE.....	144	CIMZIA.....	80	colesevelam.....	49
CARETOUCH ALCOHOL PREP PAD.....	144	CIMZIA POWDER FOR RECONST.....	80	colestipol.....	49
CARETOUCH INSULIN SYRINGE.....	145	cinacalcet.....	54, 55	colistin (colistimethate na).....	105
CARETOUCH PEN NEEDLE.....	144, 145	CINQAIR.....	60	COMBIVENT RESPIMAT.....	64
carglumic acid.....	70	ciprofloxacin hcl.....	93, 110	COMETRIQ.....	5
		ciprofloxacin in 5 % dextrose...	110	COMFORT EZ INSULIN SYRINGE.....	146, 147
		ciprofloxacin-dexamethasone....	93	COMFORT EZ PEN NEEDLES.....	146, 147
		citalopram.....	127		
		clarithromycin.....	108		

COMFORT EZ PRO SAFETY PEN NDL	147	<i>dalfampridine</i>	57	<i>diazoxide</i>	98
COMFORT TOUCH PEN NEEDLE	148	<i>danazol</i>	74	<i>diclofenac potassium</i>	100
COMPLERA	133	<i>dantrolene</i>	192	<i>diclofenac sodium</i>	96, 100
<i>completenate</i>	192	<i>DANYELZA</i>	6	<i>diclofenac-misoprostol</i>	100
<i>compro</i>	32	<i>DANZITEN</i>	6	<i>dicloxacillin</i>	109
<i>constulose</i>	71	<i>dapsone</i>	131	<i>dicyclomine</i>	71
COPIKTRA	5	<i>DAPTACEL (DTAP PEDIATRIC) (PF)</i>	87	<i>didanosine</i>	133
CORLANOR	46	<i>daptomycin</i>	105	<i>DIFICID</i>	108
COSENTYX	80, 98	<i>darunavir</i>	133	<i>disfluprednate</i>	96
COSENTYX (2 SYRINGES)	80	<i>dasatinib</i>	6	<i>digoxin</i>	46
COSENTYX PEN (2 PENS)	80	<i>dasetta 1/35 (28)</i>	113	<i>dihydroergotamine</i>	30
COSENTYX UNOREADY PEN	80	<i>dasetta 7/7/7 (28)</i>	113	<i>diltiazem hcl</i>	45
COTELLIC	5	<i>DATROWAY</i>	6	<i>dilt-xr</i>	45
CREON	191	<i>DAURISMO</i>	6	<i>dimethyl fumarate</i>	57
<i>cromolyn</i>	60, 71, 97	<i>deblitane</i>	113	<i>diphenoxylate-atropine</i>	71
<i>cryselle (28)</i>	113	<i>decitabine</i>	6	<i>dipyridamole</i>	189
CURAD GAUZE PAD	148	<i>deferasirox</i>	104	<i>disulfiram</i>	22
CURITY ALCOHOL SWABS	148	<i>DELSTRIGO</i>	133	<i>divalproex</i>	122
CURITY GAUZE	148	<i>demeocycline</i>	111	<i>dodex</i>	193
<i>cyanocobalamin (vitamin b-12)</i>	192	<i>DENGVAXIA (PF)</i>	87	<i>dofetilide</i>	43
<i>cyclafem 1/35 (28)</i>	113	<i>denta 5000 plus</i>	65	<i>dolishale</i>	114
<i>cyclafem 7/7/7 (28)</i>	113	<i>dentagel</i>	65	<i>donepezil</i>	23, 24
<i>cyclobenzaprine</i>	192	<i>DEPO-SUBQ PROVERA 104</i>	78	<i>dorzolamide</i>	92
<i>cyclophosphamide</i>	5	<i>DERMACEA</i>	148, 149	<i>dorzolamide-timolol</i>	92
<i>cyclosporine</i>	80, 96	<i>DERMACEA NON-WOVEN</i>	149	<i>DOVATO</i>	133
<i>cyclosporine modified</i>	80	<i>dermacinrx lidocan</i>	103	<i>doxazosin</i>	43
CYLTEZO(CF)	81	<i>DESCOVY</i>	133	<i>doxepin</i>	127
CYLTEZO(CF) PEN	81	<i>desipramine</i>	127	<i>doxorubicin, peg-liposomal</i>	6
CYLTEZO(CF) PEN CROHN'S-UC-HS	80	<i>desmopressin</i>	77	<i>doxy-100</i>	111
PSORIASIS-UV	81	<i>desog-e.estradiol/e.estradiol</i>	113	<i>doxycycline hyclate</i>	111
<i>cyred eq</i>	113	<i>desogestrel-ethinyl estradiol</i>	114	<i>doxycycline monohydrate</i>	111, 112
<i>d5 % (d-glucose)-0.9 % sodchl</i>	186	<i>desvenlafaxine succinate</i>	127	<i>DRIZALMA SPRINKLE</i>	127
<i>d5 % and 0.9 % sodium chloride</i>	186	<i>dexamethasone</i>	76	<i>dronabinol</i>	32
<i>dabigatran etexilate</i>	188	<i>dexamethasone sodium phosphate</i>	76, 96	<i>DROPLET INSULIN SYR(HALF UNIT)</i>	149, 150
		<i>dextroamphetamine-amphetamine</i>	57	<i>DROPLET INSULIN SYRINGE</i>	149, 150, 151
		<i>dextrose 5 % in water (d5w)</i>	43	<i>DROPLET MICRON PEN NEEDLE</i>	151
		<i>DIACOMIT</i>	121, 122	<i>DROPLET PEN NEEDLE</i>	151
		<i>diazepam</i>	23, 122	<i>DROPSAFE ALCOHOL PREP PADS</i>	152

DROPSAFE INSULIN SYRINGE	152	<i>efavirenz-emtricitabin-tenofovir</i>	133	<i>epinastine</i>	97
DROPSAFE PEN NEEDLE	152	<i>efavirenz-lamivu-tenofovir disop</i>	133	<i>epinephrine</i>	46
<i>droxidopa</i>	43	ELAHERE	6	<i>epitol</i>	122
DUAVEE	75	ELIGARD	6	EPIVIR HBV	134
<i>duloxetine</i>	127	ELIGARD (3 MONTH)	6	EPKINLY	7
DUPIXENT PEN	81	ELIGARD (4 MONTH)	6	<i>eplerenone</i>	53
DUPIXENT SYRINGE	81	ELIGARD (6 MONTH)	6	EPRONTIA	122
<i>dutasteride</i>	73	<i>elinet</i>	114	ERBITUX	7
EASY COMFORT ALCOHOL PAD	153	ELIQUIS	188	<i>ergocalciferol (vitamin d2)</i>	193
EASY COMFORT INSULIN SYRINGE	152, 153, 154	ELIQUIS DVT-PE TREAT		<i>ergoloid</i>	24
EASY COMFORT PEN NEEDLES	153, 154	30D START	188	ERIVEDGE	7
EASY COMFORT SAFETY PEN NEEDLE	152	ELREXFIO	6	ERLEADA	7
EASY GLIDE INSULIN SYRINGE	154	<i>eluryng</i>	114	<i>erlotinib</i>	7
EASY GLIDE PEN NEEDLE	154	EMBRACE PEN NEEDLE	157	<i>errin</i>	114
EASY TOUCH	156	EMCYT	6	<i>ertapenem</i>	106
EASY TOUCH ALCOHOL PREP PADS	155	EMGALITY PEN	30	<i>erythromycin</i>	94, 108
EASY TOUCH FLIPLOCK INSULIN	155	EMGALITY SYRINGE	31	<i>erythromycin ethylsuccinate</i>	108
EASY TOUCH FLIPLOCK SYRINGE	155	<i>emoquette</i>	114	<i>erythromycin with ethanol</i>	69
EASY TOUCH INSULIN SAFETY SYR	154, 155	EMSAM	127	ERZOFRI	37
EASY TOUCH INSULIN SYRINGE	154, 155, 156	<i>emtricitabine</i>	133	<i>escitalopram oxalate</i>	127
EASY TOUCH LUER LOCK INSULIN	156	<i>emtricitabine-tenofovir (tdf)</i>	133	<i>esomeprazole magnesium</i>	70
EASY TOUCH PEN NEEDLE	156	EMTRIVA	133	<i>estarrylla</i>	114
EASY TOUCH SAFETY PEN NEEDLE	156, 157	<i>emzahh</i>	114	<i>estradiol</i>	75
EASY TOUCH SHEATHLOCK INSULIN	155	<i>enalapril maleate</i>	52	<i>estradiol-norethindrone acet</i>	75
EASY TOUCH UNI-SLIP	157	<i>enalapril-hydrochlorothiazide</i>	52	<i>eszopiclone</i>	55
<i>econazole nitrate</i>	130	ENBREL	81	<i>ethambutol</i>	132
EDURANT	133	ENBREL MINI	81	<i>ethosuximide</i>	122
<i>efavirenz</i>	133	ENBREL SURECLICK	81	<i>ethynodiol diac-eth estradiol</i>	114
		<i>endocet</i>	102	<i>etodolac</i>	100
		ENGERIX-B (PF)	87	<i>etongestrel-ethinyl estradiol</i>	114
		ENGERIX-B PEDIATRIC (PF)	87	ETOPOPHOS	7
		<i>enilloring</i>	114	<i>etoposide</i>	7
		<i>enoxaparin</i>	188	<i>etravirine</i>	134
		<i>enpresse</i>	114	EUCRISA	66
		<i>enskyce</i>	114	<i>everolimus (antineoplastic)</i>	7
		<i>entacapone</i>	34	<i>everolimus (immunosuppressive)</i>	81
		<i>entecavir</i>	139	EVOTAZ	134
		ENTRESTO	47	<i>exemestane</i>	7
		ENTRESTO SPRINKLE	47	EXTENCILLINE	110
		<i>enulose</i>	71	EYSUVIS	96
		EPCLUSA	137	<i>ezetimibe</i>	49
		EPIDIOLEX	122		

<i>ezetimibe-simvastatin</i>	49	<i>fluorometholone</i>	96	<i>gentak</i>	94
<i>falmina (28)</i>	114	<i>fluorouracil</i>	8, 68	<i>gentamicin</i>	69, 94, 105
<i>famciclovir</i>	139	<i>fluoxetine</i>	128	<i>gentamicin sulfate (ped) (pf)</i>	105
<i>famotidine</i>	70	<i>fluphenazine decanoate</i>	37	<i>gentamicin sulfate (pf)</i>	105
<i>FANAPT</i>	37	<i>fluphenazine hcl</i>	37, 38	<i>GENVOYA</i>	134
<i>FARXIGA</i>	24	<i>flurbiprofen</i>	100	<i>GIOTRIF</i>	8
<i>FASENRA</i>	60	<i>flurbiprofen sodium</i>	96	<i>glatiramer</i>	57
<i>FASENRA PEN</i>	60	<i>flutamide</i>	8	<i>glatopa</i>	57, 58
<i>febuxostat</i>	30	<i>fluticasone propionate</i>	62, 66, 96	<i>GLEOSTINE</i>	8
<i>feirza</i>	114	<i>fluticasone propion-salmeterol</i>	63	<i>glimepiride</i>	29
<i>felbamate</i>	122	<i>fluvastatin</i>	49	<i>glipizide</i>	29
<i>felodipine</i>	48	<i>fluvoxamine</i>	128	<i>glipizide-metformin</i>	30
<i>femynor</i>	114	<i>folic acid</i>	193	<i>glutamine (sickle cell)</i>	98
<i>fenofibrate</i>	49	<i>folivane-ob</i>	193	<i>glyburide</i>	30
<i>fenofibrate micronized</i>	49	<i>fondaparinux</i>	188, 189	<i>glyburide micronized</i>	30
<i>fenofibrate nanocrystallized</i>	49	<i>fosamprenavir</i>	134	<i>glyburide-metformin</i>	30
<i>fentanyl</i>	102	<i>fosinopril</i>	52	<i>glycopyrrolate</i>	71
<i>fentanyl citrate</i>	102	<i>fosphenytoin</i>	122	<i>glydo</i>	103
<i>fesoterodine</i>	73	FOTIVDA	8	<i>GLYXAMBI</i>	24
<i>FETZIMA</i>	127	FREESTYLE PRECISION		<i>GOMEKLI</i>	8
FIASP FLEXTOUCH U-100			157, 158	<i>griseofulvin microsize</i>	130
INSULIN	27	FRUZAQLA	8	<i>griseofulvin ultramicrosize</i>	130
FIASP PENFILL U-100		<i>fulvestrant</i>	8	<i>guanfacine</i>	43, 58
INSULIN	27	<i>furosemide</i>	51	GVOKE	98
FIASP U-100 INSULIN	27	FUZEON	134	GVOKE HYPOPEN 2-PACK	98
<i>finasteride</i>	73	FYARRO	8	GVOKE PFS 1-PACK	
<i>fingolimod</i>	57	FYCOMPA	122, 123	SYRINGE	98
<i>FINTEPLA</i>	122	<i>gabapentin</i>	123	GVOKE PFS 2-PACK	
FIRMAGON KIT W		<i>galantamine</i>	24	SYRINGE	98
DILUENT SYRINGE	7	<i>gallifrey</i>	78	HAEGARDA	190
<i>flavoxate</i>	73	GAMUNEX-C	81	<i>hailey 24 fe</i>	115
<i>flecainide</i>	43	GARDASIL 9 (PF)	87	<i>hailey fe 1.5/30 (28)</i>	115
<i>flouxuridine</i>	8	GAUZE PAD	158	<i>hailey fe 1/20 (28)</i>	115
<i>fluconazole</i>	130	<i>gavilyte-c</i>	72	<i>halobetasol propionate</i>	67
<i>fluconazole in nacl (iso-osm)</i>	130	<i>gavilyte-g</i>	72	<i>haloette</i>	115
<i>flucytosine</i>	130	<i>gavilyte-n</i>	72	<i>haloperidol</i>	38
<i>fludrocortisone</i>	76	GAVRETO	8	<i>haloperidol decanoate</i>	38
<i>flunisolide</i>	96	<i>gefitinib</i>	8	<i>haloperidol lactate</i>	38
<i>fluocinolone</i>	66	gemfibrozil	50	HARVONI	137
<i>fluocinolone acetonide oil</i>	96	<i>generlac</i>	71	HAVRIX (PF)	87, 88
<i>fluocinonide</i>	66	<i>genograf</i>	81	HEALTHWISE INSULIN	
<i>fluoride (sodium)</i>	65			SYRINGE	158

HEALTHWISE PEN NEEDLE	159
HEALTHY ACCENTS	
UNIFINE PENTIP	159
<i>heather</i>	115
<i>heparin (porcine)</i>	189
HEPLISAV-B (PF)	88
HERCEPTIN HYLECTA	8
HERZUMA	9
HIBERIX (PF)	88
HUMIRA	82
HUMIRA PEN	82
HUMIRA PEN CROHNS-UC-HS START	82
HUMIRA PEN PSOR-UVEITS-ADOL HS	82
HUMIRA(CF)	82
HUMIRA(CF) PEDI CROHNS STARTER	82
HUMIRA(CF) PEN	82
HUMIRA(CF) PEN CROHNS-UC-HS	82
HUMIRA(CF) PEN PEDIATRIC UC	82
HUMIRA(CF) PEN PSOR-UV-ADOL HS	82
HUMULIN R U-500 (CONC) INSULIN	27
HUMULIN R U-500 (CONC) KWIKPEN	27
<i>hydralazine</i>	46
<i>hydrochlorothiazide</i>	51
<i>hydrocodone-acetaminophen</i>	102
<i>hydrocortisone</i>	54, 67, 76
<i>hydrocortisone valerate</i>	67
<i>hydrocortisone-acetic acid</i>	94
<i>hydromorphone</i>	102
<i>hydroxychloroquine</i>	33
<i>hydroxyurea</i>	9
<i>hydroxyzine hcl</i>	131
<i>hydroxyzine pamoate</i>	98
<i>ibandronate</i>	55
IBRANCE	9
<i>ibu</i>	101
<i>ibuprofen</i>	101
<i>icatibant</i>	46
<i>iclevia</i>	115
ICLUSIG	9
<i>icosapent ethyl</i>	50
IDHIFA	9
<i>ifosfamide</i>	9
ILEVRO	96
<i>imatinib</i>	9
IMBRUVICA	9
IMDELLTRA	9
<i>imipenem-cilastatin</i>	106, 107
<i>imipramine hcl</i>	128
<i>imiquimod</i>	68
IMJUDO	9
IMKELDI	9
IMOVAX RABIES VACCINE (PF)	88
IMPAVIDO	33
<i>incassia</i>	115
INCONTROL ALCOHOL PADS	159
INCONTROL PEN NEEDLE	159
INCRELEX	77
<i>indapamide</i>	51
<i>indomethacin</i>	101
INFANRIX (DTAP) (PF)	88
<i>infliximab</i>	82
INGREZZA	58
INGREZZA INITIATION PK(TARDIV)	58
INGREZZA SPRINKLE	58
INLYTA	9, 10
INPEN (FOR HUMALOG) BLUE	159
INPEN (NOVOLOG OR FIASP) BLUE	159
INQOVI	10
INREBIC	10
<i>insulin asp prt-insulin aspart</i>	27
<i>insulin aspart u-100</i>	28
INSULIN SYR/NDL U100 HALF MARK	159
INSULIN SYRINGE	143
INSULIN SYRINGE MICROFINE	142
INSULIN SYRINGE NEEDLELESS	143
INSULIN SYRINGE-NEEDLE U-100 ..	157, 160, 161, 169, 173, 177, 178
INSUPEN PEN NEEDLE	161
INTELENCE	134
INTRON A	138
INVEGA HAFYERA	38
INVEGA SUSTENNA	38, 39
INVEGA TRINZA	39
INVELTYS	96
IPOL	88
<i>ipratropium bromide</i>	64, 97
<i>ipratropium-albuterol</i>	64
<i>irbesartan</i>	47
<i>irbesartan-hydrochlorothiazide</i>	47
ISENTRESS	134
ISENTRESS HD	134
<i>isibloom</i>	115
<i>isoniazid</i>	132
ISOPROPYL ALCOHOL	68
<i>isosorbide dinitrate</i>	53
<i>isosorbide mononitrate</i>	53
ITOVEBI	10
<i>itraconazole</i>	130
IV PREP WIPES	161
<i>ivabradine</i>	46
<i>ivermectin</i>	33
IWILFIN	10
IXCHIQ (PF)	88
IXIARO (PF)	88
JAKAFI	10
<i>jantoven</i>	189
JANUMET	24
JANUMET XR	24, 25
JANUVIA	25

JARDIANCE	25	KYLEENA	116	levothyroxine	74
javygtor	191	KYNMOBI	34, 35	LEXIVA	134
JAYPIRCA	10	<i>labetalol</i>	44	LIBERVANT	123
JEMPERLI	10	<i>lacosamide</i>	123	<i>lidocaine</i>	104
jencycla	115	<i>lactulose</i>	71	<i>lidocaine hcl</i>	104
JENTADUETO	25	<i>lamivudine</i>	134	<i>lidocaine viscous</i>	104
JENTADUETO XR	25	<i>lamivudine-zidovudine</i>	134	<i>lidocaine-prilocaine</i>	104
jolessa	115	<i>lamotrigine</i>	123	<i>lidocan iii</i>	104
juleber	115	<i>lanreotide</i>	77	LILETTA	117
JULUCA	134	<i>lansoprazole</i>	70	<i>lillow (28)</i>	117
junel 1.5/30 (21)	115	LANTUS SOLOSTAR U-100		<i>linezolid</i>	106
junel 1/20 (21)	115	INSULIN	28	<i>linezolid in dextrose 5%</i>	106
junel fe 1.5/30 (28)	115	LANTUS U-100 INSULIN	28	LINZESS	71
junel fe 1/20 (28)	115	<i>lapatinib</i>	11	<i>liothyronine</i>	74
junel fe 24	115	<i>larin 1.5/30 (21)</i>	116	LISCO	161
JYLMAMVO	10	<i>larin 1/20 (21)</i>	116	<i>lisinopril</i>	52
JYNNEOS (PF)	88	<i>larin 24 fe</i>	116	<i>lisinopril-hydrochlorothiazide</i>	52
KALYDECO	60	<i>larin fe 1.5/30 (28)</i>	116	LITE TOUCH INSULIN PEN	
kariva (28)	115	<i>larin fe 1/20 (28)</i>	116	NEEDLES	161, 162
kelnor 1/35 (28)	115	<i>larissia</i>	116	LITE TOUCH INSULIN	
kelnor 1/50 (28)	116	<i>latanoprost</i>	92	SYRINGE	161, 162
KERENDIA	53	LAZCLUZE	11	<i>lithium carbonate</i>	58
KESIMPTA PEN	58	<i>leflunomide</i>	82	<i>lithium citrate</i>	58
ketoconazole	130	<i>lenalidomide</i>	11	LIVTENCITY	138
ketorolac	96, 101	LENTOCILIN S	110	LOKELMA	71
KEYTRUDA	10	LENVIMA	11	LONSURF	11, 12
KIMMTRAK	10	<i>lessina</i>	116	<i>loperamide</i>	71
KINERET	82	<i>letrozole</i>	11	<i>lopinavir-ritonavir</i>	134, 135
KINRIX (PF)	88	<i>leucovorin calcium</i>	98	LOQTORZI	12
kionex (with sorbitol)	71	LEUKERAN	11	<i>lorazepam</i>	23
KISQALI	11	<i>leuprolide</i>	11	<i>lorazepam intensol</i>	23
KISQALI FEMARA CO-		<i>leuprolide (3 month)</i>	11	LORBRENA	12
PACK	10	<i>levetiracetam</i>	123	<i>losartan</i>	47
KLISYRI (250 MG)	68	<i>levobunolol</i>	93	<i>losartan-hydrochlorothiazide</i>	47
klor-con m10	186	<i>levocetirizine</i>	131	LOTEMAX	96
klor-con m15	187	<i>levofloxacin</i>	110	LOTEMAX SM	96
klor-con m20	187	<i>levofloxacin in d5w</i>	110	<i>loteprednol etabonate</i>	97
KLOXXADO	22	<i>levonest (28)</i>	116	<i>lovastatin</i>	50
KOSELUGO	11	<i>levonorgest-eth.estriadiol-iron..</i>	116	<i>low-ogestrel (28)</i>	117
kosher prenatal plus iron	193	<i>levonorgestrel-ethinyl estrad....</i>	116	<i>loxapine succinate</i>	39
KRAZATI	11	<i>levonorg-eth estrad triphasic....</i>	116	<i>lubiprostone</i>	71
kurvelo (28)	116	<i>levora-28</i>	117	LUMAKRAS	12

LUMIGAN	93	MAVENCLAD (9 TABLET PACK)	59	<i>methylprednisolone</i>	76
LUNSUMIO	12	MAXICOMFORT II PEN NEEDLE	163	<i>methylprednisolone acetate</i>	76
LUPRON DEPOT	12, 77	MAXICOMFORT INSULIN SYRINGE	163	<i>metoclopramide hcl</i>	71
LUPRON DEPOT (3 MONTH)	12, 77	MAXI-COMFORT INSULIN SYRINGE	163	<i>metolazone</i>	51
LUPRON DEPOT (4 MONTH)	12	MAXICOMFORT SAFETY PEN NEEDLE	163	<i>metoprolol succinate</i>	44
LUPRON DEPOT (6 MONTH)	12	MAYZENT	59	<i>metoprolol tartrate</i>	44
LUPRON DEPOT-PED	77	MAYZENT STARTER(FOR 1MG MAINT)	59	<i>metronidazole</i>	69, 104, 106
LUPRON DEPOT-PED (3 MONTH)	77	MAYZENT STARTER(FOR 2MG MAINT)	59	<i>metronidazole in nacl (iso-os)</i>	106
<i>lurasidone</i>	39	<i>meclizine</i>	32	<i>metyrosine</i>	47
<i>lutera (28)</i>	117	<i>medroxyprogesterone</i>	78, 79	<i>micafungin</i>	130
LYBALVI	39	<i>mefloquine</i>	33	<i>miconazole-3</i>	131
<i>lyeq</i>	117	<i>megestrol</i>	13, 79	MICRODOT INSULIN PEN NEEDLE	163
LYNPARZA	12	MEKINIST	13	MICRODOT READYGARD PEN NEEDLE	163
LYSODREN	12	MEKTOVI	13	<i>microgestin 1.5/30 (21)</i>	117
LYTGOBI	12	<i>meloxicam</i>	101	<i>microgestin 1/20 (21)</i>	117
<i>lyza</i>	117	<i>memantine</i>	24	<i>microgestin 24 fe</i>	117
MAGELLAN INSULIN SAFETY SYRNG	163	MENACTRA (PF)	88	<i>microgestin fe 1.5/30 (28)</i>	117
MAGELLAN SYRINGE	162, 163	MENQUADFI (PF)	88	<i>microgestin fe 1/20 (28)</i>	117
<i>magnesium sulfate</i>	187	MENVEO A-C-Y-W-135-DIP (PF)	88	<i>midodrine</i>	43
<i>malathion</i>	69	<i>mercaptopurine</i>	13	<i>mifepristone</i>	25
<i>maraviroc</i>	135	<i>meropenem</i>	107	<i>mili</i>	117
MARGENZA	13	<i>mesalamine</i>	54	<i>mimvey</i>	75
<i>marlissa (28)</i>	117	<i>mesna</i>	98	MINI ULTRA-THIN II	164
<i>marnatal-f</i>	193	<i>metformin</i>	25	<i>minitran</i>	53
MARPLAN	128	<i>methadone</i>	102	<i>minocycline</i>	112
MATULANE	13	<i>methazolamide</i>	93	<i>minoxidil</i>	53
MAVENCLAD (10 TABLET PACK)	58	<i>methenamine hippurate</i>	106	MIPLYFFA	139
MAVENCLAD (4 TABLET PACK)	58	<i>methimazole</i>	74	MIRENA	117
MAVENCLAD (5 TABLET PACK)	58	<i>methocarbamol</i>	192	<i>mirtazapine</i>	128
MAVENCLAD (6 TABLET PACK)	58	<i>methotrexate sodium</i>	13	<i>misoprostol</i>	70
MAVENCLAD (7 TABLET PACK)	58	<i>methotrexate sodium (pf)</i>	13	<i>mitoxantrone</i>	13
MAVENCLAD (8 TABLET PACK)	59	<i>methoxsalen</i>	68	M-M-R II (PF)	89
		<i>methsuximide</i>	123	<i>m-natal plus</i>	193
		<i>methylphenidate hcl</i>	59	<i>modafinil</i>	55

MONOJECT INSULIN		
SYRINGE164, 165	
MONOJECT SYRINGE164	
MONOJECT ULTRA		
COMFORT INSULIN180	
<i>mono-linyah</i>117	
<i>montelukast</i>63	
<i>morpheine</i>102, 103	
MORPHINE103	
<i>morpheine concentrate</i>102	
MOUNJARO25	
MOVANTIK71	
<i>moxifloxacin</i>94, 111	
<i>moxifloxacin-sod.ace,sul-water</i>	111	
<i>moxifloxacin-sod.chloride(iso)</i>	111	
MRESVIA (PF)89	
MULTAQ43	
<i>mupirocin</i>69	
MVASI13	
<i>mycophenolate mofetil</i>83	
<i>mycophenolate mofetil (hcl)</i>83	
<i>mycophenolate sodium</i>83	
<i>mynatal</i>193	
<i>mynatal advance</i>193	
<i>mynatal plus</i>193	
<i>mynatal-z</i>193	
<i>mynate 90 plus</i>193	
MYRBETRIQ73	
<i>nabumetone</i>101	
<i>nafcillin</i>110	
<i>naloxone</i>22	
<i>naltrexone</i>22	
NANO 2ND GEN PEN		
NEEDLE165	
<i>naproxen</i>101	
<i>naratriptan</i>31	
NATACYN94	
<i>nateglinide</i>25	
NATPARA55	
NAYZILAM123	
<i>nebivolol</i>44	
<i>nefazodone</i>128	
<i>neomycin</i>105	
<i>neomycin-bacitracin-poly-hc</i>94	
<i>neomycin-bacitracin-polymyxin</i>	94	
<i>neomycin-polymyxin b-dexameth</i>94	
<i>neomycin-polymyxin-gramicidin</i>	94	
<i>neomycin-polymyxin-hc</i>94	
<i>neo-polycin</i>95	
<i>neo-polycin hc</i>94	
NERLYNX13	
<i>neuac</i>69	
NEULASTA ONPRO190	
<i>nevirapine</i>135	
<i>newgen</i>193	
NEXLETOL50	
NEXLIZET50	
NEXPLANON117	
<i>niacin</i>50	
<i>niacor</i>50	
NICOTROL NS22	
<i>nifedipine</i>48	
NIKTIMVO83	
<i>nilutamide</i>13	
NINLARO13	
<i>nitazoxanide</i>33	
<i>nitisinone</i>191	
<i>nitrofurantoin macrocrystal</i>106	
<i>nitrofurantoin monohyd/m-cryst</i>106	
<i>nitroglycerin</i>53, 98	
<i>niva-plus</i>193	
NIVESTYM190	
NORDITROPIN FLEXPRO78	
<i>norelgestromin-ethin.estradiol.</i>	118	
<i>norethindrone (contraceptive)</i>	..118	
<i>norethindrone acetate</i>79	
<i>norethindrone-e.estradiol-iron.</i>	118	
<i>norgestimate-ethinyl estradiol..</i>	118	
<i>norlyda</i>118	
<i>nortrel 1/35 (21)</i>118	
<i>nortrel 1/35 (28)</i>118	
<i>nortrel 7/7/7 (28)</i>118	
<i>nortriptyline</i>128	
NORVIR135	
NOVOFINE 30165	
NOVOFINE 32165	
NOVOFINE PLUS165	
NOVOLIN 70/30 U-100		
INSULIN28	
NOVOLIN 70-30 FLEXPEN		
U-10028	
NOVOLIN N FLEXPEN28	
NOVOLIN N NPH U-100		
INSULIN28	
NOVOLIN R FLEXPEN28	
NOVOLIN R REGULAR U100		
INSULIN28	
NOVOTWIST165	
NUBEQA13	
NUCALA61	
NULOJIX83	
NUPLAZID39	
NURTEC ODT31	
<i>nyamyc</i>131	
<i>nylia 1/35 (28)</i>118	
<i>nylia 7/7/7 (28)</i>118	
<i>nymyo</i>118	
<i>nystatin</i>131	
<i>nystatin-triamcinolone</i>131	
<i>nystop</i>131	
NYVEPRIA190	
<i>obstetrix dha</i>193	
<i>obstetrix dha prenatal duo</i>193	
<i>o-cal prenatal</i>193	
OCREVUS59	
OCREVUS ZUNOVO59	
<i>octreotide acetate</i>78	
ODEFSEY135	
ODOMZO14	
OFEV61	
<i>ofloxacin</i>95	
OGIVRI14	
OGSIVEO14	
OJEMDA14	

OJJAARA	14
olanzapine	39, 40
olmesartan	47
olmesartan-amloclodipine-hcthyiazid	47
olmesartan-hydrochlorothiazide	47
olopatadine	97
omega-3 acid ethyl esters	50
omeprazole	70
OMNIPOD 5 (G6/LIBRE 2 PLUS)	165
OMNIPOD 5 G6-G7 INTRO KT(GEN5)	165
OMNIPOD 5 G6-G7 PODS (GEN 5)	165
OMNIPOD 5 INTRO(G6/LIBRE2PLUS)	166
OMNIPOD CLASSIC PDM KIT(GEN 3)	166
OMNIPOD CLASSIC PODS (GEN 3)	166
OMNIPOD DASH INTRO KIT (GEN 4)	166
OMNIPOD DASH PDM KIT (GEN 4)	166
OMNIPOD DASH PODS (GEN 4)	166
ONAPGO	35
ondansetron	32
ondansetron hcl	32
ONTRUZANT	14
ONUREG	14
OPDIVO	14
OPDIVO QVANTIG	14
OPDUALAG	14
OPSUMIT	99
ORENCIA	83
ORENCIA (WITH MALTOSE)	83
ORENCIA CLICKJECT	83
ORFADIN	191
ORGOVYX	78
ORILISSA	78
ORKAMBI	61
ORSERDU	14
oseltamivir	138
OTEZLA	83
OTEZLA STARTER	83
oxandrolone	74
oxcarbazepine	124
oxybutynin chloride	73
oxycodone	103
oxycodone-acetaminophen	103
OZEMPIC	26
pacerone	44
paclitaxel protein-bound	14
paliperidone	40
PANRETIN	68
pantoprazole	70
paricalcitol	55
paromomycin	33
paroxetine hcl	128
PAXLOVID	138
pazopanib	15
PEDIARIX (PF)	89
PEDVAX HIB (PF)	89
peg 3350-electrolytes	72
PEGASYS	138
peg-electrolyte soln	72
PEMAZYRE	15
pemetrexed	15
pemetrexed disodium	15
PEMRYDI RTU	15
PEN NEEDLE	157, 166, 169
PEN NEEDLE, DIABETIC	148, 163, 164, 166, 168, 169
PEN NEEDLE, DIABETIC, SAFETY	169
PENBRAYA (PF)	89
PENBRAYA MENACWY	
COMPONENT(PF)	89
PENBRAYA MENB	
COMPONENT (PF)	89
penicillamine	104
penicillin g potassium	110
penicillin g procaine	110
penicillin v potassium	110
PENTACEL (PF)	89
pentamidine	33, 34
PENTIPS PEN NEEDLE	167
pentoxifylline	190
perindopril erbumine	52
periogard	65
permethrin	69
perphenazine	40
perphenazine-amitriptyline	128
PERSERIS	40
phenelzine	128
phenobarbital	124
PHENYTEK	124
phenytoin	124
phenytoin sodium	124
phenytoin sodium extended	124
PIFELTRO	135
pilocarpine hcl	65, 93
pimecrolimus	67
pimozide	40
pimtrea (28)	118
pioglitazone	26
pioglitazone-metformin	26
PIP PEN NEEDLE	167
piperacillin-tazobactam	110
PIQRAY	15
pirfenidone	61
pirmella	119
pitavastatin calcium	50
PLEGRIDY	59
pnv 29-1	193
pnv-dha + docusate	193
pnv-omega	193
podofilox	68
polycin	95
polymyxin b sulf-trimethoprim	95
POMALYST	15
portia 28	119
posaconazole	131
potassium chloride	187
potassium citrate	187

<i>pr natal</i>	400	194
<i>pr natal</i>	400 ec	194
<i>pr natal</i>	430	194
<i>pr natal</i>	430 ec	194
<i>pramipexole</i>	35
<i>prasugrel hcl</i>	190
<i>pravastatin</i>	50
<i>praziquantel</i>	34
<i>prazosin</i>	43
<i>prednisolone</i>	76
<i>prednisolone acetate</i>	97
<i>prednisolone sodium phosphate</i>	76
<i>prednisone</i>	76
<i>pregabalin</i>	124
PREHEVBARIO (PF)	89
PREMARIN	75
PREMPHASE	75
PREMPRO	75
<i>prenal true</i>	194
<i>prenaissance</i>	194
<i>prenaissance plus</i>	194
<i>prenatabs fa</i>	194
<i>prenatal 19</i>	194
<i>prenatal 19 (with docusate)</i>	194
<i>prenatal low iron</i>	194
<i>prenatal plus</i>	194
<i>prenatal plus (calcium carb)</i>	193
<i>prenatal vitamin plus low iron.</i>	194
<i>prenatal-u</i>	194
<i>preplus</i>	194
<i>pretab</i>	194
<i>prevalite</i>	50
PREVENT DROPSAFE PEN		
NEEDLE	167
<i>previfem</i>	119
PREVYMIS	138
PREZCOBIX	135
PREZISTA	135
PRIFTIN	132
PRIMAQUINE	34
<i>primidone</i>	124
PRIORIX (PF)	89
PRO COMFORT ALCOHOL		
PADS	167
PRO COMFORT INSULIN		
SYRINGE	167
PRO COMFORT PEN		
NEEDLE	167, 168
<i>probenecid</i>	30
<i>probenecid-colchicine</i>	30
PROCALAMINE 3%	43
<i>procchlorperazine</i>	32
<i>procchlorperazine edisylate</i>	32, 40
<i>procchlorperazine maleate</i>	32
<i>procto-med hc</i>	67
<i>proctosol hc</i>	67
<i>protozone-hc</i>	67
PRODIGY INSULIN		
SYRINGE	168
<i>progesterone micronized</i>	79
PROGRAF	83
PROLIA	55
PROMACTA	190
<i>promethazine</i>	32
<i>promethegan</i>	32
<i>propafenone</i>	44
<i>propranolol</i>	45
<i>propylthiouracil</i>	74
PROQUAD (PF)	89
<i>protriptyline</i>	128
PULMOZYME	191
PURE COMFORT ALCOHOL		
PADS	168
PURE COMFORT PEN		
NEEDLE	168
PURE COMFORT SAFETY		
PEN NEEDLE	168
PURIXAN	15
<i>pyrazinamide</i>	132
<i>pyridostigmine bromide</i>	98
<i>pyrimethamine</i>	34
QINLOCK	15
QUADRACEL (PF)	90
<i>quetiapine</i>	40
quinapril	52
<i>quinapril-hydrochlorothiazide</i>	...	52
<i>quinidine sulfate</i>	44
<i>quinine sulfate</i>	34
QULIPTA	31
RABAVERT (PF)	90
<i>rabeprazole</i>	70
RALDESY	128
<i>raloxifene</i>	76
<i>ramipril</i>	53
<i>ranolazine</i>	47
<i>rasagiline</i>	35
RASUVO (PF)	84
RAYALDEE	55
<i>reclipsen (28)</i>	119
RECOMBIVAX HB (PF)	90
RELENZA DISKHALER	138
<i>repaglinide</i>	26
REPATHA PUSHTRONEX	50
REPATHA SURECLICK	50
REPATHA SYRINGE	50
RETACRIT	191
RETEVMO	15
RETROVIR	135
REVUFORJ	15, 16
REXULTI	40
REYATAZ	135
REZLIDHIA	16
REZUROCK	84
RHOPRESSA	93
RIABNI	16
<i>ribavirin</i>	139
<i>rifabutin</i>	132
<i>rifampin</i>	132
<i>rilpivirine</i>	135
<i>riluzole</i>	59
RINVOQ	84
RINVOQ LQ	84
<i>risperidone</i>	40, 41
<i>risperidone microspheres</i>	40
<i>ritonavir</i>	135
RITUXAN HYCELA	16

rivastigmine	24	SEMGLEE(INSULIN GLARG-YFGN)PEN	29	spironolacton-hydrochlorothiaz.	51
rivastigmine tartrate	24	<i>se-natal 19 chewable</i>	195	SPRAVATO	129
rizatriptan	31	SEREVENT DISKUS	64	sprintec (28)	119
r-natal ob	194	SEROSTIM	78	SPRITAM	125
ROCKLATAN	93	sertraline	128, 129	<i>sps (with sorbitol)</i>	71
roflumilast	61	setlakin	119	sronyx	119
ROMVIMZA	16	sevelamer carbonate	72	ssd	69
ropinirole	35	sevelamer hcl	72	stavudine	136
rosadan	69	SEZABY	124	STELARA	84, 85
rosuvastatin	50	<i>sf 5000 plus</i>	65	STERILE PADS	170
ROTARIX	90	sharobel	119	STIOLTO RESPIMAT	64
ROTATEQ VACCINE	90	SHINGRIX (PF)	90	STIVARGA	17
ROZLYTREK	16	SIGNIFOR	78	STRENSIQ	191
RUBRACA	16	sildenafil	99	streptomycin	105
rufinamide	124	sildenafil (pulm.hypertension)	99	STRIBILD	136
RUKOBIA	136	silver sulfadiazine	69	STRIVERDI RESPIMAT	64
RUXIENCE	16	SIMBRINZA	93	subvenite	125
RYBELSUS	26	<i>simliya (28)</i>	119	sucralfate	70
RYBREVANT	16	simvastatin	50	sulfacetamide sodium	95
RYDAPT	16	sirolimus	84	sulfacetamide-prednisolone	95
RYKINDO	41	SIRTURO	132	sulfadiazine	111
RYTELO	16	SKY SAFETY PEN NEEDLE	170	sulfamethoxazole-trimethoprim	111
SAFESNAP INSULIN SYRINGE	169	SKYLA	119	sulfasalazine	54
SAFETY PEN NEEDLE	169	SKYRIZI	84	sulindac	101
SANTYL	68	sodium chloride 0.45 %	187	sumatriptan	31
sapropterin	191	sodium chloride 0.9 %	187, 188	sumatriptan succinate	31
SAVELLA	59, 60	sodium fluoride-pot nitrate	65	sunitinib malate	17
SCEMBLIX	16	sodium oxybate	56	SUNLENCA	136
scopolamine base	33	sodium polystyrene sulfonate	71	SURE COMFORT ALCOHOL PREP PADS	171
SECUADO	41	sodium, potassium, mag sulfates ..	73	SURE COMFORT INS. SYR. U-100	170
SECURESAFE INSULIN SYRINGE	170	solifenacin	73	SURE COMFORT INSULIN SYRINGE	170, 171
SECURESAFE PEN NEEDLE	170	SOLIQUA 100/33	29	SURE COMFORT PEN NEEDLE	171
SELARSDI	84	SOLTAMOX	17	SURE COMFORT SAFETY PEN NEEDLE	170
select-ob	194	SOMATULINE DEPOT	78	SURE-FINE PEN NEEDLES ..	171
select-ob (folic acid)	194	SOMAVERT	78	SURE-JECT INSULIN SYRINGE	171, 172
selegiline hcl	35	sorafenib	17		
selenium sulfide	69	sorine	45		
SELZENTRY	136	sotalol	45		
SEMGLEE(INSULIN GLARGINE-YFGN)	28	sotalol af	45		
		SPIRIVA RESPIMAT	64		
		spironolactone	51		

SURE-PREP ALCOHOL PREP	
PADS.....	172
SUTAB.....	73
SYMPAZAN.....	125
SYMTUZA.....	136
SYNJARDY.....	26
SYNJARDY XR.....	26
SYNRIBO.....	17
SYRINGE WITH NEEDLE,	
SAFETY.....	170
TABLOID.....	17
TABRECTA.....	17
tacrolimus.....	67, 85
tadalafil.....	99
TAFINLAR.....	17
tafluprost (pf).....	93
TAGRISSO.....	17
TALVEY.....	17
TALZENNA.....	17
tamoxifen.....	17
tamsulosin.....	73
tarina 24 fe.....	119
tarina fe 1-20 eq (28).....	119
taron-c dha.....	195
taron-prex prenatal-dha.....	195
TASIGNA.....	17
TAVNEOS.....	85
tazarotene.....	69
tazicef.....	108
taztia xt.....	46
TAZVERIK.....	17
TDVAX.....	90
TECHLITE INSULIN	
SYRINGE.....	172, 173
TECHLITE INSULN	
SYR(HALF UNIT).....	172
TECHLITE PEN NEEDLE.....	173
TECHLITE PLUS PEN	
NEEDLE.....	173
TECVAYLI.....	17
TEFLARO.....	108
telmisartan.....	48
telmisartan-hydrochlorothiazid ..	48
temazepam.....	23
TEMIXYS.....	136
TENIVAC (PF).....	90
tenofovir disoproxil fumarate ...	136
TEPMETKO.....	17
terazosin.....	73
terbinafine hcl.....	131
terconazole.....	104, 105
teriparatide.....	55
TERUMO INSULIN	
SYRINGE.....	173, 174
testosterone.....	74
testosterone cypionate.....	74
testosterone enanthate.....	74
TETANUS,DIPHTHERIA	
TOX PED(PF).....	91
tetrabenazine.....	60
tetracycline.....	112
TEVIMBRA.....	18
THALOMID.....	98
theophylline.....	64
THINPRO INSULIN	
SYRINGE.....	174
thioridazine.....	41
thiothixene.....	41
tiadylt er.....	46
tiagabine.....	125
TIBSOVO.....	18
TICE BCG.....	18
TICOVAC.....	91
tigecycline.....	112
tilia fe.....	119
timolol.....	93
timolol maleate.....	45, 93
tinidazole.....	34
tiotropium bromide.....	64
TIVDAK.....	18
TIVICAY.....	136
TIVICAY PD.....	136
tizanidine.....	192
TOBI PODHALER.....	105
tobramycin.....	95
tobramycin in 0.225 % nacl.....	105
tobramycin sulfate.....	105
tobramycin-dexamethasone.....	95
tolterodine.....	73
TOPCARE CLICKFINE.....	174
TOPCARE ULTRA	
COMFORT.....	174
topiramate.....	125
toposar.....	18
toremifene.....	18
torpenz.....	18
torsemide.....	51
TOUJEO MAX U-300	
SOLOSTAR.....	29
TOUJEO SOLOSTAR U-300	
INSULIN.....	29
TRADJENTA.....	26
tramadol.....	103
tramadol-acetaminophen.....	103
trandolapril.....	53
trandolapril-verapamil.....	53
tranexamic acid.....	188
tranylcypromine.....	129
travoprost.....	93
TRAZIMERA.....	18
trazodone.....	129
TRECATOR.....	132
TRELEGY ELLIPTA.....	65
TRELSTAR.....	18
TREMFYA.....	85
TREMFYA PEN.....	85
TRESIBA FLEXTOUCH U-	
100.....	29
TRESIBA FLEXTOUCH U-	
200.....	29
TRESIBA U-100 INSULIN.....	29
tretinoin.....	69
tretinoin (antineoplastic).....	18
tri femynor.....	119

<i>triamcinolone acetonide</i>	TRUE COMFORT SAFE	ULTRA FLO INSULIN
.....	INSULIN SYRG.....	SYRINGE.....
..... 65, 67, 68, 77	175, 176	181
<i>triamterene-hydrochlorothiazid</i> ..51	TRUE COMFORT SAFETY	ULTRA FLO PEN NEEDLE
<i>triazolam</i>23	PEN NEEDLE..... 180, 181
<i>trientine</i>104	TRUEPLUS INSULIN	ULTRA THIN PEN NEEDLE.
<i>tri-estarrylla</i>119	176, 177	181
<i>trifluoperazine</i>41	TRUEPLUS PEN NEEDLE....	ULTRACARE INSULIN
<i>trifluridine</i>95	TRULICITY	SYRINGE.....
<i>trihexyphenidyl</i>35	91	181
TRIJARDY XR26	TRUMENBA.....	ULTRACARE PEN NEEDLE
<i>tri-legest fe</i>119	TRUQAP 181, 182
<i>tri-linyah</i>120	TRUXIMA.....	ULTRA-FINE INS SYR
<i>tri-lo-estarrylla</i>120	TUKYSA.....	(HALF UNIT).....
<i>tri-lo-marzia</i>120	TURALIO.....	182
<i>tri-lo-mili</i>120	turqoz (28).....	ULTRA-FINE INSULIN
<i>tri-lo-sprintec</i>120	120	SYRINGE.....
<i>trimethoprim</i>106	TWINRIX (PF).....	182
<i>tri-mili</i>120	91	ULTRA-FINE PEN NEEDLE..
<i>trimipramine</i>129	TYBOST	182
TRINTELLIX129	TYENNE.....	ULTRA-THIN II (SHORT)
<i>tri-nymyo</i>120	TYENNE AUTOINJECTOR....	INS SYR.....
<i>tri-previfem (28)</i>120	85	182, 183
<i>tri-sprintec (28)</i>120	TYMLOS.....	ULTRA-THIN II (SHORT)
TRIUMEQ136	55	PEN NDL.....
TRIUMEQ PD136	TYPHIM VI.....	183
<i>triveen-duo dha</i>195	91	ULTRA-THIN II INS PEN
<i>trivora (28)</i>120	UBRELVY	NEEDLES.....
<i>tri-vylibra</i>120	31	183
<i>tri-vylibra lo</i>120	ULTICARE	ULTRA-THIN II INSULIN
TRIZIVIR136	178	SYRINGE.....
TROGARZO137	ULTICARE INSULIN	183
<i>trospium</i>74	SYRINGE.....	UNIFINE OTC PEN NEEDLE
TRUE COMFORT ALCOHOL	177	183
PADS175	ULTICARE INSULN	UNIFINE PEN NEEDLE.....
TRUE COMFORT INSULIN	SYR(HALF UNIT).....	183
SYRINGE175	177	UNIFINE PENTIPS.
TRUE COMFORT PEN	ULTICARE PEN NEEDLE	166, 183, 184
NEEDLE175, 176	178	UNIFINE PENTIPS
TRUE COMFORT PRO	ULTICARE SAFETY PEN	MAXFLOW
ALCOHOL PADS176	NEEDLE.....	184
TRUE COMFORT PRO INS	ULTIGUARD SAFEPACK-	UNIFINE PENTIPS PLUS.....
SYRINGE174, 175, 176	INSULIN SYR.....	184
	179	UNIFINE PENTIPS PLUS
	ULTIGUARD SAFEPACK-	MAXFLOW
	PEN NEEDLE	184
	ULTILET ALCOHOL SWAB.	UNIFINE PROTECT
	179	184
	ULTILET INSULIN SYRINGE	UNIFINE SAFECONTROL
 160, 179, 180 184, 185
	ULTILET PEN NEEDLE.....	UNIFINE SAFECONTROL
	180	PEN NEEDLE.....
	ULTRA CMFT INS SYR	184, 185
	(HALF UNIT).....158, 170	UNIFINE ULTRA PEN
	ULTRA COMFORT INSULIN	NEEDLE.....
	SYRINGE.....152, 158, 180	185
	ULTRA FLO INSUL	UPTRAVI.....
	SYR(HALF UNIT).....180	99, 100

<i>valganciclovir</i>	139	<i>vigadronе</i>	125	XARELTO DVT-PE TREAT
<i>valproate sodium</i>	125	<i>vigpoder</i>	126	30D START.....189
<i>valproic acid</i>	125	<i>vilazodone</i>	129	XATMEP.....20
<i>valproic acid (as sodium salt)</i>	125	VIMKUNYA.....91		XCOPRI.....126
<i>valsartan</i>	48	<i>vinorelbine</i>	19	XCOPRI MAINTENANCE
<i>valsartan-hydrochlorothiazide</i>	48	<i>viorele (28)</i>	120	PACK.....126
VALTOCO	125	VIRACEPT.....137		XCOPRI TITRATION PACK..126
<i>valtya</i>	120	VIREAD.....137		XDEMVY95
<i>vancomycin</i>	106	<i>virt-c dha</i>	195	XELJANZ85
VANFLYTA	18	<i>virt-nate dha</i>	195	XELJANZ XR85
VANISHPOINT INSULIN		<i>virt-pn dha</i>	195	XERMELO72
SYRINGE	185	<i>virt-pn plus</i>	195	XGEVA55
VANISHPOINT SYRINGE	185	<i>vitafol gummies</i>	195	XIFAXAN106
VAQTA (PF)	91	<i>vitafol nano</i>	195	XIGDUO XR27
<i>varenicline tartrate</i>	22	<i>vitafol-ob+dha</i>	195	XIIDRA97
VARIVAX (PF)	91	VITRAKVI.....19		XOLAIR61
VAXCHORA VACCINE	91	VIVOTIF	92	XOSPATA20
VEGZELMA	19	VIZIMPRO.....19		XPOVIO20
VELTASSA	72	VOCABRIA.....137		XTANDI.....20
VEMLIDY	137	<i>volnea (28)</i>	120	xulane
VENCLEXTA	19	VONJO.....19		121
VENCLEXTA STARTING		VORANIGO.....19		XULTOPHY 100/3.6.....29
PACK	19	<i>voriconazole</i>	131	XYOSTED75
<i>venlafaxine</i>	129	VOSEVI.....137		YERVOY20
VEOZAH	99	VOWST	99	YESINTEK86
<i>verapamil</i>	46	<i>vp-ch-pnv</i>	195	YF-VAX (PF).....92
VERIFINE INSULIN		<i>vp-pnv-dha</i>	195	YONSA.....20
SYRINGE	185, 186	VRAYLAR.....42		YUFLYMA(CF).....86
VERIFINE PEN NEEDLE	185	VUMERTY	60	YUFLYMA(CF) AI CROHN'S-
VERIFINE PLUS PEN		VYALEV	35	UC-HS86
NEEDLE	186	<i>vylibra</i>	120	YUFLYMA(CF)
VERIFINE PLUS PEN		VYLOY	19	AUTOINJECTOR.....86
NEEDLE-SHARP	186	VYZULTA.....93		<i>yuvafem</i>
VERQUVO	47	<i>warfarin</i>	189	121
VERSACLOZ	42	WEBCOL.....186		<i>zafemy</i>
VERSALON	186	WELIREG.....19		<i>zafirlukast</i>
VERZENIO	19	WINREVAIR.....61		63
V-GO 20	186	<i>wixela inhub</i>63		<i>zaleplon</i>
V-GO 30	186	XALKORI.....19, 20		56
V-GO 40	186	<i>xarah fe</i>	121	<i>zatean-pn dha</i>
<i>vienna</i>	120	XARELTO.....189		195
<i>vigabatrin</i>	125			<i>zatean-pn plus</i>
				195
				ZEGALOGUE
				AUTOINJECTOR.....99
				ZEGALOGUE SYRINGE.....99
				ZEJULA.....20, 21
				ZELBORAF21

<i>zenatane</i>	68
ZENPEP.....	192
<i>zidovudine</i>	137
ZIIHERA.....	21
<i>zingiber</i>	195
<i>ziprasidone hcl</i>	42
<i>ziprasidone mesylate</i>	42
ZIRABEV	21
ZIRGAN.....	95
ZOLADEX.....	21
ZOLINZA.....	21
<i>zolpidem</i>	56
ZONISADE.....	126
<i>zonisamide</i>	126
<i>zovia 1-35 (28)</i>	121
ZTALMY	126
ZTLIDO.....	104
ZURZUVAE.....	129
ZYDELIG	21
ZYKADIA.....	21
ZYLET.....	95
ZYNLONTA.....	21
ZYNYZ.....	21
ZYPREXA RELPREVV.....	42