

# Champion Health Plan of California

## 2026 Formulary

### (Comprehensive List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT  
THE DRUGS WE COVER IN THIS PLAN

Formulary 00026365, Version Number 14

This formulary was updated on August 1, 2026. For more recent information or other questions, please contact Champion Health Plan, Member Service at 1-844-282-5341 (TTY users should call 711) between 8 a.m. and 8 p.m. 7 days a week from October 1 through March 31. From April 1 to September 30, hours are 8 a.m. to 8 p.m. Monday through Friday, (messages received on holidays and outside of our business hours will be returned within one business day) or visit [www.championhmo.com](http://www.championhmo.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Champion. When it refers to “plan” or “our plan,” it means Champion.

This document includes list of the drugs (formulary) for our plan which is current as of August 1, 2026. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the first page.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

## What is the Champion Formulary?

A formulary is a list of covered drugs selected by Champion in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Champion will generally cover the drugs listed in our formulary as long as the drug is 2026 Part D Model Formulary (Comprehensive) medically necessary, the prescription is filled at a Champion network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Champion may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Champion’s Formulary?”

**Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include

information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Champion’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2026 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2026 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of August 1, 2026. To get updated information about the drugs covered by Champion please contact us. Our contact information appears on the front and back cover pages.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Champion covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Champion requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Champion before you fill your prescriptions. If you don't get approval, Champion may not cover the drug.
- **Quantity Limits:** For certain drugs, Champion limits the amount of the drug that Champion will cover. For example, Champion provides 18 tablets per 28 days prescription for sumatriptan succinate oral. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Champion requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Champion may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Champion will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Champion to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Champion formulary?" on page 1 for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Champion does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Champion. When you

receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Champion.

- You can ask Champion to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Champion Formulary?

You can ask Champion to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

### 2026 Part D Formulary (Comprehensive)

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Champion limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Champion will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who change treatment settings due to changes in level of care are also considered in Transition. These members will be provided with an appropriate transition refill.

### For more information

For more detailed information about your Champion prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Champion, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day / 7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

### Champion Formulary

The formulary provides coverage information about the drugs covered by Champion. If you have trouble finding your drug in the list, turn to the Index.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if Champion has any special requirements for coverage of your drug.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that

tells you if there are any special requirements for coverage of your drug.

## List of Abbreviations

**B/D PA:** This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**EX:** Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

**MO:** Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**NDS:** Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

**NSO:** Not Available for Mail Order. This indicates that certain medications are not eligible for delivery via mail and must be obtained in person at a pharmacy.

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**PA HRM** – Prior Authorization High-Risk Medications. Certain medications are considered high-risk, especially for older adults (generally for adults aged 65 years and older). These medications may have a high potential for causing serious side effects and require prior authorization for use.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

**V:** This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

## Table of Contents

|                                                       |     |
|-------------------------------------------------------|-----|
| Analgesics.....                                       | 3   |
| Anesthetics.....                                      | 6   |
| Anti-Addiction/Substance Abuse Treatment Agents.....  | 7   |
| Antianxiety Agents.....                               | 8   |
| Antibacterials.....                                   | 9   |
| Anticancer Agents.....                                | 16  |
| Anticonvulsants.....                                  | 36  |
| Antidementia Agents.....                              | 42  |
| Antidepressants.....                                  | 43  |
| Antidiabetic Agents.....                              | 46  |
| Antifungals.....                                      | 52  |
| Antigout Agents.....                                  | 54  |
| Antihistamines.....                                   | 54  |
| Anti-Infectives (Skin And Mucous Membrane).....       | 55  |
| Antimigraine Agents.....                              | 55  |
| Antimycobacterials.....                               | 56  |
| Antinausea Agents.....                                | 57  |
| Antiparasite Agents.....                              | 58  |
| Antiparkinsonian Agents.....                          | 59  |
| Antipsychotic Agents.....                             | 60  |
| Antivirals (Systemic).....                            | 67  |
| Blood Products/Modifiers/Volume Expanders.....        | 74  |
| Caloric Agents.....                                   | 77  |
| Cardiovascular Agents.....                            | 77  |
| Central Nervous System Agents.....                    | 88  |
| Contraceptives.....                                   | 91  |
| Cough And Cold Products.....                          | 100 |
| Dental And Oral Agents.....                           | 100 |
| Dermatological Agents.....                            | 100 |
| Devices.....                                          | 104 |
| Enzyme Cofactors/Chaperones.....                      | 152 |
| Enzyme Replacement/Modifiers.....                     | 152 |
| Eye, Ear, Nose, Throat Agents.....                    | 153 |
| Gastrointestinal Agents.....                          | 157 |
| Genitourinary Agents.....                             | 160 |
| Heavy Metal Antagonists.....                          | 161 |
| Hormonal Agents, Stimulant/Replacement/Modifying..... | 161 |
| Immunological Agents.....                             | 166 |



|                                         |     |
|-----------------------------------------|-----|
| Inflammatory Bowel Disease Agents ..... | 180 |
| Metabolic Bone Disease Agents .....     | 180 |
| Miscellaneous Therapeutic Agents .....  | 181 |
| Ophthalmic Agents .....                 | 182 |
| Replacement Preparations .....          | 184 |
| Respiratory Tract Agents .....          | 185 |
| Skeletal Muscle Relaxants .....         | 190 |
| Sleep Disorder Agents .....             | 190 |
| Vasodilating Agents .....               | 190 |
| Vitamins And Minerals .....             | 191 |

| Drug Name                                                                                                                         | Drug Tier | Requirements/Limits                                  |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------|
| <b>Analgesics</b>                                                                                                                 |           |                                                      |
| <b>Analgesics, Miscellaneous</b>                                                                                                  |           |                                                      |
| <i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg /12.5 ml</i>                                                    | 1         | NM; QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                                         | 1         | NM; QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>                                                                     | 2         | NM; QL (360 per 30 days)                             |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                                | 2         | NM; QL (180 per 30 days)                             |
| <i>buprenorphine transdermal patch</i> (Butrans)<br><i>weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 2         | NM; QL (4 per 28 days)                               |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>                                                                 | 2         | PA-HRM; NM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)                                                         | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)     |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>                                                                    | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)     |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>                                                                     | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)     |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)                                                                    | 2         | NM; QL (180 per 30 days)                             |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)                                                         | 2         | NM; QL (360 per 30 days)                             |
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)                                                                   | 2         | NM; QL (240 per 30 days)                             |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>                                | 5         | PA; NM; NDS; QL (120 per 30 days)                    |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                                                        | 2         | PA; NM; QL (120 per 30 days)                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|-----------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>fentanyl transdermal patch 72 hour<br/>100 mcg/hr, 12 mcg/hr, 25 mcg/hr,<br/>50 mcg/hr, 75 mcg/hr</i>  | 2                | NM; QL (10 per 30 days)         |
| <i>hydrocodone-acetaminophen oral<br/>solution 10-300 mg/15 ml, 10-325<br/>mg/15 ml, 7.5-325 mg/15 ml</i> | 2                | NM; QL (2700 per 30<br>days)    |
| <i>hydrocodone-acetaminophen oral<br/>tablet 10-325 mg, 7.5-325 mg</i>                                    | 2                | NM; QL (180 per 30<br>days)     |
| <i>hydrocodone-acetaminophen oral<br/>tablet 5-325 mg</i>                                                 | 2                | NM; QL (240 per 30<br>days)     |
| <i>hydromorphone oral tablet 2 mg, 4<br/>mg, 8 mg</i> (Dilaudid)                                          | 2                | NM; QL (180 per 30<br>days)     |
| <i>methadone oral tablet 10 mg</i>                                                                        | 2                | NM; QL (120 per 30<br>days)     |
| <i>methadone oral tablet 5 mg</i>                                                                         | 2                | NM; QL (180 per 30<br>days)     |
| <i>morphine concentrate oral solution<br/>100 mg/5 ml (20 mg/ml)</i>                                      | 2                | PA; NM; QL (180 per 30<br>days) |
| <i>morphine oral solution 10 mg/5 ml (2<br/>mg/ml)</i>                                                    | 2                | NM; QL (700 per 30<br>days)     |
| <i>morphine oral solution 20 mg/5 ml (4<br/>mg/ml)</i>                                                    | 2                | NM; QL (300 per 30<br>days)     |
| MORPHINE ORAL TABLET 15<br>MG                                                                             | 4                | NM; QL (180 per 30<br>days)     |
| MORPHINE ORAL TABLET 30<br>MG                                                                             | 4                | NM; QL (120 per 30<br>days)     |
| <i>morphine oral tablet extended<br/>release 100 mg, 200 mg</i>                                           | 2                | NM; QL (60 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 15 mg, 30 mg</i> (MS Contin)                                 | 2                | NM; QL (90 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 60 mg</i> (MS Contin)                                        | 2                | NM; QL (60 per 30 days)         |
| <i>oxycodone oral capsule 5 mg</i>                                                                        | 2                | NM; QL (180 per 30<br>days)     |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                                                  | 2                | NM; QL (180 per 30<br>days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)                                    | 2                | NM; QL (120 per 30 days)          |
| <i>oxycodone oral tablet 20 mg</i>                                                        | 2                | NM; QL (120 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)                            | 2                | NM; QL (180 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)                 | 2                | NM; QL (360 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)                           | 2                | NM; QL (240 per 30 days)          |
| <i>tramadol oral tablet 50 mg</i>                                                         | 1                | NM; QL (240 per 30 days)          |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                     | 2                | NM; QL (300 per 30 days)          |
| <b>Nonsteroidal Anti-Inflammatory Agents</b>                                              |                  |                                   |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)                    | 2                | QL (60 per 30 days)               |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)                     | 4                | PA; QL (60 per 30 days)           |
| <i>diclofenac potassium oral tablet 50 mg</i>                                             | 2                | QL (120 per 30 days)              |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                        | 2                |                                   |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                       | 2                |                                   |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                       | 2                | QL (120 per 30 days)              |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>                       | 2                | QL (60 per 30 days)               |
| <i>diclofenac sodium topical drops 1.5 %</i>                                              | 2                | QL (300 per 30 days)              |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> | 5                | PA; NM; NDS; QL (224 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>                      |
|------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------|
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 2                |                                                 |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2                |                                                 |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                    | 2                |                                                 |
| <i>etodolac oral tablet 400 mg</i> (Lodine)                                                    | 2                |                                                 |
| <i>etodolac oral tablet 500 mg</i>                                                             | 2                |                                                 |
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                                               | 2                |                                                 |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                                      | 1                | QL (240 per 30 days)                            |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                                              | 1                |                                                 |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                                      | 1                | QL (240 per 30 days)                            |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                                              | 1                |                                                 |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                  | 2                | PA-HRM; AGE (Max 64 Years)                      |
| <i>ketorolac oral tablet 10 mg</i>                                                             | 2                | PA-HRM; QL (20 per 30 days); AGE (Max 64 Years) |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                     | 1                |                                                 |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                   | 2                |                                                 |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                                     | 1                |                                                 |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                                                  | 1                |                                                 |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)                       | 2                |                                                 |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                     | 2                |                                                 |
| <b>Anesthetics</b>                                                                             |                  |                                                 |
| <b>Local Anesthetics</b>                                                                       |                  |                                                 |
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                                           | 2                | PA; QL (90 per 30 days)                         |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)                           | 2                | QL (30 per 30 days)                             |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)                           | 2                | QL (30 per 30 days)                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>lidocaine hcl mucous membrane solution 2 %</i>                                          | 2                |                            |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)                 | 2                | PA; QL (90 per 30 days)    |
| <i>lidocaine topical ointment 5 %</i>                                                      | 2                | PA; QL (240 per 30 days)   |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>                                        | 2                | PA; QL (30 per 30 days)    |
| <i>lidocaine iii topical adhesive patch,medicated 5 %</i> (lidocaine)                      | 2                | PA; QL (90 per 30 days)    |
| <i>tridacaine iii topical adhesive patch,medicated 5 %</i> (lidocaine)                     | 2                | PA; QL (90 per 30 days)    |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %                                              | 3                | PA; QL (90 per 30 days)    |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                     |                  |                            |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                     |                  |                            |
| <i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>                              | 2                |                            |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                                      | 2                |                            |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 2                |                            |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                           | 2                |                            |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>             | 2                |                            |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                               | 2                |                            |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                           | 3                | QL (4 per 30 days)         |
| <i>naloxone injection solution 0.4 mg/ml</i>                                               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                              | Drug Tier | Requirements/Limits       |
|--------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>                    | 2         |                           |
| <i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)                                        | 2         | QL (4 per 30 days)        |
| <i>naltrexone oral tablet 50 mg</i>                                                                    | 2         |                           |
| NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML                                                           | 4         | ST; QL (240 per 180 days) |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)                                         | 2         | QL (336 per 365 days)     |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>                                                 | 2         | QL (336 per 365 days)     |
| <i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 2         |                           |
| <b>Antianxiety Agents</b>                                                                              |           |                           |
| <b>Benzodiazepines</b>                                                                                 |           |                           |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                                            | 1         | NM; QL (120 per 30 days)  |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                                             | 1         | NM; QL (150 per 30 days)  |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                                            | 2         | NM; QL (120 per 30 days)  |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                                                  | 1         | QL (90 per 30 days)       |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                                          | 1         | QL (300 per 30 days)      |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>                           | 2         | QL (90 per 30 days)       |
| <i>clonazepam oral tablet,disintegrating 2 mg</i>                                                      | 2         | QL (300 per 30 days)      |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>                                      | 2         | QL (180 per 30 days)      |
| <i>diazepam injection solution 5 mg/ml</i>                                                             | 2         | QL (10 per 28 days)       |
| <i>diazepam injection syringe 5 mg/ml</i>                                                              | 2         |                           |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                                           | 2         | QL (1200 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                          | Drug Tier | Requirements/Limits                 |
|--------------------------------------------------------------------|-----------|-------------------------------------|
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                  | 2         | QL (1200 per 30 days)               |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)             | 1         | QL (120 per 30 days)                |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)         | 2         | NM; QL (150 per 30 days)            |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan)                       | 1         | QL (2 per 30 days)                  |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan)               | 1         | QL (2 per 30 days)                  |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan)               | 4         | QL (2 per 30 days)                  |
| <i>lorazepam injection syringe 2 mg/ml</i>                         | 1         | QL (2 per 30 days)                  |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)     | 2         | NM; QL (150 per 30 days)            |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                 | 1         | NM; QL (90 per 30 days)             |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                         | 1         | NM; QL (150 per 30 days)            |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)              | 1         | NM; QL (30 per 30 days)             |
| <i>temazepam oral capsule 22.5 mg</i> (Restoril)                   | 2         | NM; QL (30 per 30 days)             |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                    | 2         | NM; QL (120 per 30 days)            |
| <b>Antibacterials</b>                                              |           |                                     |
| <b>Aminoglycosides</b>                                             |           |                                     |
| <i>amikacin injection solution 500 mg/2 ml</i>                     | 2         |                                     |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML      | 5         | PA; NM; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>                      | 2         |                                     |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 2         |                                     |
| <i>neomycin oral tablet 500 mg</i>                                 | 2         |                                     |
| <i>streptomycin intramuscular recon soln 1 gram</i>                | 5         | NM; NDS                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                 | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------|-----------|-------------------------------|
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                               | 5         | NM; NDS; QL (224 per 28 days) |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5         | PA BvD; NM; NDS               |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                           | 2         |                               |
| <b>Antibacterials, Miscellaneous</b>                                                      |           |                               |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)                   | 2         |                               |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>    | 2         |                               |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)                       | 2         |                               |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 5         | NM; NDS                       |
| <i>daptomycin intravenous recon soln 350 mg, 500 mg</i>                                   | 5         | NM; NDS                       |
| <i>fosfomycin tromethamine oral packet 3 gram</i>                                         | 2         |                               |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)               | 2         |                               |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)                   | 5         | NM; NDS                       |
| <i>linezolid oral tablet 600 mg</i>                                                       | 2         |                               |
| <i>methenamine hippurate oral tablet 1 gram</i>                                           | 2         |                               |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)    | 2         |                               |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                           | 1         |                               |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>                             | 2         | QL (120 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                     | Drug Tier | Requirements/Limits              |
|-----------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)                          | 2         | QL (60 per 30 days)              |
| <i>trimethoprim oral tablet 100 mg</i>                                                        | 2         |                                  |
| <i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i> | 2         |                                  |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)                                              | 2         | QL (56 per 14 days)              |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)                                              | 2         | QL (112 per 14 days)             |
| XIFAXAN ORAL TABLET 200 MG                                                                    | 3         | PA; QL (9 per 30 days)           |
| XIFAXAN ORAL TABLET 550 MG                                                                    | 5         | PA; NM; NDS; QL (90 per 30 days) |
| <b>Cephalosporins</b>                                                                         |           |                                  |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>                                                   | 2         |                                  |
| <i>cefadroxil oral capsule 500 mg</i>                                                         | 2         |                                  |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>                 | 2         |                                  |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i>                                          | 2         |                                  |
| <i>cefazolin intravenous recon soln 10 gram</i>                                               | 2         |                                  |
| <i>cefdinir oral capsule 300 mg</i>                                                           | 2         |                                  |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                   | 2         |                                  |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                                           | 2         |                                  |
| <i>cefixime oral capsule 400 mg</i>                                                           | 2         |                                  |
| <i>cefixime oral tablet 400 mg</i>                                                            | 2         |                                  |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>                               | 2         |                                  |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                                 | 2         |                                  |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                                   | 2         |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                         | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------|---------------------|
| <i>ceftaroline fosamil intravenous recon soln 400 mg, 600 mg</i> (Teflaro)        | 5         | NM; NDS             |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)          | 2         |                     |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>   | 2         |                     |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                               | 2         |                     |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                              | 2         |                     |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>                | 2         |                     |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                     | 1         |                     |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>     | 2         |                     |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)          | 2         |                     |
| <b>Macrolides</b>                                                                 |           |                     |
| <i>azithromycin intravenous recon soln 500 mg</i>                                 | 2         |                     |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>                | 2         |                     |
| <i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i> (Zithromax)    | 2         |                     |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>          | 1         |                     |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)                        | 1         |                     |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2         |                     |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|----------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)      | 2                |                              |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)           | 2                |                              |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>                                                           | 2                |                              |
| <i>fidaxomicin oral tablet 200 mg</i> (Difcid)                                                           | 5                | NM; NDS; QL (20 per 10 days) |
| <b>Miscellaneous B-Lactam Antibiotics</b>                                                                |                  |                              |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i>                                                     | 2                |                              |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                                                    | 5                | PA; NM; LA; NDS              |
| <i>ertapenem injection recon soln 1 gram</i>                                                             | 2                |                              |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                                 | 2                |                              |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)                                   | 2                |                              |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i>                                                   | 2                |                              |
| <i>meropenem intravenous recon soln 2 gram</i>                                                           | 4                |                              |
| <b>Penicillins</b>                                                                                       |                  |                              |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                           | 1                |                              |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1                |                              |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                            | 1                |                              |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>                                                  | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>    | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>                                     | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                                     | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>                           | 2                |                            |
| <i>ampicillin oral capsule 500 mg</i>                                                                     | 2                |                            |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                                     | 2                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)                       | 2                |                            |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML              | 4                |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>                                                          | 2                |                            |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT               | 4                |                            |
| LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT                                 | 4                |                            |
| <i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>                                             | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>penicillin g potassium injection recon (Pfizerpen-G)<br/>soln 20 million unit</i>                     | 2                |                            |
| <i>penicillin v potassium oral recon soln<br/>125 mg/5 ml, 250 mg/5 ml</i>                               | 2                |                            |
| <i>penicillin v potassium oral tablet 250<br/>mg, 500 mg</i>                                             | 1                |                            |
| <i>piperacillin-tazobactam intravenous<br/>recon soln 2.25 gram, 3.375 gram,<br/>4.5 gram, 40.5 gram</i> | 2                |                            |
| <b>Quinolones</b>                                                                                        |                  |                            |
| <i>ciprofloxacin hcl oral tablet 250 mg, (Cipro)<br/>500 mg</i>                                          | 1                |                            |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>                                                              | 1                |                            |
| <i>ciprofloxacin in 5 % dextrose<br/>intravenous piggyback 200 mg/100<br/>ml, 400 mg/200 ml</i>          | 2                |                            |
| <i>levofloxacin in d5w intravenous<br/>piggyback 250 mg/50 ml, 500 mg/100<br/>ml, 750 mg/150 ml</i>      | 2                |                            |
| <i>levofloxacin oral solution 250 mg/10<br/>ml</i>                                                       | 2                |                            |
| <i>levofloxacin oral tablet 250 mg, 500<br/>mg, 750 mg</i>                                               | 1                |                            |
| <i>moxifloxacin 400 mg/250 ml bag suv,<br/>p/f, inner</i>                                                | 2                |                            |
| <i>moxifloxacin oral tablet 400 mg</i>                                                                   | 2                |                            |
| <i>moxifloxacin-sod.chloride(iso)<br/>intravenous piggyback 400 mg/250<br/>ml</i>                        | 2                |                            |
| <b>Sulfonamides</b>                                                                                      |                  |                            |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                   | 2                |                            |
| <i>sulfamethoxazole-trimethoprim oral (Sulfatrim)<br/>suspension 200-40 mg/5 ml</i>                      | 2                |                            |
| <i>sulfamethoxazole-trimethoprim oral (Bactrim)<br/>tablet 400-80 mg</i>                                 | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                    | Drug Tier | Requirements/Limits                   |
|------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)     | 1         |                                       |
| <b>Tetracyclines</b>                                                         |           |                                       |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                             | 2         |                                       |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)          | 2         |                                       |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)          | 2         |                                       |
| <i>doxycycline hyclate oral capsule 100 mg</i>                               | 2         |                                       |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)                     | 2         |                                       |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                         | 2         |                                       |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)            | 2         |                                       |
| <i>doxycycline monohydrate oral capsule 50 mg</i>                            | 2         |                                       |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 2         |                                       |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                  | 2         |                                       |
| <i>doxycycline monohydrate oral tablet 50 mg</i>                             | 2         |                                       |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                         | 2         |                                       |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                              | 2         |                                       |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)                    | 2         |                                       |
| <b>Anticancer Agents</b>                                                     |           |                                       |
| <b>Anticancer Agents</b>                                                     |           |                                       |
| <i>abiraterone oral tablet 250 mg</i> (Abitrega)                             | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                         | Drug Tier | Requirements/Limits                   |
|-------------------------------------------------------------------|-----------|---------------------------------------|
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                    | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abiraterone, submicronized oral tablet 125 mg</i> (Yonsa)      | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 2         | PA NSO; QL (120 per 30 days)          |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2         | PA BvD                                |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 5         | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                        | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 5         | PA NSO; NM; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1         |                                       |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 5         | PA NSO; NM; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                        | 5         | PA NSO; NM; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 5         | PA NSO; NM; NDS; QL (24 per 28 days)  |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                       | 5         | PA NSO; NM; NDS; QL (66 per 28 days)  |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                       | 5         | NM; NDS                               |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG          | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)           | 5         | NM; NDS                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                             | Drug Tier | Requirements/Limits                   |
|-----------------------------------------------------------------------|-----------|---------------------------------------|
| BALVERSA ORAL TABLET 3 MG                                             | 5         | PA NSO; NM; NDS; QL (84 per 28 days)  |
| BALVERSA ORAL TABLET 4 MG                                             | 5         | PA NSO; NM; NDS; QL (56 per 28 days)  |
| BALVERSA ORAL TABLET 5 MG                                             | 5         | PA NSO; NM; NDS; QL (28 per 28 days)  |
| <i>bendamustine intravenous recon soln</i> (Treanda)<br>100 mg, 25 mg | 5         | PA NSO; NM; NDS                       |
| BENDAMUSTINE (Bendeka)<br>INTRAVENOUS SOLUTION 25 MG/ML               | 5         | PA NSO; NM; NDS                       |
| BENDEKA INTRAVENOUS (bendamustine)<br>SOLUTION 25 MG/ML               | 5         | PA NSO; NM; NDS                       |
| <i>bexarotene oral capsule</i> 75 mg (Targretin)                      | 5         | PA NSO; NM; NDS                       |
| <i>bexarotene topical gel</i> 1 % (Targretin)                         | 5         | PA NSO; NM; NDS                       |
| <i>bicalutamide oral tablet</i> 50 mg (Casodex)                       | 2         |                                       |
| BIZENGRI INTRAVENOUS<br>SOLUTION 375 MG/18.75 ML (20 MG/ML)           | 5         | PA NSO; NM; NDS; QL (75 per 28 days)  |
| <i>bleomycin injection recon soln</i> 15 unit, 30 unit                | 2         |                                       |
| <i>bortezomib injection recon soln</i> 1 mg, 2.5 mg                   | 4         | PA NSO                                |
| <i>bortezomib injection recon soln</i> 3.5 mg (Velcade)               | 5         | PA NSO; NM; NDS                       |
| BORUZU INJECTION SOLUTION<br>2.5 MG/ML                                | 4         | PA NSO                                |
| BOSULIF ORAL CAPSULE 100 MG                                           | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                            | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG (bosutinib)                                | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG (bosutinib)                        | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--------------------------------------------------------------------------------|------------------|------------------------------------------|
| <i>bosutinib oral tablet 100 mg</i> (Bosulif)                                  | 5                | PA NSO; NM; NDS; QL (180 per 30 days)    |
| <i>bosutinib oral tablet 400 mg, 500 mg</i> (Bosulif)                          | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| BRAFTOVI ORAL CAPSULE 75 MG                                                    | 5                | PA NSO; NM; NDS; QL (180 per 30 days)    |
| BRUKINSA ORAL CAPSULE 80 MG                                                    | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| BRUKINSA ORAL TABLET 160 MG                                                    | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CABOMETYX ORAL TABLET 20 MG, 60 MG                                             | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| CABOMETYX ORAL TABLET 40 MG                                                    | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                               | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CAMCEVI (6 MONTH) SUBCUTANEOUS SYRINGE 42 MG                                   | 4                | PA NSO                                   |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                       | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                       | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5                | PA NSO; NM; NDS                          |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                            | 5                | PA NSO; NM; NDS; QL (112 per 28 days)    |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                             | 5                | PA NSO; NM; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG                                                     | 5                | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>          | 5                | PA BvD; NM; NDS                          |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>              | 5                | PA BvD; NM; NDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)         | 5                | PA BvD; NM; NDS                       |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                          | 2                | PA BvD; ST                            |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                           | 3                | PA BvD; ST                            |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                      | 5                | PA NSO; NM; NDS; QL (120 per 28 days) |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                          | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel) | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>dasatinib oral tablet 20 mg</i> (Sprycel)                               | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                     | 5                | PA NSO; NM; NDS                       |
| DAURISMO ORAL TABLET 100 MG                                                | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| DAURISMO ORAL TABLET 25 MG                                                 | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>decitabine intravenous recon soln 50 mg</i>                             | 5                | NM; NDS                               |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)  | 5                | PA BvD; NM; NDS                       |
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                                       | 5                | PA NSO; NM; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                             | 4                | PA NSO                                |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                               | 4                | PA NSO                                |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG                               | 4                | PA NSO                                |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)                              | 4                | PA NSO                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                             | Drug Tier | Requirements/Limits                      |
|-----------------------------------------------------------------------|-----------|------------------------------------------|
| ELREXFIO 44 MG/1.1 ML VIAL<br>INNER, SUV, P/F 40 MG/ML                | 5         | PA NSO; NM; NDS                          |
| ELREXFIO SUBCUTANEOUS<br>SOLUTION 40 MG/ML                            | 5         | PA NSO; NM; NDS; QL<br>(9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG                                             | 5         | NM; NDS                                  |
| EMRELIS INTRAVENOUS<br>RECON SOLN 100 MG, 20 MG                       | 5         | PA NSO; NM; NDS                          |
| ENSACOVE ORAL CAPSULE 100<br>MG                                       | 5         | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| ENSACOVE ORAL CAPSULE 25<br>MG                                        | 5         | PA NSO; NM; NDS; QL<br>(270 per 30 days) |
| EPKINLY SUBCUTANEOUS<br>SOLUTION 4 MG/0.8 ML, 48<br>MG/0.8 ML         | 5         | PA NSO; NM; NDS                          |
| ERBITUX INTRAVENOUS<br>SOLUTION 100 MG/50 ML, 200<br>MG/100 ML        | 5         | PA NSO; NM; NDS                          |
| ERIVEDGE ORAL CAPSULE 150<br>MG                                       | 5         | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |
| ERLEADA ORAL TABLET 240<br>MG                                         | 5         | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                             | 5         | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>                            | 5         | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| <i>erlotinib oral tablet 150 mg</i>                                   | 5         | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| ETOPOPHOS INTRAVENOUS<br>RECON SOLN 100 MG                            | 4         |                                          |
| <i>etoposide intravenous solution 20<br/>mg/ml</i> (Avopef)           | 2         |                                          |
| EULEXIN ORAL CAPSULE 125<br>MG (flutamide)                            | 5         | NM; NDS                                  |
| <i>everolimus (antineoplastic) oral<br/>tablet 10 mg</i> (Yulithira)  | 5         | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| <i>everolimus (antineoplastic) oral<br/>tablet 2.5 mg</i> (Yulithira) | 5         | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>everolimus (antineoplastic) oral tablet 5 mg</i> (Yulithira)                                   | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet 7.5 mg</i> (Yulithira)                                 | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                    | 2                |                                       |
| FAKZYNJA ORAL TABLET 200 MG                                                                       | 5                | PA NSO; NM; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 5                | PA BvD; NM; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 3                | PA BvD                                |
| <i>floxuridine injection recon soln 0.5 gram</i>                                                  | 2                | PA BvD                                |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 2                | PA BvD                                |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                             | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                                        | 5                | PA NSO; NM; NDS; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                                                        | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Cligavyx)                                   | 5                | NM; NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG                                           | 5                | PA NSO; NM; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG                                                                       | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)                                                      | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                         | Drug Tier | Requirements/Limits                   |
|-------------------------------------------------------------------|-----------|---------------------------------------|
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                          | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| GOMEKLI ORAL CAPSULE 1 MG                                         | 5         | PA NSO; NM; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG                                         | 5         | PA NSO; NM; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG                           | 5         | PA NSO; NM; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML   | 5         | PA NSO; NM; NDS; QL (5 per 21 days)   |
| HERNEXEOS ORAL TABLET 60 MG                                       | 5         | PA NSO; NM; NDS; QL (90 per 30 days)  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                   | 2         |                                       |
| HYRNUO ORAL TABLET 10 MG                                          | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                        | 5         | PA NSO; NM; NDS; QL (21 per 28 days)  |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                         | 5         | PA NSO; NM; NDS; QL (21 per 28 days)  |
| IBTROZI ORAL CAPSULE 200 MG                                       | 5         | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                    | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                  | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)            | 2         |                                       |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2         |                                       |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                      | 2         | PA NSO; QL (180 per 30 days)          |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                      | 2         | PA NSO; QL (60 per 30 days)           |
| IMBRUVICA ORAL CAPSULE 140 MG                                     | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--------------------------------------------------------------------------------|------------------|---------------------------------------|
| IMBRUVICA ORAL CAPSULE 70 MG                                                   | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                             | 5                | PA NSO; NM; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG                                   | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG                                   | 5                | PA NSO; NM; NDS                       |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML                                           | 5                | PA NSO; NM; NDS                       |
| IMKELDI ORAL SOLUTION 80 MG/ML                                                 | 5                | PA NSO; NM; NDS; QL (280 per 28 days) |
| INLEXZO INTRAVESICAL IMPLANT 225 MG                                            | 5                | PA BvD; NM; NDS                       |
| INLURIYO ORAL TABLET 200 MG                                                    | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| INLYTA ORAL TABLET 1 MG                                                        | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                                        | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG                                                   | 5                | PA NSO; NM; NDS; QL (5 per 28 days)   |
| INREBIC ORAL CAPSULE 100 MG                                                    | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| ITOVEBI ORAL TABLET 3 MG                                                       | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                                       | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                                     | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                            | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| JAKAFI XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG, 33 MG, 44 MG, 55 MG | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                                    | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------------------------------------|------------------|---------------------------------------|
| JAYPIRCA ORAL TABLET 50 MG                                                             | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML                                                 | 5                | PA NSO; NM; NDS                       |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                                          | 4                | PA BvD; ST                            |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML                                                 | 5                | PA NSO; NM; NDS                       |
| KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML | 5                | PA NSO; NM; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML                                           | 5                | PA NSO; NM; NDS; QL (2 per 28 days)   |
| KISQALI 200 MG DAILY DOSE 200 MG/DAY (200 MG X 1)                                      | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG                       | 5                | PA NSO; NM; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG                       | 5                | PA NSO; NM; NDS; QL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG                       | 5                | PA NSO; NM; NDS; QL (91 per 28 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                                            | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                                            | 5                | PA NSO; NM; NDS; QL (42 per 28 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                                            | 5                | PA NSO; NM; NDS; QL (63 per 28 days)  |
| KOMZIFTI ORAL CAPSULE 200 MG                                                           | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| KOSELUGO ORAL CAPSULE 10 MG                                                            | 5                | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                            | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                                                                                                                          | Drug Tier | Requirements/Limits                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG                                                                                                                                                                               | 5         | PA NSO; NM; NDS; QL (600 per 30 days) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG                                                                                                                                                                             | 5         | PA NSO; NM; NDS; QL (390 per 30 days) |
| KRAZATI ORAL TABLET 200 MG                                                                                                                                                                                         | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                       | 5         | PA NSO; NM; NDS                       |
| LAZCLUZE ORAL TABLET 240 MG                                                                                                                                                                                        | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| LAZCLUZE ORAL TABLET 80 MG                                                                                                                                                                                         | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)                                                                                                                               | 5         | PA NSO; NM; NDS; QL (28 per 28 days)  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5         | PA NSO; NM; NDS                       |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                       | 2         |                                       |
| LEUKERAN ORAL TABLET 2 MG                                                                                                                                                                                          | 5         | NM; NDS                               |
| <i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))                                                                                                  | 4         | PA NSO                                |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                                                                                                                                                     | 2         | PA NSO                                |
| <i>lomustine oral capsule 10 mg</i> (Gleostine)                                                                                                                                                                    | 2         |                                       |
| <i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)                                                                                                                                                            | 5         | NM; NDS                               |
| LONSURF ORAL TABLET 15-6.14 MG                                                                                                                                                                                     | 5         | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG                                                                                                                                                                                     | 5         | PA NSO; NM; NDS; QL (80 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)                                                       | 5                | PA NSO; NM; NDS                       |
| LORBRENA ORAL TABLET 100 MG                                                                                | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                                                                                 | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| LUMAKRAS ORAL TABLET 120 MG                                                                                | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG                                                                                | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                                                | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML                                                                      | 5                | PA NSO; NM; NDS                       |
| LUNSUMIO VELO SUBCUTANEOUS SOLUTION 45 MG/ML, 5 MG/0.5 ML                                                  | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG                                                   | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                                                     | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                                                     | 5                | PA NSO; NM; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG                                                              | 5                | PA NSO; NM; NDS                       |
| LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide acetate (3 month)) | 4                | PA NSO                                |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML                                                                     | 5                | PA NSO; NM; NDS; QL (15 per 8 days)   |
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML                                                                    | 5                | PA NSO; NM; NDS; QL (40 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                            | Drug Tier | Requirements/Limits                    |
|--------------------------------------------------------------------------------------|-----------|----------------------------------------|
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                                  | 5         | PA NSO; NM; NDS; QL (120 per 30 days)  |
| LYSODREN ORAL TABLET 500 MG                                                          | 5         | NM; NDS                                |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5         | PA NSO; NM; NDS; QL (140 per 28 days)  |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML                                               | 5         | PA NSO; NM; NDS                        |
| MATULANE ORAL CAPSULE 50 MG                                                          | 5         | NM; NDS                                |
| <i>megestrol oral tablet 20 mg, 40 mg</i>                                            | 2         | PA NSO-HRM; AGE (Max 64 Years)         |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML                                                  | 5         | PA NSO; NM; NDS; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                                          | 5         | PA NSO; NM; NDS; QL (90 per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                                            | 5         | PA NSO; NM; NDS; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                                            | 5         | PA NSO; NM; NDS; QL (180 per 30 days)  |
| <i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)                             | 5         | NM; NDS                                |
| <i>mercaptopurine oral tablet 50 mg</i>                                              | 2         |                                        |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i>                          | 2         |                                        |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i>                          | 2         |                                        |
| <i>methotrexate sodium injection solution 25 mg/ml</i>                               | 2         |                                        |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                        | 2         | PA BvD; ST                             |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>                                  | 2         |                                        |
| MODEYSO ORAL CAPSULE 125 MG                                                          | 5         | PA NSO; NM; NDS; QL (20 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| NERLYNX ORAL TABLET 40 MG                                                                       | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> (Tasigna)                                      | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>nilotinib hcl oral capsule 50 mg</i> (Tasigna)                                               | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i>                                                            | 5                | NM; NDS                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                         | 5                | PA NSO; NM; NDS; QL (3 per 28 days)   |
| NUBEQA ORAL TABLET 300 MG                                                                       | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG                                                                      | 5                | PA NSO; NM; LA; NDS                   |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                    | 5                | PA NSO; NM; NDS                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                              | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                       | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                              | 5                | PA NSO; NM; NDS; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5                | PA NSO; NM; NDS; QL (24 per 28 days)  |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                                                      | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ONUREG ORAL TABLET 200 MG, 300 MG                                                               | 5                | PA NSO; NM; NDS; QL (14 per 28 days)  |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML                | 5                | PA NSO; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                        | Drug Tier | Requirements/Limits                      |
|--------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| OPDIVO QVANTIG<br>SUBCUTANEOUS SOLUTION 300<br>MG-5,000 UNIT/2.5 ML, 600 MG-<br>10,000 UNIT/5 ML | 5         | PA NSO; NM; NDS                          |
| OPDUALAG INTRAVENOUS<br>SOLUTION 240-80 MG/20 ML                                                 | 5         | PA NSO; NM; NDS                          |
| ORSERDU ORAL TABLET 345<br>MG                                                                    | 5         | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                        | 5         | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| <i>paclitaxel protein-bound intravenous<br/>suspension for reconstitution 100 mg</i> (Abraxane)  | 5         | PA BvD; NM; NDS                          |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                                   | 5         | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| <i>pazopanib oral tablet 400 mg</i>                                                              | 5         | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| PEMAZYRE ORAL TABLET 13.5<br>MG, 4.5 MG, 9 MG                                                    | 5         | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| <i>pemetrexed disodium intravenous<br/>recon soln 1,000 mg, 100 mg, 500<br/>mg, 750 mg</i>       | 5         | NM; NDS                                  |
| <i>pemetrexed disodium intravenous<br/>solution 25 mg/ml</i>                                     | 5         | NM; NDS                                  |
| PEMRYDI RTU INTRAVENOUS<br>SOLUTION 10 MG/ML                                                     | 5         | NM; NDS                                  |
| PIQRAY ORAL TABLET 200<br>MG/DAY (200 MG X 1)                                                    | 5         | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |
| PIQRAY ORAL TABLET 250<br>MG/DAY (200 MG X1-50 MG X1),<br>300 MG/DAY (150 MG X 2)                | 5         | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| <i>pomalidomide oral capsule 1 mg, 2<br/>mg, 3 mg, 4 mg</i> (Pomalyst)                           | 5         | PA NSO; NM; NDS; QL<br>(21 per 28 days)  |
| POMALYST ORAL CAPSULE 1<br>MG, 2 MG, 3 MG, 4 MG (pomalidomide)                                   | 5         | PA NSO; NM; NDS; QL<br>(21 per 28 days)  |
| QINLOCK ORAL TABLET 50 MG                                                                        | 5         | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| RETEVMO ORAL CAPSULE 40 MG                                                                                                                             | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG                                                                                                                             | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG                                                                                                              | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG                                                                                                                              | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| REVUFORJ ORAL TABLET 110 MG                                                                                                                            | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG                                                                                                                            | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG                                                                                                                             | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                                                                          | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)                                                          | 5                | PA NSO; NM; NDS                       |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                                                                                                              | 5                | PA NSO; NM; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                                                                          | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                                                                          | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                                                                                 | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                                                                                             | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| RYBREVAANT FASPRO SUBCUTANEOUS SOLUTION 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML, 2,400 MG-30,000 UNIT/15 ML, 3,520 MG-44,000 UNIT/22 ML | 5                | PA NSO; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|------------------------------------------------------------------------------|------------------|------------------------------------------|
| RYBREVA NT INTRAVENOUS SOLUTION 50 MG/ML                                     | 5                | PA NSO; NM; NDS                          |
| RYDAPT ORAL CAPSULE 25 MG                                                    | 5                | PA NSO; NM; NDS; QL (224 per 28 days)    |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG                                  | 5                | PA NSO; NM; NDS                          |
| SCEMBLIX ORAL TABLET 100 MG                                                  | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| SCEMBLIX ORAL TABLET 20 MG                                                   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| SCEMBLIX ORAL TABLET 40 MG                                                   | 5                | PA NSO; NM; NDS; QL (300 per 30 days)    |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                           | 5                | NM; NDS                                  |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| STIVARGA ORAL TABLET 40 MG                                                   | 5                | PA NSO; NM; NDS; QL (84 per 28 days)     |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5                | PA NSO; NM; NDS; QL (28 per 28 days)     |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                       | 5                | PA NSO; NM; NDS                          |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                      | 5                | NM; NDS                                  |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                          | 5                | PA NSO; NM; NDS; QL (112 per 28 days)    |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                           | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                    | 5                | PA NSO; NM; NDS; QL (900 per 30 days)    |
| TAGRISSO ORAL TABLET 40 MG, 80 MG                                            | 5                | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                               | 5                | PA NSO; NM; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG        | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                       | Drug Tier | Requirements/Limits                   |
|---------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                       | 2         |                                       |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                               | 5         | PA NSO; NM; NDS                       |
| TEPMETKO ORAL TABLET 225 MG                                                     | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML                                          | 5         | PA NSO; NM; NDS                       |
| TIBSOVO ORAL TABLET 250 MG                                                      | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG                       | 4         |                                       |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG                                             | 5         | PA NSO; NM; NDS; QL (5 per 21 days)   |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                  | 5         | NM; NDS                               |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))                  | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))   | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 4         | PA NSO                                |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                            | 5         | NM; NDS                               |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                               | 5         | PA NSO; NM; NDS; QL (64 per 28 days)  |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML                                           | 5         | PA NSO; NM; NDS                       |
| TUKYSA ORAL TABLET 150 MG                                                       | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG                                                        | 5         | PA NSO; NM; NDS; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG                                                     | 5         | PA NSO; NM; NDS; QL (120 per 30 days) |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                           | 5         | PA NSO; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|--------------------------------------------------------------------|------------------|-------------------------------------------|
| VENCLEXTA ORAL TABLET 10 MG                                        | 3                | PA NSO; LA; QL (60 per 30 days)           |
| VENCLEXTA ORAL TABLET 100 MG                                       | 5                | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG                                        | 5                | PA NSO; NM; LA; NDS; QL (30 per 30 days)  |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5                | PA NSO; NM; LA; NDS                       |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                 | 5                | PA NSO; NM; NDS; QL (56 per 28 days)      |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>       | 2                |                                           |
| VITRAKVI ORAL CAPSULE 100 MG                                       | 5                | PA NSO; NM; NDS; QL (60 per 30 days)      |
| VITRAKVI ORAL CAPSULE 25 MG                                        | 5                | PA NSO; NM; NDS; QL (180 per 30 days)     |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                    | 5                | PA NSO; NM; NDS; QL (300 per 30 days)     |
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)             | 5                | PA NSO; NM; NDS                           |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                           | 5                | PA NSO; NM; NDS; QL (30 per 30 days)      |
| VONJO ORAL CAPSULE 100 MG                                          | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| VORANIGO ORAL TABLET 10 MG, 40 MG                                  | 5                | PA NSO; NM; NDS                           |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG                        | 5                | PA NSO; NM; NDS                           |
| WELIREG ORAL TABLET 40 MG                                          | 5                | PA NSO; NM; NDS; QL (90 per 30 days)      |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| XALKORI ORAL PELLETT 150 MG                                        | 5                | PA NSO; NM; NDS; QL (180 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|-------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| XALKORI ORAL PELLETT 20 MG                                                                                              | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG                                                                                              | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                                                                          | 4                | PA BvD; ST                            |
| XOSPATA ORAL TABLET 40 MG                                                                                               | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1) | 5                | PA NSO; NM; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)                                                                               | 5                | PA NSO; NM; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                                                       | 5                | PA NSO; NM; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)                                                                        | 5                | PA NSO; NM; NDS; QL (24 per 28 days)  |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)                                                                        | 5                | PA NSO; NM; NDS; QL (32 per 28 days)  |
| XTANDI ORAL CAPSULE 40 MG                                                                                               | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                                                                | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                                                                | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)                                               | 5                | PA NSO; NM; NDS                       |
| YONSA ORAL TABLET 125 MG (abiraterone, submicronized)                                                                   | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>yulithira oral tablet 10 mg, 7.5 mg</i> (everolimus (antineoplastic))                                                | 2                | PA NSO; QL (60 per 30 days)           |
| <i>yulithira oral tablet 2.5 mg, 5 mg</i> (everolimus (antineoplastic))                                                 | 2                | PA NSO; QL (30 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                 | Drug Tier | Requirements/Limits                   |
|-------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| ZEJULA ORAL CAPSULE 100 MG                                                                | 5         | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                                 | 5         | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                                               | 5         | PA NSO; NM; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                                     | 5         | PA NSO; NM; NDS                       |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                                     | 5         | PA NSO; NM; NDS                       |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                                              | 4         | PA NSO                                |
| ZOLINZA ORAL CAPSULE 100 MG                                                               | 5         | NM; NDS                               |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                                        | 5         | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG                                                                | 5         | PA NSO; NM; NDS; QL (84 per 28 days)  |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                                     | 5         | PA NSO; NM; NDS                       |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                                   | 5         | PA NSO; NM; NDS; QL (20 per 28 days)  |
| <b>Anticonvulsants</b>                                                                    |           |                                       |
| <b>Anticonvulsants</b>                                                                    |           |                                       |
| <i>brivaracetam intravenous solution 50 mg/5 ml</i> (Briviact)                            | 5         | NM; NDS; QL (80 per 30 days)          |
| <i>brivaracetam oral solution 10 mg/ml</i> (Briviact)                                     | 2         | QL (600 per 30 days)                  |
| <i>brivaracetam oral tablet 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i> (Briviact)             | 5         | NM; NDS; QL (60 per 30 days)          |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML (brivaracetam)                                   | 5         | NM; NDS; QL (80 per 30 days)          |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol) | 2         |                                       |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                               | 2         |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|----------------------------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)                                           | 2                |                                       |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2                |                                       |
| <i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>                                    | 2                |                                       |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)                                             | 2                | QL (480 per 30 days)                  |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)                                              | 2                | QL (60 per 30 days)                   |
| DIACOMIT ORAL CAPSULE 250 MG                                                                 | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG                                                                 | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                                                        | 5                | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG                                                        | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>                                   | 2                |                                       |
| <i>diazepam rectal kit 2.5 mg</i>                                                            | 4                |                                       |
| DILANTIN ORAL CAPSULE 30 MG                                                                  | 4                |                                       |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)             | 2                |                                       |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)            | 2                |                                       |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)     | 2                |                                       |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                       | 5                | ST; NM; NDS; QL (90 per 30 days)      |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                       | 5                | ST; NM; NDS; QL (60 per 30 days)      |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                            | 5                | PA NSO; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>epitol oral tablet 200 mg</i> (carbamazepine)                                           | 2                |                                  |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                                 | 5                | ST; NM; NDS; QL (30 per 30 days) |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                                 | 5                | ST; NM; NDS; QL (60 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                         | 2                |                                  |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                   | 2                |                                  |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                               | 2                |                                  |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                     | 2                |                                  |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                           | 5                | PA NSO; NM; NDS                  |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)           | 2                |                                  |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                  | 2                | QL (360 per 30 days)             |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)                                          | 2                | QL (270 per 30 days)             |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                    | 2                | QL (2160 per 30 days)            |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)                                           | 2                | QL (180 per 30 days)             |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)                                           | 2                | QL (120 per 30 days)             |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                               | 2                | QL (200 per 5 days)              |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)                                          | 2                | QL (1200 per 30 days)            |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                       | 2                | QL (60 per 30 days)              |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                   | 1                |                                  |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)                | 2                |                                  |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2                |                                  |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)                             | 2                |                                  |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra)                                      | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)                       | 2                |                                   |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)               | 2                |                                   |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)                                 | 2                | ST                                |
| <i>levetiracetam oral tablet for suspension 500 mg</i> (Spritam)                                 | 4                | ST                                |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                        | 4                | QL (10 per 30 days)               |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)                                               | 2                |                                   |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                            | 4                | QL (10 per 30 days)               |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)                          | 2                |                                   |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)                              | 2                |                                   |
| <i>perampanel oral suspension 0.5 mg/ml</i> (Fycompa)                                            | 5                | ST; NM; NDS; QL (720 per 30 days) |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)                                       | 5                | ST; NM; NDS; QL (30 per 30 days)  |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)                                                     | 2                | ST; QL (30 per 30 days)           |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)                                               | 5                | ST; NM; NDS; QL (60 per 30 days)  |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                            | 2                | PA NSO-HRM; AGE (Max 64 Years)    |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2                | PA NSO-HRM; AGE (Max 64 Years)    |
| <i>phenytek oral capsule 200 mg, 300 mg</i> (phenytoin sodium extended)                          | 2                |                                   |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 2                |                                   |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                           | Drug Tier | Requirements/Limits                  |
|-------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)            | 2         |                                      |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)             | 2         |                                      |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>                               | 2         |                                      |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>                                | 2         |                                      |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 2         | QL (90 per 30 days)                  |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                              | 2         | QL (60 per 30 days)                  |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                   | 2         | QL (900 per 30 days)                 |
| <i>primidone oral tablet 125 mg</i>                                                 | 2         |                                      |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)                               | 2         |                                      |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)                                 | 5         | ST; NM; NDS                          |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)                                       | 2         | ST                                   |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)                                       | 5         | ST; NM; NDS                          |
| SEZABY INTRAVENOUS RECON SOLN 100 MG                                                | 5         | PA BvD; NM; NDS                      |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 750 MG                                 | 4         | ST                                   |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG (levetiracetam)                   | 4         | ST                                   |
| SUBVENITE ORAL SUSPENSION 10 MG/ML                                                  | 4         | PA NSO                               |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)            | 1         |                                      |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                               | 5         | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                               | 2         |                                      |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)                     | 2         |                                      |
| <i>topiramate oral capsule, sprinkle 50 mg</i>                                      | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                                                | Drug Tier | Requirements/Limits                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia)                                                                                      | 2         | ST                                    |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)                                                                     | 1         |                                       |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>                                                                     | 2         |                                       |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                                                                          | 2         |                                       |
| <i>valproic acid oral capsule 250 mg</i>                                                                                                 | 2         |                                       |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5         | NM; NDS; QL (10 per 30 days)          |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)                                                                               | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone)                                                                                         | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)                                                                               | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin)                                                                                         | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)                                                                                | 5         | PA NSO; NM; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                                       | 5         | NM; NDS; QL (56 per 28 days)          |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                                  | 5         | NM; NDS; QL (30 per 30 days)          |
| XCOPRI ORAL TABLET 150 MG, 200 MG                                                                                                        | 5         | NM; NDS; QL (60 per 30 days)          |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14)                                                                   | 4         |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                    | Drug Tier | Requirements/Limits                    |
|--------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)               | 5         | NM; NDS                                |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                                         | 4         |                                        |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)                                                      | 2         |                                        |
| <i>zonisamide oral capsule 50 mg</i>                                                                         | 2         |                                        |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                              | 5         | PA NSO; NM; NDS; QL (1080 per 30 days) |
| <b>Antidementia Agents</b>                                                                                   |           |                                        |
| <b>Antidementia Agents</b>                                                                                   |           |                                        |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)                                                           | 1         | QL (30 per 30 days)                    |
| <i>donepezil oral tablet 23 mg</i> (Aricept)                                                                 | 2         | QL (30 per 30 days)                    |
| <i>donepezil oral tablet,disintegrating 10 mg</i>                                                            | 2         |                                        |
| <i>donepezil oral tablet,disintegrating 5 mg</i>                                                             | 2         | QL (30 per 30 days)                    |
| <i>ergoloid oral tablet 1 mg</i>                                                                             | 2         |                                        |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>                                    | 2         | QL (30 per 30 days)                    |
| <i>galantamine oral solution 4 mg/ml</i>                                                                     | 2         | QL (200 per 30 days)                   |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>                                                             | 2         | QL (60 per 30 days)                    |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>                                           | 2         | ST; QL (30 per 30 days)                |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)                                             | 2         | ST; QL (30 per 30 days)                |
| <i>memantine oral solution 2 mg/ml</i>                                                                       | 2         | QL (300 per 30 days)                   |
| <i>memantine oral tablet 10 mg, 5 mg</i>                                                                     | 2         | QL (60 per 30 days)                    |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                         | 2         |                                        |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 2         | QL (30 per 30 days)                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                         | Drug Tier | Requirements/Limits     |
|---------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <b>Antidepressants</b>                                                                            |           |                         |
| <b>Antidepressants</b>                                                                            |           |                         |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                       | 2         |                         |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                         | 2         |                         |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG                                               | 5         | NM; NDS                 |
| AUVELITY ORAL TABLET,IR ER BIPHASIC,DOSEPACK 30 MG-105 MG /45 MG-105 MG                           | 5         | NM; NDS                 |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                                    | 2         |                         |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)            | 2         |                         |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)   | 2         |                         |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                        | 2         |                         |
| <i>citalopram oral tablet 10 mg</i> (Celexa)                                                      | 1         | QL (120 per 30 days)    |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)                                               | 1         | QL (30 per 30 days)     |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)                                  | 2         |                         |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)                                           | 2         |                         |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                       | 2         |                         |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 2         | QL (30 per 30 days)     |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                            | 2         |                         |
| <i>doxepin oral concentrate 10 mg/ml</i>                                                          | 2         |                         |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG                          | 4         | ST; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-----------------------------------------------------------------------------|------------------|--------------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG                  | 4                | ST; QL (30 per 30 days)              |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>  | 2                | QL (60 per 30 days)                  |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR         | 5                | ST; NM; NDS; QL (30 per 30 days)     |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                         | 2                |                                      |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)        | 1                |                                      |
| EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS)                 | 5                | PA NSO; NM; NDS                      |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)            | 4                | ST                                   |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG     | 4                | ST; QL (30 per 30 days)              |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                        | 1                |                                      |
| <i>fluoxetine oral capsule 40 mg</i>                                        | 1                |                                      |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                        | 2                |                                      |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                         | 2                |                                      |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                       | 2                |                                      |
| MARPLAN ORAL TABLET 10 MG                                                   | 4                |                                      |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)                       | 2                |                                      |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>                                | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                   | Drug Tier | Requirements/Limits                    |
|---------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <i>mirtazapine oral tablet,disintegrating</i> (Remeron SolTab)<br>15 mg, 30 mg, 45 mg       | 2         |                                        |
| <i>nefazodone oral tablet</i> 100 mg, 150 mg, 200 mg, 250 mg, 50 mg                         | 2         |                                        |
| <i>nortriptyline oral capsule</i> 10 mg, 25 mg, 50 mg, 75 mg                                | 1         |                                        |
| <i>nortriptyline oral solution</i> 10 mg/5 ml                                               | 2         |                                        |
| <i>paroxetine hcl oral suspension</i> 10 mg/5 ml (Paxil)                                    | 2         | PA NSO-HRM; AGE (Max 64 Years)         |
| <i>paroxetine hcl oral tablet</i> 10 mg, 20 mg, 30 mg, 40 mg (Paxil)                        | 1         | PA NSO-HRM; AGE (Max 64 Years)         |
| <i>paroxetine hcl oral tablet extended release</i> 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR) | 2         | PA NSO-HRM; AGE (Max 64 Years)         |
| <i>perphenazine-amitriptyline oral tablet</i> 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg   | 2         |                                        |
| <i>phenelzine oral tablet</i> 15 mg (Nardil)                                                | 2         |                                        |
| <i>protriptyline oral tablet</i> 10 mg, 5 mg                                                | 2         |                                        |
| RALDESY ORAL SOLUTION 10 MG/ML                                                              | 5         | PA NSO; NM; NDS; QL (1200 per 30 days) |
| <i>sertraline oral concentrate</i> 20 mg/ml (Zoloft)                                        | 2         |                                        |
| <i>sertraline oral tablet</i> 100 mg, 25 mg, 50 mg (Zoloft)                                 | 1         |                                        |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)               | 5         | PA NSO; NM; NDS                        |
| <i>tranlycypromine oral tablet</i> 10 mg (Parnate)                                          | 2         |                                        |
| <i>trazodone oral tablet</i> 100 mg, 150 mg, 300 mg, 50 mg                                  | 1         |                                        |
| <i>trimipramine oral capsule</i> 100 mg, 25 mg, 50 mg                                       | 2         |                                        |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                   | 3         | QL (30 per 30 days)                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                   | Drug Tier | Requirements/Limits                  |
|-----------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)                                                  | 2         | QL (30 per 30 days)                  |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)                                          | 2         | QL (90 per 30 days)                  |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                                                         | 2         |                                      |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)                                                                 | 2         | QL (30 per 30 days)                  |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                                                                          | 5         | PA NSO; NM; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                                                                 | 5         | PA NSO; NM; NDS; QL (14 per 14 days) |
| <b>Antidiabetic Agents</b>                                                                                                  |           |                                      |
| <b>Antidiabetic Agents, Miscellaneous</b>                                                                                   |           |                                      |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>                                                                            | 2         |                                      |
| <i>dapagliflozin oral tablet 10 mg, 5 mg</i> (Farxiga)                                                                      | 2         | QL (30 per 30 days)                  |
| <i>dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 10-1,000 mg, 10-500 mg, 5-1,000 mg, 5-500 mg</i> (Xigduo XR) | 2         |                                      |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                                                                                       | 3         | QL (30 per 30 days)                  |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG (sitagliptin phosphate-metformin)                                                | 3         | QL (60 per 30 days)                  |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG                                                                    | 3         | QL (30 per 30 days)                  |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                                                          | 3         | QL (60 per 30 days)                  |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG (sitagliptin phosphate)                                                            | 3         | QL (30 per 30 days)                  |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                                                          | 3         | QL (30 per 30 days)                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| JENTADUETO ORAL TABLET (linagliptin-metformin)<br>2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG                                   | 3                | QL (60 per 30 days)               |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR<br>2.5-1,000 MG                                                        | 3                | QL (60 per 30 days)               |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR<br>5-1,000 MG                                                          | 3                | QL (30 per 30 days)               |
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)                                                                      | 2                | QL (765 per 30 days)              |
| <i>metformin oral tablet 1,000 mg</i>                                                                                    | 6                | QL (75 per 30 days)               |
| <i>metformin oral tablet 500 mg</i>                                                                                      | 6                | QL (150 per 30 days)              |
| <i>metformin oral tablet 850 mg</i>                                                                                      | 6                | QL (90 per 30 days)               |
| <i>metformin oral tablet extended release 24 hr 500 mg</i>                                                               | 6                | QL (120 per 30 days)              |
| <i>metformin oral tablet extended release 24 hr 750 mg</i>                                                               | 6                | QL (60 per 30 days)               |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                                          | 5                | PA; NM; NDS; QL (112 per 28 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 3                | PA; QL (2 per 28 days)            |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                             | 6                | QL (90 per 30 days)               |
| OZEMPIC ORAL TABLET 1.5 MG, 4 MG, 9 MG                                                                                   | 3                | PA; QL (30 per 30 days)           |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)            | 3                | PA; QL (3 per 28 days)            |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                                                              | 6                | QL (30 per 30 days)               |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>                                                                      | 6                | QL (90 per 30 days)               |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)                                                       | 6                | QL (90 per 30 days)               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                   | 6                | QL (120 per 30 days)       |
| <i>repaglinide oral tablet 2 mg</i>                                                           | 6                | QL (240 per 30 days)       |
| RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG                                    | 3                | PA; QL (30 per 30 days)    |
| <i>sitagliptin phos-metformin oral tablet (Janumet) 50-1,000 mg, 50-500 mg</i>                | 2                | QL (60 per 30 days)        |
| <i>sitagliptin phosphate oral tablet 100 mg, 25 mg, 50 mg (Januvia)</i>                       | 2                | QL (30 per 30 days)        |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                         | 3                | QL (60 per 30 days)        |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG                      | 3                | QL (30 per 30 days)        |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG                     | 3                | QL (60 per 30 days)        |
| TRADJENTA ORAL TABLET 5 MG (linagliptin)                                                      | 3                | QL (30 per 30 days)        |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                  | 3                | QL (30 per 30 days)        |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG             | 3                | QL (60 per 30 days)        |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3                | PA; QL (2 per 28 days)     |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapagliflozin-metformin)           | 3                | QL (30 per 30 days)        |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                                    | 3                | QL (60 per 30 days)        |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapagliflozin-metformin)            | 3                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                       | Drug Tier | Requirements/Limits                                        |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| <b>Insulins</b>                                                                                                                 |           |                                                            |
| FIASP FLEXTOUCH U-100<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)                                              | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| FIASP PENFILL U-100 INSULIN<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (3 ML)                                                     | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| FIASP PUMPCART<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (1.6 ML)                                                                | 3         | max \$35 copay per<br>month supply                         |
| FIASP U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                                                     | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                                                          | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3<br>ML)                                             | 3         | max \$35 copay per<br>month supply; QL (24<br>per 28 days) |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous insulin pen 100 unit/ml<br/>(70-30)</i> (Novolog Mix 70-<br>30FlexPen U-100) | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous solution 100 unit/ml<br/>(70-30)</i> (Novolog Mix 70-30 U-<br>100 Insuln)    | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>cartridge 100 unit/ml</i> (Novolog PenFill U-100<br>Insulin)                           | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-<br>100 Insulin)                 | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>solution 100 unit/ml</i> (Novolog U-100 Insulin<br>aspart)                             | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                 |                                  | Drug Tier | Requirements/Limits                                  |
|---------------------------------------------------------------------------|----------------------------------|-----------|------------------------------------------------------|
| <i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i>  | (Semglee(insulin glarg-yfgn)Pen) | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>            | (Semglee(insulin glargine-yfgn)) | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| <i>insulin lispro subcutaneous solution 100 unit/ml</i>                   | (Admelog U-100 Insulin lispro)   | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine)               | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                    | (insulin glargine)               | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)   |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)  |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML           |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML             |                                  | 3         | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin aspart u-100)           | 3         | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                            |                                     | Drug Tier | Requirements/Limits                                          |
|--------------------------------------------------------------------------------------|-------------------------------------|-----------|--------------------------------------------------------------|
| NOVOLOG MIX 70-30 U-100<br>INSULN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML (70-30)       | (insulin asp prt-insulin<br>aspart) | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days)   |
| NOVOLOG MIX 70-30FLEXPEN<br>U-100 SUBCUTANEOUS INSULIN<br>PEN 100 UNIT/ML (70-30)    | (insulin asp prt-insulin<br>aspart) | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days)   |
| NOVOLOG PENFILL U-100<br>INSULIN SUBCUTANEOUS<br>CARTRIDGE 100 UNIT/ML               | (insulin aspart u-100)              | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days)   |
| NOVOLOG U-100 INSULIN<br>ASPART SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                 | (insulin aspart u-100)              | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days)   |
| SOLIQUA 100/33<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-33 MCG/ML                     |                                     | 3         | max \$35 copay per<br>month supply; QL (30<br>per 30 days)   |
| TOUJEO MAX U-300 SOLOSTAR<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (3 ML)          | (insulin glargine u-300<br>conc)    | 3         | max \$35 copay per<br>month supply; QL (18<br>per 28 days)   |
| TOUJEO SOLOSTAR U-300<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 300 UNIT/ML (1.5<br>ML) | (insulin glargine u-300<br>conc)    | 3         | max \$35 copay per<br>month supply; QL (13.5<br>per 28 days) |
| XULTOPHY 100/3.6<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-3.6 MG /ML (3 ML)           |                                     | 3         | max \$35 copay per<br>month supply; QL (15<br>per 28 days)   |
| <b>Sulfonylureas</b>                                                                 |                                     |           |                                                              |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>                                            |                                     | 6         | QL (30 per 30 days)                                          |
| <i>glimepiride oral tablet 4 mg</i>                                                  |                                     | 6         | QL (60 per 30 days)                                          |
| <i>glipizide oral tablet 10 mg</i>                                                   |                                     | 6         | QL (120 per 30 days)                                         |
| <i>glipizide oral tablet 2.5 mg</i>                                                  |                                     | 6         | QL (90 per 30 days)                                          |
| <i>glipizide oral tablet 5 mg</i>                                                    |                                     | 6         | QL (240 per 30 days)                                         |
| <i>glipizide oral tablet extended release<br/>24hr 10 mg</i>                         |                                     | 6         | QL (60 per 30 days)                                          |
| <i>glipizide oral tablet extended release<br/>24hr 2.5 mg, 5 mg</i>                  |                                     | 6         | QL (30 per 30 days)                                          |
| <i>glipizide-metformin oral tablet 2.5-<br/>250 mg</i>                               |                                     | 6         | QL (240 per 30 days)                                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                 | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>                               | 6         | QL (120 per 30 days)       |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>                                | 6         | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                                        | 6         | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                  | 6         | PA-HRM; AGE (Max 64 Years) |
| <b>Antifungals</b>                                                                        |           |                            |
| <b>Antifungals</b>                                                                        |           |                            |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML                                                    | 4         | PA BvD                     |
| <i>amphotericin b injection recon soln 50 mg</i>                                          | 2         | PA BvD                     |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome) | 5         | PA BvD; NM; NDS            |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan)                                         | 2         | QL (180 per 30 days)       |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)                                         | 2         | QL (19.8 per 30 days)      |
| <i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))                         | 2         | QL (180 per 30 days)       |
| <i>clotrimazole mucous membrane troche 10 mg</i>                                          | 2         |                            |
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))                         | 2         |                            |
| <i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))                  | 2         |                            |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i>                                  | 2         | QL (90 per 30 days)        |
| CRESEMBA INTRAVENOUS RECON SOLN 372 MG                                                    | 5         | NM; NDS                    |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG                                                     | 5         | PA; NM; NDS                |
| <i>econazole nitrate topical cream 1 %</i>                                                | 2         | QL (170 per 30 days)       |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>   | 2         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------|------------------|----------------------------|
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>            | 2                |                            |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan) | 2                |                            |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>              | 2                |                            |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)                  | 5                | NM; NDS                    |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i>                 | 2                |                            |
| <i>griseofulvin microsize oral tablet 500 mg</i>                          | 2                |                            |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>     | 2                |                            |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                        | 2                |                            |
| <i>ketoconazole oral tablet 200 mg</i>                                    | 2                |                            |
| <i>ketoconazole topical cream 2 %</i>                                     | 2                | QL (180 per 30 days)       |
| <i>ketoconazole topical shampoo 2 %</i>                                   | 2                | QL (360 per 30 days)       |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i>                    | 2                |                            |
| <i>miconazole-3 vaginal suppository 200 mg</i>                            | 2                |                            |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)                 | 2                | QL (60 per 30 days)        |
| <i>nystatin oral suspension 100,000 unit/ml</i>                           | 2                |                            |
| <i>nystatin oral tablet 500,000 unit</i>                                  | 2                |                            |
| <i>nystatin topical cream 100,000 unit/gram</i>                           | 2                | QL (60 per 30 days)        |
| <i>nystatin topical ointment 100,000 unit/gram</i>                        | 2                | QL (60 per 30 days)        |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nystop)                 | 2                | QL (60 per 30 days)        |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>          | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------------------|-----------|----------------------|
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>                | 2         |                      |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                             | 2         | QL (60 per 30 days)  |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>                       | 5         | PA; NM; NDS          |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             | 1         |                      |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 5         | PA BvD; NM; NDS      |
| <i>voriconazole intravenous solution 10 mg/ml</i>                                     | 5         | PA BvD; NM; NDS      |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5         | PA; NM; NDS          |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                                         | 2         |                      |
| <b>Antigout Agents</b>                                                                |           |                      |
| <b>Antigout Agents, Other</b>                                                         |           |                      |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)                                      | 1         |                      |
| <i>allopurinol oral tablet 300 mg</i>                                                 | 1         |                      |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)                                      | 2         | QL (60 per 30 days)  |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris)                                        | 2         | QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                   | 2         | QL (30 per 30 days)  |
| <i>probenecid oral tablet 500 mg</i>                                                  | 2         |                      |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                   | 2         |                      |
| <b>Antihistamines</b>                                                                 |           |                      |
| <b>Antihistamines</b>                                                                 |           |                      |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                | 2         |                      |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                          | 1         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                               | Drug Tier | Requirements/Limits             |
|-----------------------------------------------------------------------------------------|-----------|---------------------------------|
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                                 |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                                 |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                | 2         |                                 |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)                     | 2         |                                 |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                           | 2         |                                 |
| <i>terconazole vaginal suppository 80 mg</i>                                            | 2         |                                 |
| <b>Antimigraine Agents</b>                                                              |           |                                 |
| <b>Antimigraine Agents</b>                                                              |           |                                 |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML                     | 3         | PA; QL (1 per 30 days)          |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5         | ST; NM; NDS; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML                                        | 3         | PA; QL (2 per 30 days)          |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML                                         | 3         | PA; QL (2 per 30 days)          |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)                       | 3         | PA; QL (3 per 30 days)          |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>                                             | 2         | QL (18 per 30 days)             |
| NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG                                            | 3         | PA; QL (18 per 30 days)         |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG                                                 | 3         | PA; QL (30 per 30 days)         |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)                                           | 2         | QL (18 per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                 | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>rizatriptan oral tablet 5 mg</i>                                                       | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)                         | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet, disintegrating 5 mg</i>                                       | 2         | QL (18 per 30 days)     |
| <i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)                   | 2         | QL (4 per 28 days)      |
| <i>sumatriptan 6 mg/0.5 ml autoinj sub</i> (Imitrex STATdose Pen)                         | 4         | QL (4 per 28 days)      |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>               | 2         | QL (12 per 30 days)     |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)                                 | 2         | QL (9 per 30 days)      |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)                           | 2         | QL (18 per 30 days)     |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 2         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>                            | 2         | QL (5 per 28 days)      |
| UBRELVY ORAL TABLET 100 MG, 50 MG                                                         | 3         | PA; QL (16 per 30 days) |
| <b>Antimycobacterials</b>                                                                 |           |                         |
| <b>Antimycobacterials</b>                                                                 |           |                         |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                                  | 2         |                         |
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                                              | 2         |                         |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                                               | 1         |                         |
| PRIFTIN ORAL TABLET 150 MG                                                                | 4         |                         |
| <i>pyrazinamide oral tablet 500 mg</i>                                                    | 2         |                         |
| <i>rifabutin oral capsule 150 mg</i>                                                      | 2         |                         |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                                   | 2         |                         |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                                               | 2         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                 | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------|-----------|----------------------------|
| SIRTURO ORAL TABLET 100 MG, 20 MG                                         | 5         | PA; NM; NDS                |
| TRECATOR ORAL TABLET 250 MG                                               | 4         |                            |
| <b>Antinausea Agents</b>                                                  |           |                            |
| <b>Antinausea Agents</b>                                                  |           |                            |
| <i>aprepitant oral capsule 125 mg</i>                                     | 2         | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                      | 2         | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                              | 2         | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)   | 2         | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)                 | 2         |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)              | 2         | PA; QL (60 per 30 days)    |
| <i>meclizine oral tablet 12.5 mg</i>                                      | 1         |                            |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))                | 1         |                            |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                             | 2         | PA BvD                     |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                 | 2         | PA BvD                     |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2         |                            |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)       | 2         |                            |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro)                 | 2         |                            |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan)               | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>                     | 1         | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine rectal suppository 25 mg</i> (Promethegan)                | 2         | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                         | Drug Tier | Requirements/Limits                             |
|-----------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)               | 2         | PA-HRM; AGE (Max 64 Years)                      |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 2         | PA-HRM; QL (10 per 30 days); AGE (Max 64 Years) |
| <b>Antiparasite Agents</b>                                                        |           |                                                 |
| <b>Antiparasite Agents</b>                                                        |           |                                                 |
| <i>albendazole oral tablet 200 mg</i>                                             | 2         |                                                 |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                            | 2         |                                                 |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)                     | 2         |                                                 |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)           | 2         |                                                 |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                           | 2         |                                                 |
| COARTEM ORAL TABLET 20-120 MG                                                     | 4         |                                                 |
| <i>hydroxychloroquine oral tablet 100 mg</i>                                      | 2         | QL (180 per 30 days)                            |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)                          | 2         | QL (90 per 30 days)                             |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)                             | 2         | QL (60 per 30 days)                             |
| <i>hydroxychloroquine oral tablet 400 mg</i>                                      | 2         | QL (60 per 30 days)                             |
| IMPAVIDO ORAL CAPSULE 50 MG                                                       | 5         | PA; NM; NDS; QL (84 per 28 days)                |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)                                   | 2         |                                                 |
| <i>ivermectin oral tablet 6 mg</i>                                                | 2         |                                                 |
| <i>mefloquine oral tablet 250 mg</i>                                              | 2         |                                                 |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)                                   | 5         | NM; NDS; QL (60 per 30 days)                    |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)                        | 2         | PA BvD                                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)                               | 2         |                                   |
| <i>praziquantel oral tablet 600 mg</i>                                                | 2         |                                   |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                                           | 4         |                                   |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)                                     | 5         | PA; NM; NDS                       |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)                                | 2         | PA                                |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                          | 2         |                                   |
| <b>Antiparkinsonian Agents</b>                                                        |           |                                   |
| <b>Antiparkinsonian Agents</b>                                                        |           |                                   |
| <i>amantadine hcl oral capsule 100 mg</i>                                             | 2         |                                   |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>                                        | 2         |                                   |
| <i>amantadine hcl oral tablet 100 mg</i>                                              | 2         |                                   |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>                                     | 2         |                                   |
| <i>bromocriptine oral tablet 2.5 mg</i>                                               | 2         |                                   |
| <i>cabergoline oral tablet 0.5 mg</i>                                                 | 2         |                                   |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                             | 2         |                                   |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                               | 2         |                                   |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                                       | 2         |                                   |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>           | 2         |                                   |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2         |                                   |
| <i>entacapone oral tablet 200 mg</i>                                                  | 2         |                                   |
| ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML                                              | 5         | PA; NM; NDS; QL (600 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>       | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                  | 2                |                                   |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>           | 2                |                                   |
| <i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>                       | 2                |                                   |
| <i>selegiline hcl oral capsule 5 mg</i>                                               | 2                |                                   |
| <i>selegiline hcl oral tablet 5 mg</i>                                                | 2                |                                   |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>                                         | 2                |                                   |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                      | 5                | PA; NM; NDS; QL (560 per 28 days) |
| <b>Antipsychotic Agents</b>                                                           |                  |                                   |
| <b>Antipsychotic Agents</b>                                                           |                  |                                   |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 720 MG/2.4 ML | 5                | NM; NDS; QL (2.4 per 42 days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 960 MG/3.2 ML | 5                | NM; NDS; QL (3.2 per 42 days)     |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG  | 5                | NM; NDS; QL (2 per 28 days)       |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG | 5                | NM; NDS; QL (2 per 28 days)       |
| <i>aripiprazole oral solution 1 mg/ml</i>                                             | 2                |                                   |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 2                |                                   |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                                  | 2                | ST; QL (90 per 30 days)           |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                                  | 2                | ST; QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits                 |
|---------------------------------------------------------------------------------------|-----------|-------------------------------------|
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML   | 5         | NM; NDS; QL (4.8 per<br>365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML           | 5         | NM; NDS; QL (3.9 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML             | 5         | NM; NDS; QL (1.6 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML             | 5         | NM; NDS; QL (2.4 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML             | 5         | NM; NDS; QL (3.2 per<br>14 days)    |
| <i>asenapine maleate sublingual tablet</i> (Saphris)<br><i>10 mg, 2.5 mg, 5 mg</i>    | 2         | QL (60 per 30 days)                 |
| BYSANTI ORAL TABLET 1 MG,<br>10 MG, 12 MG, 2 MG, 4 MG, 6 MG,<br>8 MG                  | 5         | ST; NM; NDS; QL (60<br>per 30 days) |
| BYSANTI TITRATION PACK A<br>ORAL TABLETS,DOSE PACK<br>1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4         | ST                                  |
| BYSANTI TITRATION PACK B<br>ORAL TABLETS,DOSE PACK 1<br>MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4         | ST                                  |
| BYSANTI TITRATION PACK C<br>ORAL TABLETS,DOSE PACK 1<br>MG(4)-2MG(2)- 6 MG (2)        | 4         | ST                                  |
| CAPLYTA ORAL CAPSULE 10.5<br>MG, 21 MG, 42 MG                                         | 5         | ST; NM; NDS; QL (30<br>per 30 days) |
| <i>chlorpromazine injection solution 25<br/>mg/ml</i>                                 | 2         |                                     |
| <i>chlorpromazine oral concentrate 100<br/>mg/ml, 30 mg/ml</i>                        | 2         |                                     |
| <i>chlorpromazine oral tablet 10 mg,<br/>100 mg, 200 mg, 25 mg, 50 mg</i>             | 2         |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)           | 2                |                                  |
| <i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>             | 2                | ST; QL (90 per 30 days)          |
| <i>clozapine oral tablet,disintegrating 150 mg</i>                             | 2                | ST; QL (180 per 30 days)         |
| <i>clozapine oral tablet,disintegrating 200 mg</i>                             | 2                | ST; QL (120 per 30 days)         |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                            | 5                | ST; NM; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG          | 5                | ST; NM; NDS                      |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                   | 5                | NM; NDS; QL (0.75 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML                                        | 5                | NM; NDS; QL (1 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                    | 5                | NM; NDS; QL (1.5 per 21 days)    |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                   | 5                | NM; NDS; QL (2.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                    | 5                | NM; NDS; QL (0.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                     | 5                | NM; NDS; QL (0.5 per 21 days)    |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                  | 5                | ST; NM; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4                | ST                               |
| FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4                | ST                               |
| FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)       | 4                | ST                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|----------------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>                                                | 2                |                                |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>                                                     | 2                |                                |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                                                         | 2                |                                |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>                                                          | 2                |                                |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                                            | 2                |                                |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2                |                                |
| <i>haloperidol lactate injection solution 5 mg/ml</i>                                                    | 2                |                                |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i>                                                 | 2                |                                |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                                                      | 2                |                                |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                    | 2                |                                |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML                                               | 5                | NM; NDS; QL (3.5 per 166 days) |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML                                                 | 5                | NM; NDS; QL (5 per 166 days)   |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML                                               | 5                | NM; NDS; QL (0.75 per 21 days) |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML                                                    | 5                | NM; NDS; QL (1 per 21 days)    |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML                                                | 5                | NM; NDS; QL (1.5 per 21 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-----------------------------------------------------------------------------------|------------------|--------------------------------------|
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML                         | 3                | QL (0.25 per 21 days)                |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML                          | 5                | NM; NDS; QL (0.5 per 21 days)        |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML                          | 5                | NM; NDS; QL (0.88 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML                          | 5                | NM; NDS; QL (1.32 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML                          | 5                | NM; NDS; QL (1.75 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML                          | 5                | NM; NDS; QL (2.63 per 70 days)       |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                  | 2                |                                      |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda)         | 2                |                                      |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG                         | 5                | NM; NDS; QL (30 per 30 days)         |
| <i>molindone oral tablet 10 mg</i>                                                | 2                | QL (240 per 30 days)                 |
| <i>molindone oral tablet 25 mg</i>                                                | 2                | QL (270 per 30 days)                 |
| <i>molindone oral tablet 5 mg</i>                                                 | 5                | NM; NDS; QL (120 per 30 days)        |
| NUPLAZID ORAL CAPSULE 34 MG                                                       | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG                                                        | 5                | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)                        | 2                | QL (30 per 30 days)                  |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa) | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|----------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>olanzapine oral tablet,disintegrating</i> (Zyprexa Zydis)<br>10 mg, 15 mg, 20 mg, 5 mg                      | 2                |                              |
| OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG                                                                             | 5                | ST; NM; NDS                  |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i>                                                   | 2                | QL (30 per 30 days)          |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)                                      | 2                | QL (30 per 30 days)          |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)                                            | 2                | QL (60 per 30 days)          |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                                        | 2                |                              |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG                                             | 5                | NM; NDS; QL (1 per 30 days)  |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                         | 2                |                              |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)                          | 2                |                              |
| <i>quetiapine oral tablet 150 mg</i>                                                                           | 2                | QL (30 per 30 days)          |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)       | 2                |                              |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                    | 5                | NM; NDS; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)    | 2                | QL (2 per 28 days)           |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i> (Rykindo)               | 2                | QL (2 per 28 days)           |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo) | 5                | NM; NDS; QL (2 per 28 days)  |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                           | 2                |                              |
| <i>risperidone oral tablet 0.25 mg</i>                                                                         | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                            | Drug Tier | Requirements/Limits              |
|----------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                                            | 2         |                                  |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                               | 2         |                                  |
| RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres) | 5         | NM; NDS; QL (2 per 28 days)      |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR                                     | 5         | ST; NM; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                          | 2         |                                  |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                                              | 2         |                                  |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                                                           | 2         |                                  |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML                                                    | 5         | NM; NDS; QL (0.28 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML                                                    | 5         | NM; NDS; QL (0.35 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML                                                    | 5         | NM; NDS; QL (0.42 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML                                                    | 5         | NM; NDS; QL (0.56 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML                                                     | 5         | NM; NDS; QL (0.7 per 56 days)    |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML                                                     | 5         | NM; NDS; QL (0.14 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                      | Drug Tier | Requirements/Limits                  |
|------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 75 MG/0.21 ML                          | 5         | NM; NDS; QL (0.21 per<br>28 days)    |
| VERSACLOZ ORAL<br>SUSPENSION 50 MG/ML                                                          | 5         | ST; NM; NDS; QL (540<br>per 30 days) |
| VRAYLAR ORAL CAPSULE 0.5<br>MG, 0.75 MG, 1.5 MG, 3 MG, 4.5<br>MG, 6 MG                         | 5         | ST; NM; NDS; QL (30<br>per 30 days)  |
| VRAYLAR ORAL<br>CAPSULE,DOSE PACK 1.5 MG<br>(1)- 3 MG (6)                                      | 4         | ST                                   |
| <i>ziprasidone hcl oral capsule 20 mg, (Geodon)</i><br><i>40 mg, 60 mg, 80 mg</i>              | 2         |                                      |
| <i>ziprasidone mesylate intramuscular (Geodon)</i><br><i>recon soln 20 mg/ml (final conc.)</i> | 2         | QL (6 per 28 days)                   |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 210 MG                      | 4         | QL (2 per 28 days)                   |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 300 MG                      | 5         | NM; NDS; QL (2 per 28<br>days)       |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 405 MG                      | 5         | NM; NDS; QL (1 per 28<br>days)       |
| <b>Antivirals (Systemic)</b>                                                                   |           |                                      |
| <b>Antiretrovirals</b>                                                                         |           |                                      |
| <i>abacavir oral solution 20 mg/ml (Ziagen)</i>                                                | 2         |                                      |
| <i>abacavir oral tablet 300 mg</i>                                                             | 2         |                                      |
| <i>abacavir-lamivudine oral tablet 600-<br/>300 mg</i>                                         | 2         |                                      |
| APTIVUS ORAL CAPSULE 250<br>MG                                                                 | 5         | NM; NDS                              |
| <i>atazanavir oral capsule 150 mg</i>                                                          | 2         |                                      |
| <i>atazanavir oral capsule 200 mg, 300 (Reyataz)</i><br><i>mg</i>                              | 2         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|-------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                                       | 5                | NM; NDS; QL (30 per 30 days)  |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5                | NM; NDS                       |
| <i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>                 | 5                | NM; NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)      | 5                | NM; NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG                                                                         | 5                | NM; NDS                       |
| <i>darunavir oral tablet 600 mg</i> (Prezista)                                                        | 2                |                               |
| <i>darunavir oral tablet 800 mg</i> (Prezista)                                                        | 5                | NM; NDS                       |
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                                  | 5                | NM; NDS                       |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                              | 5                | NM; NDS                       |
| <i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i>                                  | 2                |                               |
| DOVATO ORAL TABLET 50-300 MG                                                                          | 5                | NM; NDS                       |
| EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG                                                         | 5                | NM; NDS                       |
| <i>efavirenz oral capsule 200 mg, 50 mg</i>                                                           | 2                |                               |
| <i>efavirenz oral tablet 600 mg</i>                                                                   | 2                |                               |
| <i>efavirenz-emtricitabin-tenofof oral tablet 600-200-300 mg</i>                                      | 2                |                               |
| <i>efavirenz-lamivu-tenofof disop oral tablet 400-300-300 mg</i>                                      | 5                | NM; NDS                       |
| <i>efavirenz-lamivu-tenofof disop oral tablet 600-300-300 mg</i> (Symfi)                              | 5                | NM; NDS                       |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)                                                    | 2                |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-----------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 167-250 mg, 200-300 mg</i> (Truvada) | 2                |                              |
| <i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> (Truvada)                         | 5                | NM; NDS                      |
| <i>emtricitabine-rilpivirine-tenofovir (Complera) oral tablet 200-25-300 mg</i>               | 5                | NM; NDS                      |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                                | 4                |                              |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)                                      | 5                | NM; NDS                      |
| EVOTAZ ORAL TABLET 300-150 MG                                                                 | 5                | NM; NDS                      |
| <i>fosamprenavir oral tablet 700 mg</i>                                                       | 5                | NM; NDS                      |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG                                                          | 5                | NM; NDS                      |
| GENVOYA ORAL TABLET 150-150-200-10 MG                                                         | 5                | NM; NDS                      |
| IDVYNZO ORAL TABLET 100-0.25 MG                                                               | 5                | NM; NDS; QL (30 per 30 days) |
| INTELENCE ORAL TABLET 25 MG                                                                   | 4                |                              |
| ISENTRESS HD ORAL TABLET 600 MG                                                               | 5                | NM; NDS                      |
| ISENTRESS ORAL POWDER IN PACKET 100 MG                                                        | 5                | NM; NDS                      |
| ISENTRESS ORAL TABLET 400 MG                                                                  | 5                | NM; NDS                      |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG                                                         | 5                | NM; NDS                      |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG                                                          | 3                |                              |
| JULUCA ORAL TABLET 50-25 MG                                                                   | 5                | NM; NDS                      |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)                                   | 4                | QL (480 per 30 days)         |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                                             | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| <i>lamivudine oral tablet 100 mg</i>                               | 2                |                            |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)              | 2                |                            |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 2                |                            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 4                |                            |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2                | QL (480 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)         | 2                | QL (300 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)         | 2                | QL (120 per 30 days)       |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)            | 5                | NM; NDS                    |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                       | 2                | QL (1200 per 30 days)      |
| <i>nevirapine oral tablet 200 mg</i>                               | 2                | QL (60 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>        | 2                | QL (90 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>        | 2                | QL (30 per 30 days)        |
| NORVIR ORAL POWDER IN PACKET 100 MG                                | 4                |                            |
| ODEFSEY ORAL TABLET 200-25-25 MG                                   | 5                | NM; NDS                    |
| PIFELTRO ORAL TABLET 100 MG                                        | 5                | NM; NDS                    |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG                    | 5                | NM; NDS                    |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                 | 5                | NM; NDS                    |
| PREZISTA ORAL TABLET 150 MG                                        | 5                | NM; NDS                    |
| PREZISTA ORAL TABLET 75 MG                                         | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                      | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                                                                         | 4         |                     |
| REYATAZ ORAL POWDER IN PACKET 50 MG                                                                            | 5         | NM; NDS             |
| <i>rilpivirine hcl oral tablet 25 mg</i> (Edurant)                                                             | 5         | NM; NDS             |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5         | NM; NDS             |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                                                                   | 2         |                     |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                                              | 5         | NM; NDS             |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                               | 5         | NM; NDS             |
| SELZENTRY ORAL TABLET 25 MG                                                                                    | 3         |                     |
| SELZENTRY ORAL TABLET 75 MG                                                                                    | 5         | NM; NDS             |
| <i>stavudine oral capsule 15 mg, 20 mg</i>                                                                     | 2         |                     |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                                        | 5         | NM; NDS             |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 5         | NM; NDS             |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML                                                                       | 5         | PA BvD; NM; NDS     |
| SYM TUZA ORAL TABLET 800-150-200-10 MG                                                                         | 5         | NM; NDS             |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)                                               | 2         |                     |
| TIVICAY ORAL TABLET 10 MG                                                                                      | 4         |                     |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                                                               | 5         | NM; NDS             |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                                                                     | 5         | NM; NDS             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                               | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------|-----------|------------------------------|
| TRIUMEQ ORAL TABLET 600-50-300 MG                                       | 5         | NM; NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                        | 4         |                              |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                     | 5         | NM; NDS                      |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5         | NM; NDS                      |
| VEMLIDY ORAL TABLET 25 MG                                               | 5         | NM; NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 5         | NM; NDS                      |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5         | NM; NDS                      |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5         | NM; NDS                      |
| VOCABRIA ORAL TABLET 30 MG                                              | 4         |                              |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2         |                              |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2         |                              |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2         |                              |
| <b>Antivirals, Miscellaneous</b>                                        |           |                              |
| LIVTENCITY ORAL TABLET 200 MG                                           | 5         | PA; NM; NDS                  |
| <i>oseltamivir oral capsule 30 mg</i>                                   | 2         | QL (84 per 180 days)         |
| <i>oseltamivir oral capsule 45 mg</i>                                   | 2         | QL (48 per 180 days)         |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2         | QL (42 per 180 days)         |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2         | QL (540 per 180 days)        |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)                | 2         | QL (20 per 5 days)           |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)                  | 2         | QL (11 per 28 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                             | Drug Tier | Requirements/Limits                 |
|-----------------------------------------------------------------------|-----------|-------------------------------------|
| PAXLOVID ORAL<br>TABLETS,DOSE PACK 300 MG<br>(150 MG X 2)-100 MG      | 2         | QL (30 per 5 days)                  |
| PREVYMIS ORAL TABLET 240<br>MG, 480 MG                                | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION | 4         | QL (60 per 180 days)                |
| <b>Hcv Antivirals</b>                                                 |           |                                     |
| EPCLUSA ORAL PELLETS IN<br>PACKET 150-37.5 MG                         | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| EPCLUSA ORAL PELLETS IN<br>PACKET 200-50 MG                           | 5         | PA; NM; NDS; QL (56<br>per 28 days) |
| EPCLUSA ORAL TABLET 200-50<br>MG                                      | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir)<br>MG            | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 33.75-150 MG                        | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 45-200 MG                           | 5         | PA; NM; NDS; QL (56<br>per 28 days) |
| HARVONI ORAL TABLET 45-200<br>MG                                      | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir)<br>MG              | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| VOSEVI ORAL TABLET 400-100-<br>100 MG                                 | 5         | PA; NM; NDS; QL (28<br>per 28 days) |
| <b>Interferons</b>                                                    |           |                                     |
| PEGASYS SUBCUTANEOUS<br>SOLUTION 180 MCG/ML                           | 5         | PA; NM; NDS                         |
| PEGASYS SUBCUTANEOUS<br>SYRINGE 180 MCG/0.5 ML                        | 5         | PA; NM; NDS                         |
| <b>Nucleosides And Nucleotides</b>                                    |           |                                     |
| <i>acyclovir oral capsule 200 mg</i>                                  | 1         |                                     |
| <i>acyclovir oral suspension 200 mg/5<br/>ml</i>                      | 2         |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                         | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------------------|-----------|----------------------|
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                       | 2         |                      |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                             | 2         | PA BvD               |
| <i>adefovir oral tablet 10 mg</i>                                                 | 2         |                      |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)                             | 2         |                      |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                             | 2         |                      |
| <i>ribavirin oral tablet 200 mg</i>                                               | 2         |                      |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                          | 2         |                      |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                          | 5         | NM; NDS              |
| <i>valganciclovir oral tablet 450 mg</i>                                          | 2         |                      |
| <b>Blood Products/Modifiers/Volume Expanders</b>                                  |           |                      |
| <b>Anticoagulants</b>                                                             |           |                      |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)          | 3         | QL (60 per 30 days)  |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)              | 3         |                      |
| ELIQUIS ORAL TABLET 2.5 MG                                                        | 3         | QL (60 per 30 days)  |
| ELIQUIS ORAL TABLET 5 MG                                                          | 3         | QL (74 per 30 days)  |
| ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) | 3         | QL (960 per 30 days) |
| ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG                                   | 3         | QL (120 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)             | 2         | QL (60 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)      | 2         | QL (48 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)                     | 2         | QL (18 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                | Drug Tier | Requirements/Limits              |
|----------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)                                            | 2         | QL (24 per 30 days)              |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)                                            | 2         | QL (36 per 30 days)              |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)                                          | 5         | NM; NDS; QL (24 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)                                         | 2         | QL (15 per 30 days)              |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)                                           | 5         | NM; NDS; QL (12 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)                                         | 5         | NM; NDS; QL (18 per 30 days)     |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2         |                                  |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)         | 1         |                                  |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)                                  | 2         | QL (600 per 30 days)             |
| <i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)                                                          | 2         | QL (60 per 30 days)              |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>                    | 1         |                                  |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)                              | 3         |                                  |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)                                         | 3         | QL (600 per 30 days)             |
| XARELTO ORAL TABLET 10 MG, 20 MG (rivaroxaban)                                                           | 3         | QL (30 per 30 days)              |
| XARELTO ORAL TABLET 15 MG (rivaroxaban)                                                                  | 3         | QL (60 per 30 days)              |
| XARELTO ORAL TABLET 2.5 MG (rivaroxaban)                                                                 | 3         | ST; QL (60 per 30 days)          |
| <b>Blood Formation Modifiers</b>                                                                         |           |                                  |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG                                                             | 5         | PA; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                 | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta)                                                       | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta)                                                         | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)                                                                 | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)                                                                   | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)                                                            | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT                                                                               | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT                                                                               | 5         | PA; NM; NDS; QL (20 per 30 days)  |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML                                                                    | 5         | PA; NM; NDS                       |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML                                                              | 5         | PA; NM; NDS                       |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML                                                                                 | 5         | PA; NM; NDS                       |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3         | PA; QL (12 per 28 days)           |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML                                                                                | 3         | PA; QL (4 per 28 days)            |
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML                                                     | 5         | PA; NM; NDS                       |
| <b>Hematologic Agents, Miscellaneous</b>                                                                                  |           |                                   |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                                                           | 2         |                                   |
| <i>anagrelide oral capsule 1 mg</i>                                                                                       | 2         |                                   |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                                 | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                               | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------|-----------|----------------------------|
| <b>Platelet-Aggregation Inhibitors</b>                                  |           |                            |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 2         |                            |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                             | 2         |                            |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                           | 1         |                            |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                     | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>pentoxifylline oral tablet extended release 400 mg</i>               | 2         |                            |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                  | 2         |                            |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                   | 2         |                            |
| <b>Caloric Agents</b>                                                   |           |                            |
| <b>Caloric Agents</b>                                                   |           |                            |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %    | 4         | PA BvD                     |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD                     |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD                     |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4         | PA BvD                     |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4         | PA BvD                     |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>      | 2         |                            |
| <b>Cardiovascular Agents</b>                                            |           |                            |
| <b>Alpha-Adrenergic Agents</b>                                          |           |                            |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                 | 1         |                            |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                        | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)                          | 2         |                                   |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)                          | 2         |                                   |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)                                    | 1         |                                   |
| <i>droxidopa oral capsule 100 mg</i> (Northera)                                                  | 2         | PA; QL (180 per 30 days)          |
| <i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)                                          | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>                                                         | 2         |                                   |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                 | 2         |                                   |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>                                                    | 2         |                                   |
| <b>Angiotensin II Receptor Antagonists</b>                                                       |           |                                   |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)                                | 6         |                                   |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 6         |                                   |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)                        | 3         | QL (60 per 30 days)               |
| ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG                                                   | 3         | QL (240 per 30 days)              |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)                                            | 6         |                                   |
| <i>irbesartan oral tablet 75 mg</i>                                                              | 6         |                                   |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)             | 6         |                                   |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)                                        | 6         |                                   |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)      | 6         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)                                                                       | 6                |                            |
| <i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 6                |                            |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                 | 6                |                            |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)                                                 | 2                | QL (60 per 30 days)        |
| <i>telmisartan oral tablet 20 mg</i>                                                                                             | 6                |                            |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)                                                                           | 6                |                            |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                                | 6                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)                                                               | 6                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)         | 6                |                            |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>                                                                                  |                  |                            |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)                                                                     | 6                |                            |
| <i>benazepril oral tablet 5 mg</i>                                                                                               | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                                | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>                                                                      | 6                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                                       | 6                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)                                                        | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)                                                            | 6                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>                                      | 6                |                            |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>                                               | 6                |                            |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                        | 6                |                            |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)                | 6                |                            |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 6                |                            |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>                                                      | 6                |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                        | 6                |                            |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                          | 6                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>               | 6                |                            |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                                     | 6                |                            |
| <i>ramipril oral capsule 10 mg</i>                                                              | 6                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                | 6                |                            |
| <b>Antiarrhythmic Agents</b>                                                                    |                  |                            |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                                         | 2                |                            |
| <i>amiodarone oral tablet 400 mg</i>                                                            | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)                              | 2                |                            |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>                                             | 2                |                            |
| MULTAQ ORAL TABLET 400 MG                                                                       | 3                |                            |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)                                 | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                               | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>                          | 2         |                     |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>                                                   | 2         |                     |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                                     | 2         |                     |
| <b>Beta-Adrenergic Blocking Agents</b>                                                                  |           |                     |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>                                                           | 2         |                     |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)                                             | 1         |                     |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                                          | 2         |                     |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                              | 2         |                     |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                    | 2         |                     |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)                                 | 1         |                     |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                                     | 2         |                     |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1         |                     |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>                                              | 2         |                     |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)                                        | 1         |                     |
| <i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>                                            | 1         |                     |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                      | 2         |                     |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)       | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                            | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                                     | 2         |                     |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)                                                    | 2         |                     |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)                                                        | 2         |                     |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)                                                        | 2         |                     |
| <i>sotalol oral tablet 240 mg</i>                                                                                    | 2         |                     |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                                | 2         |                     |
| <b>Calcium-Channel Blocking Agents</b>                                                                               |           |                     |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)                   | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                                        | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)                                 | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)                   | 2         |                     |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)                                                     | 2         |                     |
| <i>diltiazem hcl oral tablet 90 mg</i>                                                                               | 2         |                     |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)                            | 2         |                     |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)          | 2         |                     |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2         |                     |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>                                          | 2         |                     |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>                                                          | 4         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  | Drug Tier | Requirements/Limits               |
|----------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>                          | 1         |                                   |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>       | 2         |                                   |
| <b>Cardiovascular Agents, Miscellaneous</b>                                |           |                                   |
| ATTRUBY ORAL TABLET 356 MG                                                 | 5         | PA; NM; NDS; QL (112 per 28 days) |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG                            | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| CORLANOR ORAL SOLUTION 5 MG/5 ML                                           | 4         | QL (600 per 30 days)              |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Lanoxin) | 2         |                                   |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)        | 3         | QL (4 per 30 days)                |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)      | 2         | QL (4 per 30 days)                |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>                   | 3         | QL (4 per 30 days)                |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)          | 2         | QL (4 per 30 days)                |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                 | 1         |                                   |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)                 | 5         | PA; NM; NDS; QL (18 per 30 days)  |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                      | 3         | QL (60 per 30 days)               |
| <i>metyrosine oral capsule 250 mg</i>                                      | 5         | PA; NM; NDS                       |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>      | 2         |                                   |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                    | 4         | PA; QL (30 per 30 days)           |
| VYNDAMAX ORAL CAPSULE 61 MG                                                | 5         | PA; NM; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                              | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Dihydropyridines</b>                                                                                                                |           |                     |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                                                                            | 1         |                     |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)                                                | 6         |                     |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                                                                           | 6         |                     |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)                                                   | 6         |                     |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)                                             | 6         |                     |
| <i>amlodipine-valsartan-hcthiacid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT) | 2         |                     |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>                                                               | 2         |                     |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg</i> (Procardia XL)                                                        | 2         |                     |
| <i>nifedipine oral tablet extended release 24hr 90 mg</i>                                                                              | 2         |                     |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>                                                                     | 2         |                     |
| <b>Diuretics</b>                                                                                                                       |           |                     |
| <i>amiloride oral tablet 5 mg</i>                                                                                                      | 1         |                     |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                                                               | 2         |                     |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                       | 2         |                     |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                                                                         | 2         |                     |
| <i>furosemide injection solution 10 mg/ml</i>                                                                                          | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                                                                        | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>                                                                                                                                   | 2         |                                   |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)                                                                                                                                        | 1         |                                   |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                                                                                                                                  | 1         |                                   |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                                                                                                                                     | 1         |                                   |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                                                                                                                                    | 1         |                                   |
| JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycys kidney dis))                                                                                                                               | 5         | PA; NM; NDS; QL (120 per 30 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                                                                                                | 2         |                                   |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)                                                                                                                               | 1         |                                   |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>                                                                                                                                       | 2         |                                   |
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 5         | PA; NM; NDS; QL (56 per 28 days)  |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                                                                                                          | 1         |                                   |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                                                                                                                    | 1         |                                   |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>                                                                                                                           | 1         |                                   |
| <b>Dyslipidemics</b>                                                                                                                                                                             |           |                                   |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)                                                                                                                            | 6         |                                   |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)                                                                                      | 6         | QL (30 per 30 days)               |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>                                                                                                                       | 6         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  | Drug Tier | Requirements/Limits     |
|----------------------------------------------------------------------------|-----------|-------------------------|
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)       | 6         |                         |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 2         |                         |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine)  | 2         |                         |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)               | 2         |                         |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                            | 2         |                         |
| <i>colestipol oral packet 5 gram</i>                                       | 2         |                         |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                            | 2         |                         |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                 | 2         | QL (30 per 30 days)     |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)          | 6         | QL (30 per 30 days)     |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)          | 6         | QL (30 per 30 days)     |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)          | 6         | QL (30 per 30 days)     |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)          | 6         | QL (30 per 30 days)     |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>           | 2         |                         |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>              | 2         |                         |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i>                               | 2         |                         |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                               | 6         | QL (60 per 30 days)     |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)    | 6         |                         |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                              | 1         |                         |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                     | 2         | QL (240 per 30 days)    |
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                       | 2         | QL (120 per 30 days)    |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                          | 6         |                         |
| NEXLETOL ORAL TABLET 180 MG                                                | 3         | ST; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                 | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------|-----------|--------------------------|
| NEXLIZET ORAL TABLET 180-10 MG                                            | 3         | ST; QL (30 per 30 days)  |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 2         |                          |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)             | 2         | ST; QL (120 per 30 days) |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)         | 2         | QL (30 per 30 days)      |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                 | 6         |                          |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine)            | 2         |                          |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML           | 3         | ST; QL (7 per 28 days)   |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML                     | 3         | ST; QL (6 per 28 days)   |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML                            | 3         | ST; QL (6 per 28 days)   |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)       | 6         |                          |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)                | 6         |                          |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                                | 6         |                          |
| <b>Renin-Angiotensin-Aldosterone System Inhibitors</b>                    |           |                          |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                    | 2         |                          |
| <i>eplerenone oral tablet 25 mg</i> (Inspra)                              | 2         |                          |
| <i>eplerenone oral tablet 50 mg</i>                                       | 2         |                          |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG                                  | 3         | PA; QL (30 per 30 days)  |
| <b>Vasodilators</b>                                                       |           |                          |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>               | 2         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)                                      | 2         |                     |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                | 2         |                     |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>                 | 1         |                     |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                            | 2         |                     |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             | 2         |                     |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2         |                     |

## Central Nervous System Agents

### Central Nervous System Agents

|                                                                          |   |                                   |
|--------------------------------------------------------------------------|---|-----------------------------------|
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>               | 2 | QL (60 per 30 days)               |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                     | 2 | QL (30 per 30 days)               |
| AUSTEDO ORAL TABLET 12 MG, 9 MG                                          | 5 | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG                                                 | 5 | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG                      | 5 | PA; NM; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG               | 5 | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG | 5 | PA; NM; NDS; QL (30 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG                       | 5 | PA; NM; NDS; QL (210 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                                                         | Drug Tier | Requirements/Limits                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| AUSTEDO XR TITRATION<br>KT(WK1-4) ORAL TABLET, EXT<br>REL 24HR DOSE PACK 12-18-24-<br>30 MG, 6 MG (14)-12 MG (14)-24<br>MG (14)                                                   | 5         | PA; NM; NDS                         |
| AVONEX INTRAMUSCULAR<br>PEN INJECTOR KIT 30 MCG/0.5<br>ML                                                                                                                         | 5         | PA; NM; NDS; QL (1<br>per 28 days)  |
| AVONEX INTRAMUSCULAR<br>SYRINGE KIT 30 MCG/0.5 ML                                                                                                                                 | 5         | PA; NM; NDS; QL (1<br>per 28 days)  |
| BETASERON SUBCUTANEOUS<br>KIT 0.3 MG                                                                                                                                              | 5         | PA; NM; NDS; QL (15<br>per 30 days) |
| <i>cladribine 10 mg x 10 tab pk outer</i> (Mavenclad (10 tablet<br>pack))                                                                                                         | 5         | PA; NM; NDS                         |
| <i>cladribine(multiple sclerosis) oral<br/>tablet 10 mg (10 pack), 10 mg (4<br/>pack), 10 mg (5 pack), 10 mg (6<br/>pack), 10 mg (7 pack), 10 mg (8<br/>pack), 10 mg (9 pack)</i> | 5         | PA; NM; NDS                         |
| <i>dalfampridine oral tablet extended<br/>release 12 hr 10 mg</i> (Ampyra)                                                                                                        | 2         | PA; QL (60 per 30 days)             |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>10 mg, 15 mg, 5 mg</i> (Adderall XR)                                                                  | 2         | QL (30 per 30 days)                 |
| <i>dextroamphetamine-amphetamine<br/>oral capsule,extended release 24hr<br/>20 mg, 25 mg, 30 mg</i> (Adderall XR)                                                                 | 2         | QL (60 per 30 days)                 |
| <i>dextroamphetamine-amphetamine<br/>oral tablet 10 mg, 12.5 mg, 15 mg, 20<br/>mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)                                                             | 2         | QL (60 per 30 days)                 |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg</i> (Tecfidera)                                                                                           | 2         | PA; QL (14 per 7 days)              |
| <i>dimethyl fumarate oral<br/>capsule,delayed release(dr/ec) 120<br/>mg (14)- 240 mg (46)</i> (Tecfidera)                                                                         | 2         | PA                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)         | 5                | PA; NM; NDS; QL (60 per 30 days)  |
| <i> fingolimod oral capsule 0.5 mg</i> (Gilenya)                                         | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)                                | 5                | PA; NM; NDS; QL (12 per 28 days)  |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)                                | 5                | PA; NM; NDS; QL (12 per 28 days)  |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2                |                                   |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)               | 5                | PA; NM; NDS                       |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG                             | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML                                      | 5                | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                             | 1                |                                   |
| <i>lithium carbonate oral tablet 300 mg</i>                                              | 1                |                                   |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)                  | 2                |                                   |
| <i>lithium carbonate oral tablet extended release 450 mg</i>                             | 2                |                                   |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                          | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  | Drug Tier | Requirements/Limits               |
|----------------------------------------------------------------------------|-----------|-----------------------------------|
| MAYZENT ORAL TABLET 0.25 MG                                                | 5         | PA; NM; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG                                             | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)     | 3         | PA                                |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)    | 5         | PA; NM; NDS                       |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)  | 2         | QL (900 per 30 days)              |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)        | 2         | QL (90 per 30 days)               |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML                          | 5         | PA; NM; NDS; QL (1 per 28 days)   |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML            | 5         | PA; NM; NDS                       |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML                               | 5         | PA; NM; NDS; QL (1 per 28 days)   |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML                 | 5         | PA; NM; NDS                       |
| <i>riluzole oral tablet 50 mg</i>                                          | 2         |                                   |
| <i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)                        | 2         | PA; QL (112 per 28 days)          |
| <i>tetrabenazine oral tablet 25 mg</i> (Xenazine)                          | 5         | PA; NM; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG                        | 5         | PA; NM; NDS; QL (120 per 30 days) |
| <b>Contraceptives</b>                                                      |           |                                   |
| <b>Contraceptives</b>                                                      |           |                                   |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                               |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>altavera (28) oral tablet 0.15-0.03 mg</i>                           | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>                        | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>             |                                  | 2         |                     |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i>                         | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>apri oral tablet 0.15-0.03 mg</i>                                    | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                   | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>                       | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>            | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                 | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>ayuna oral tablet 0.15-0.03 mg</i>                                   | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>           | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>             | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>camila oral tablet 0.35 mg</i>                                       | (norethindrone (contraceptive))  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                     |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i>                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>                                | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>cyred eq oral tablet 0.15-0.03 mg</i>                                      | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                              | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                   |                                  | 2         |                     |
| <i>deblitane oral tablet 0.35 mg</i>                                          | (norethindrone (contraceptive))  | 2         |                     |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28))                  | 2         |                     |
| <i>dolishale oral tablet 90-20 mcg (28)</i>                                   | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>elinet oral tablet 0.3-30 mg-mcg</i>                                       | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>                               | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>emzahh oral tablet 0.35 mg</i>                                             | (norethindrone (contraceptive))  | 2         |                     |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>                            | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                    | (levonorg-eth estrad triphasic)  | 2         |                     |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                                       | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>errin oral tablet 0.35 mg</i>                                              | (norethindrone (contraceptive))  | 2         |                     |
| <i>estarylla oral tablet 0.25-0.035 mg</i>                                    | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>                  | (Kelnor 1/35 (28))               | 2         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>                  | (Valtya)                         | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)                                    | 2                | QL (1 per 28 days)         |
| <i>falmina (28) oral tablet 0.1-20 mcg-mcg</i> (levonorgestrel-ethinyl estrad)                                      | 2                |                            |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)                         | 2                |                            |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)              | 2                |                            |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)                  | 2                |                            |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)                                   | 2                | QL (1 per 28 days)         |
| <i>heather oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                                  | 2                |                            |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)                   | 2                | QL (91 per 84 days)        |
| <i>incassia oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                                 | 2                |                            |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)                 | 2                | QL (91 per 84 days)        |
| <i>isibloom oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                            | 2                |                            |
| <i>jencycla oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                                 | 1                |                            |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)                   | 4                | QL (91 per 84 days)        |
| <i>juleber oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                             | 2                |                            |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                                 | 2                |                            |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                                     | 2                |                            |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)     | 2                |                            |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)            | 2                |                            |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)           | 2                |                            |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)                       | 2                |                            |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> (ethynodiol diac-eth estradiol)                       | 2                |                            |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                          | 2                |                            |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG                               | 4                |                            |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                   | 2                |                            |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                       | 2                |                            |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)            | 2                |                            |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)     | 2                |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                              | 2                |                            |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)       | 2                |                            |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> (Balcoltra)            | 4                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)                            | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))                         | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> (Amethyst (28))                       | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                        |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------|----------------------------------|------------------|----------------------------|
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia)                        | 2                | QL (91 per 84 days)        |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>         | (Enpresse)                       | 2                |                            |
| <i>levora-28 oral tablet 0.15-0.03 mg</i>                                               | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| LILETTA INTRAUTERINE<br>INTRAUTERINE DEVICE 20.4<br>MCG/24 HR (8 YRS) 52 MG             |                                  | 3                |                            |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>                                      | (norgestrel-ethinyl estradiol)   | 2                |                            |
| <i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>                                    | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>lultera (28) oral tablet 0.1-20 mg-mcg</i>                                           | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>lyleq oral tablet 0.35 mg</i>                                                        | (norethindrone (contraceptive))  | 2                |                            |
| <i>lyza oral tablet 0.35 mg</i>                                                         | (norethindrone (contraceptive))  | 2                |                            |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i>                                           | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>meleya oral tablet 0.35 mg</i>                                                       | (norethindrone (contraceptive))  | 2                |                            |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>                                    | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>              | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                  | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>mili oral tablet 0.25-0.035 mg</i>                                                   | (norgestimate-ethinyl estradiol) | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                         |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| MIRENA INTRAUTERINE<br>INTRAUTERINE DEVICE 21<br>MCG/24HR (UP TO 8 YRS) 52 MG     |                                  | 4         |                     |
| <i>mono-linyah oral tablet 0.25-0.035 mg</i>                                      | (norgestimate-ethinyl estradiol) | 1         |                     |
| NEXPLANON SUBDERMAL<br>IMPLANT 68 MG                                              |                                  | 3         |                     |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>   | (Xulane)                         | 2         | QL (3 per 28 days)  |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i>                          | (Jencycla)                       | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (Aurovela Fe 1-20 (28))          | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>    | (Aurovela Fe 1.5/30 (28))        | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>  | (Tilia Fe)                       | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>     | (Tri-Lo-Estarylla)               | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (Tri-Estarylla)                  | 2         |                     |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>                   | (Mono-Linyah)                    | 2         |                     |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>                             |                                  | 2         |                     |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>                                  | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                       |                                  | 2         |                     |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                    | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                         |                                  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                            |                                  | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>nymyo oral tablet 0.25-35 mg-mcg</i>                              | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>orquidea oral tablet 0.35 mg</i>                                  | (norethindrone (contraceptive))  | 2         |                     |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                            | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                       | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>   | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i>                                  | (norethindrone (contraceptive))  | 2         |                     |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG  |                                  | 4         |                     |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i>                       | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                              | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>        | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>      | (norgestimate-ethinyl estradiol) | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                               |                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|---------------------------------------|-----------|---------------------|
| <i>tri-lo-marzia oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg         | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.025 mg           | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-lo-sprintec oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg       | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-mili oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)          | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-nymyo oral tablet</i> 0.18/0.215/0.25<br>mg-35 mcg (28)          | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-sprintec (28) oral tablet</i><br>0.18/0.215/0.25 mg-0.035mg (28) | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>trivora (28) oral tablet</i> 50-30 (6)/75-<br>40 (5)/125-30(10)      | (levonorg-eth estrad<br>triphasic)    | 2         |                     |
| <i>tri-vylibra lo oral tablet</i><br>0.18/0.215/0.25 mg-0.025 mg        | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>tri-vylibra oral tablet</i> 0.18/0.215/0.25<br>mg-0.035mg (28)       | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>turqoz (28) oral tablet</i> 0.3-30 mg-<br>mcg                        | (norgestrel-ethinyl<br>estradiol)     | 2         |                     |
| <i>tyblume oral tablet, chewable</i> 0.1 mg-<br>20 mcg                  |                                       | 4         |                     |
| <i>valtya oral tablet</i> 1-35 mg-mcg, 1-50<br>mg-mcg                   | (ethynodiol diac-eth<br>estradiol)    | 2         |                     |
| <i>vienva oral tablet</i> 0.1-20 mg-mcg                                 | (levonorgestrel-ethinyl<br>estradiol) | 2         |                     |
| <i>viorele (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5         | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>volnea (28) oral tablet</i> 0.15-0.02<br>mgx21 /0.01 mg x 5          | (desog-<br>e.estradiol/e.estradiol)   | 2         |                     |
| <i>vylibra oral tablet</i> 0.25-0.035 mg                                | (norgestimate-ethinyl<br>estradiol)   | 2         |                     |
| <i>xarah fe oral tablet</i> 1-20(5)/1-30(7)<br>/1mg-35mcg (9)           | (norethindrone-<br>e.estradiol-iron)  | 2         |                     |
| <i>xulane transdermal patch weekly</i><br>150-35 mcg/24 hr              | (norelgestromin-<br>ethin.estradiol)  | 2         | QL (3 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                       |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>         | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>                  | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <b>Cough And Cold Products</b>                                  |                                  |           |                     |
| <b>Cough And Cold Products</b>                                  |                                  |           |                     |
| <i>benzonatate oral capsule 100 mg, 200 mg</i>                  |                                  | 1         | EX                  |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                     |
| <i>cevimeline oral capsule 30 mg</i>                            | (Evoxac)                         | 2         |                     |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Periogard)                      | 1         |                     |
| <i>denta 5000 plus dental cream 1.1 %</i>                       | (fluoride (sodium))              | 1         |                     |
| <i>dentagel dental gel 1.1 %</i>                                | (fluoride (sodium))              | 1         |                     |
| <i>fluoride (sodium) dental gel 1.1 %</i>                       | (DentaGel)                       | 1         |                     |
| <i>fluoride (sodium) dental solution 0.2 %</i>                  | (PreviDent)                      | 1         |                     |
| <i>periogard mucous membrane mouthwash 0.12 %</i>               | (chlorhexidine gluconate)        | 1         |                     |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                 | (Salagen (pilocarpine))          | 2         |                     |
| <i>sf 5000 plus dental cream 1.1 %</i>                          | (fluoride (sodium))              | 1         |                     |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>         | (Denta 5000 Plus Sensitive)      | 1         |                     |
| <i>triamcinolone acetonide dental paste 0.1 %</i>               | (Kourzeq)                        | 2         |                     |
| <b>Dermatological Agents</b>                                    |                                  |           |                     |
| <b>Dermatological Agents, Other</b>                             |                                  |           |                     |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>             |                                  | 2         |                     |
| <i>acyclovir topical ointment 5 %</i>                           | (Zovirax)                        | 2         | QL (30 per 30 days) |
| <i>ammonium lactate topical cream 12 %</i>                      |                                  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                              | Drug Tier | Requirements/Limits            |
|------------------------------------------------------------------------|-----------|--------------------------------|
| <i>ammonium lactate topical lotion 12 %</i> (AmLactin)                 | 2         |                                |
| <i>calcipotriene scalp solution 0.005 %</i> (Pellix)                   | 2         | QL (120 per 30 days)           |
| <i>calcipotriene topical cream 0.005 %</i>                             | 2         | QL (120 per 30 days)           |
| <i>calcipotriene topical ointment 0.005 %</i>                          | 2         | QL (120 per 30 days)           |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                         | 2         |                                |
| <i>fluorouracil topical solution 2 %, 5 %</i>                          | 2         |                                |
| <i>imiquimod topical cream in packet 5 %</i>                           | 2         | QL (24 per 30 days)            |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                        | 5         | ST; NM; NDS; QL (5 per 5 days) |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>            | 5         | NM; NDS                        |
| PANRETIN TOPICAL GEL 0.1 %                                             | 5         | NM; NDS; QL (60 per 28 days)   |
| <i>podofilox topical solution 0.5 %</i>                                | 2         |                                |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                  | 4         | QL (180 per 30 days)           |
| VALCHLOR TOPICAL GEL 0.016 %                                           | 5         | PA NSO; NM; NDS                |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2         |                                |
| <b>Dermatological Antibacterials</b>                                   |           |                                |
| <i>clindamycin phosphate topical solution 1 %</i>                      | 2         | QL (180 per 30 days)           |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)          | 2         |                                |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                  | 2         |                                |
| <i>erythromycin with ethanol topical solution 2 %</i>                  | 2         |                                |
| <i>gentamicin topical cream 0.1 %</i>                                  | 2         | QL (90 per 30 days)            |
| <i>gentamicin topical ointment 0.1 %</i>                               | 2         | QL (120 per 30 days)           |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                    | 2         |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                       | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------------|-----------|----------------------|
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                               | 2         |                      |
| <i>metronidazole topical gel 1 %</i> (Metrogel)                                 | 2         |                      |
| <i>mupirocin topical ointment 2 %</i> (Centany)                                 | 1         | QL (220 per 30 days) |
| <i>rosadan topical cream 0.75 %</i> (metronidazole)                             | 2         |                      |
| <i>selenium sulfide topical lotion 2.5 %</i>                                    | 2         |                      |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                              | 2         |                      |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                              | 4         |                      |
| <b>Dermatological Anti-Inflammatory Agents</b>                                  |           |                      |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone)                              | 2         |                      |
| <i>betamethasone dipropionate topical cream 0.05 %</i>                          | 2         |                      |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>                         | 2         |                      |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>                       | 2         |                      |
| <i>betamethasone valerate topical cream 0.1 %</i>                               | 2         |                      |
| <i>betamethasone valerate topical lotion 0.1 %</i>                              | 2         |                      |
| <i>betamethasone valerate topical ointment 0.1 %</i>                            | 2         |                      |
| <i>betamethasone, augmented topical cream 0.05 %</i>                            | 2         |                      |
| <i>betamethasone, augmented topical gel 0.05 %</i>                              | 2         |                      |
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           | 2         |                      |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2         |                      |
| <i>clobetasol scalp solution 0.05 %</i>                                         | 2         |                      |
| <i>clobetasol topical cream 0.05 %</i>                                          | 2         |                      |
| <i>clobetasol topical gel 0.05 %</i>                                            | 2         |                      |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex)                                | 2         |                      |
| <i>clobetasol topical ointment 0.05 %</i>                                       | 2         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                                  | 2                |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                   | 2                |                            |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Tovet Emollient)                  | 2                |                            |
| EUCRISA TOPICAL OINTMENT 2 %                                                       | 3                |                            |
| <i>fluocinolone topical cream 0.01 %</i>                                           | 2                |                            |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                                | 2                |                            |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                             | 2                |                            |
| <i>fluocinonide topical cream 0.05 %</i>                                           | 2                |                            |
| <i>fluocinonide topical gel 0.05 %</i>                                             | 2                |                            |
| <i>fluocinonide topical ointment 0.05 %</i>                                        | 2                |                            |
| <i>fluocinonide topical solution 0.05 %</i>                                        | 2                |                            |
| <i>fluticasone propionate topical cream 0.05 %</i>                                 | 2                |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 | 2                |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              | 2                |                            |
| <i>hydrocortisone 2.5% cream</i>                                                   | 2                |                            |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 2                |                            |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 2                |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         | 2                |                            |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1                |                            |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1                |                            |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 2                |                            |
| <i>mometasone topical cream 0.1 %</i>                                              | 2                |                            |
| <i>mometasone topical ointment 0.1 %</i>                                           | 2                |                            |
| <i>mometasone topical solution 0.1 %</i>                                           | 2                |                            |
| <i>pimecrolimus topical cream 1 %</i>                                              | 2                | QL (100 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                             |                        | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------|------------------------|-----------|----------------------|
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i>     | (hydrocortisone)       | 2         |                      |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i>      | (hydrocortisone)       | 2         |                      |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i>     | (hydrocortisone)       | 2         |                      |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                      |                        | 2         | QL (100 per 30 days) |
| <i>triamcinol ac (pf) in 0.9%nacl injection suspension 40 mg/ml</i>   |                        | 2         |                      |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>           |                        | 1         |                      |
| <i>triamcinolone acetonide topical cream 0.5 %</i>                    | (Triderm)              | 1         |                      |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>          |                        | 2         |                      |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> |                        | 2         |                      |
| <b>Dermatological Retinoids</b>                                       |                        |           |                      |
| <i>adapalene topical cream 0.1 %</i>                                  | (Differin)             | 2         |                      |
| ALTRENO TOPICAL LOTION 0.05 %                                         |                        | 4         | PA                   |
| <i>tazarotene topical cream 0.1 %</i>                                 | (Tazorac)              | 2         |                      |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>                 | (Retin-A)              | 2         | PA                   |
| <b>Scabicides And Pediculicides</b>                                   |                        |           |                      |
| <i>malathion topical lotion 0.5 %</i>                                 | (Ovide)                | 2         |                      |
| <i>permethrin topical cream 5 %</i>                                   |                        | 2         | QL (60 per 30 days)  |
| <b>Devices</b>                                                        |                        |           |                      |
| <b>Devices</b>                                                        |                        |           |                      |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"                       | (pen needle, diabetic) | 2         | PA; ST               |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"                       | (pen needle, diabetic) | 2         | PA; ST               |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"                        | (pen needle, diabetic) | 2         | PA; ST               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  |                                   | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| 1ST TIER UNIFINE PNTIP 8MM<br>31G STRL,SINGLE-USE,SHRT 31<br>GAUGE X 5/16" | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>29GX1/2" 29 GAUGE X 1/2"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>31GX3/16 31 GAUGE X 3/16"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>32GX5/32 32 GAUGE X 5/32"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16                     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                            | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"                            | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 5MM<br>31G 31 GAUGE X 3/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ALCOHOL PADS TOPICAL PADS,<br>MEDICATED                                    | (alcohol swabs)                   | 1         | PA; ST              |
| AQINJECT PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                            | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                                       | 2                | PA; ST                     |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)                             | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"                                                           | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"                                                           | 2                | PA; ST                     |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"                                                     | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"                                                           | 2                | PA; ST                     |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"                                                            | 2                | PA; ST                     |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"                                                  | 2                | PA; ST                     |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"                                                      | 2                | PA; ST                     |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"                                                            | 2                | PA; ST                     |
| BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                           | 2                | PA; ST                     |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"                                                    | 2                | PA; ST                     |
| BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------|------------------|----------------------------|
| BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle u-100)<br>MICRO-FINE 1 ML 27 GAUGE X 5/8" | 2                | PA; ST                     |
| BD SAFETGLD INS 0.3 ML 29G<br>13MM 0.3 ML 29 GAUGE X 1/2"                                      | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"                                     | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"                                     | 2                | PA; ST                     |
| BD SAFETYGLD INS 1 ML 29G<br>13MM 1 ML 29 GAUGE X 1/2"                                         | 2                | PA; ST                     |
| BD SAFETYGLID INS 1 ML<br>6MMX31G 1 ML 31 GAUGE X 15/64"                                       | 2                | PA; ST                     |
| BD SAFETYGLIDE SYRINGE (insulin syringe-needle u-100)<br>27GX5/8 1 ML 27 GAUGE X 5/8"          | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X 15/64"                                     | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 29G<br>13MM 0.5 ML 29 GAUGE X 1/2"                                      | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML<br>6MMX31G 0.5 ML 31 GAUGE X 15/64"                                     | 2                | PA; ST                     |
| BD SINGLE USE SWAB (alcohol swabs)                                                             | 1                | PA; ST                     |
| BD UF MICRO PEN NEEDLE (pen needle, diabetic)<br>6MMX32G 32 GAUGE X 1/4"                       | 2                | PA; ST                     |
| BD UF MINI PEN NEEDLE (pen needle, diabetic)<br>5MMX31G 31 GAUGE X 3/16"                       | 2                | PA; ST                     |
| BD UF NANO PEN NEEDLE (pen needle, diabetic)<br>4MMX32G 32 GAUGE X 5/32"                       | 2                | PA; ST                     |
| BD UF ORIG PEN NDL (pen needle, diabetic)<br>12.7MMX29G 29 GAUGE X 1/2"                        | 2                | PA; ST                     |
| BD UF SHORT PEN NEEDLE (pen needle, diabetic)<br>8MMX31G 31 GAUGE X 5/16"                      | 2                | PA; ST                     |
| BD VEO INS 0.3 ML 6MMX31G<br>(1/2) 0.3 ML 31 GAUGE X 15/64"                                    | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                     |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| BD VEO INS SYRING 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.5 ML<br>6MMX31G 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BORDERED GAUZE 2"X2" 2 X 2 "                                  | (gauze bandage)                   | 1         | PA; ST              |
| CAREFINE PEN NEEDLE 12.7MM<br>29G HRI 29 GAUGE X 1/2"         | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 5MM<br>32G 32 GAUGE X 3/16"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 6MM<br>31G HRI 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 8MM<br>30G HRI 30 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH ALCOHOL 70%<br>PREP PAD                             | (alcohol swabs)                   | 1         | PA; ST              |
| CARETOUCH PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                              |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"                        |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16"                  |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CLICKFINE PEN NEEDLE<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32" | (pen needle, diabetic)            | 2         | PA; ST              |
| CLICKFINE UNIVERSAL 31G X<br>1/4" 6MM, STORE BRAND 31<br>GAUGE X 1/4"  | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ 0.3 ML 31G 15/64"<br>0.3 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ 0.5 ML 31G 15/64"<br>1/2 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 1 ML 31G<br>15/64" 1 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| COMFORT EZ INS 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)                                | 2                | PA; ST                     |
| COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle<br>ML 0.3 ML 31 GAUGE X 5/16" u-100)                             | 2                | PA; ST                     |
| COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100)<br>ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLE (pen needle, diabetic)<br>12MM 29G 29 GAUGE X 1/2"                                            | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 32G SINGLE USE, MICRO<br>32 GAUGE X 5/32"                      | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 33G 33 GAUGE X 5/32"                                           | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 31G MINI 31 GAUGE X<br>3/16"                                   | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 32G SINGLE USE,MINI,HRI<br>32 GAUGE X 3/16"                    | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 33G 33 GAUGE X 3/16"                                           | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 31G 31 GAUGE X 1/4"                                            | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 32G 32 GAUGE X 1/4"                                            | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 33G 33 GAUGE X 1/4"                                            | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>8MM 31G SHORT 31 GAUGE X<br>5/16"                                  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>8MM 32G 32 GAUGE X 5/16"                                           | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>8MM 33G 33 GAUGE X 5/16"                                                                  | 2                | PA; ST                     |
| COMFORT EZ PRO PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                                                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------|------------------|----------------------------|
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic, safety)       | 2                | PA; ST                     |
| COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)       | 2                | PA; ST                     |
| COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 27G 12.7MM 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"                                       | 2                | PA; ST                     |
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"                                       | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic)                | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------|------------------|----------------------------|
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16" (pen needle, diabetic)    | 2                | PA; ST                     |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                     | 1                | PA; ST                     |
| CURITY GAUZE PADS 2 X 2 " (gauze bandage)                                | 1                | PA; ST                     |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                         | 1                | PA; ST                     |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage)<br>PLY, USP TYPE VII 2 X 2 "     | 1                | PA; ST                     |
| DERMACEA GAUZE 2"X2"<br>SPONGE 8 PLY 2 X 2 "                             | 1                | PA; ST                     |
| DERMACEA NON-WOVEN 2"X2"<br>SPNGE 2 X 2 "                                | 1                | PA; ST                     |
| DROPLET 0.3 ML 29G<br>12.7MM(1/2) OUTER 0.3 ML 29<br>GAUGE X 1/2"        | 2                | PA; ST                     |
| DROPLET 0.3 ML 30G<br>12.7MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 1/2"        | 2                | PA; ST                     |
| DROPLET 0.5 ML<br>29GX12.5MM(1/2) 0.5 ML 29<br>GAUGE X 1/2"              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET 0.5 ML<br>30GX12.5MM(1/2) 0.5 ML 30<br>GAUGE X 1/2"                                     | 2                | PA; ST                     |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>29GX12.5MM 0.3 ML 29 GAUGE u-100)<br>X 1/2"       | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 30G<br>8MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 5/16"                             | 2                | PA; ST                     |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>30GX12.5MM 0.3 ML 30 GAUGE u-100)<br>X 1/2"       | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>6MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 15/64"                            | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>8MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 5/16"                             | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 29G (insulin syringe-needle<br>12.7MM OUTER 0.5 ML 29 u-100)<br>GAUGE X 1/2" | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 30G (insulin syringe-needle<br>12.7MM OUTER 0.5 ML 30 u-100)<br>GAUGE X 1/2" | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE<br>X 15/64"                                   | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE<br>X 5/16"                                   | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE<br>X 15/64"                                  | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE<br>X 5/16"                                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                           |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"       |                                   | 2         | PA; ST              |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X<br>5/16"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 0.5 ML 30G<br>8MM OUTER 0.5 ML 30 GAUGE X<br>5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 0.5 ML 31G<br>6MM OUTER 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 0.5 ML 31G<br>8MM OUTER 0.5 ML 31 GAUGE X<br>5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 29G<br>12.7MM OUTER 1 ML 29 GAUGE<br>X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 30G<br>12.5MM 1 ML 30 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 30G<br>6MM 1 ML 30 GAUGE X 15/64"              |                                   | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 30G<br>8MM OUTER 1 ML 30 GAUGE X<br>5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 31G<br>6MM OUTER 1 ML 31 GAUGE X<br>15/64"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"                      |                                   | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------|------------------|----------------------------|
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"                        | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 29G (pen needle, diabetic)<br>12MM 29 GAUGE X 1/2" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 30G (pen needle, diabetic)<br>8MM 30 GAUGE X 5/16" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16" | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"  | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16" | 2                | PA; ST                     |
| DROPSAFE ALCOHOL 70% PREP (alcohol swabs)<br>PADS                     | 1                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64"           | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"            | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64"           | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"            | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"             | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"              | 2                | PA; ST                     |
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"               | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPSAFE PEN NEEDLE 31G<br>4MM 31 GAUGE X 5/32"             | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             |                                   | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             |                                   | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"           |                                   | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"          |                                   | 2         | PA; ST              |
| EASY COMFORT 0.3 ML 31G 1/2"<br>0.3 ML 31 X 1/2"            |                                   | 2         | PA; ST              |
| EASY COMFORT 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT 0.5 ML<br>32GX5/16" 1/2 ML 32 GAUGE X<br>5/16" |                                   | 2         | PA; ST              |
| EASY COMFORT 0.5 ML<br>SYRINGE 0.5 ML 30 GAUGE X<br>5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT 1 ML 32GX5/16"<br>1 ML 32 GAUGE X 5/16"        |                                   | 2         | PA; ST              |
| EASY COMFORT ALCOHOL 70%<br>PAD                             | (alcohol swabs)                   | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY COMFORT INSULIN 1 ML<br>SYR 1 ML 30 GAUGE X 5/16        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT PEN NDL 29G<br>4MM 29 GAUGE X 5/32"             |                                   | 2         | PA; ST              |
| EASY COMFORT PEN NDL 29G<br>5MM 29 GAUGE X 3/16"             |                                   | 2         | PA; ST              |
| EASY COMFORT PEN NDL<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL<br>31GX5/16" 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL<br>32GX5/32" 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL 33G<br>4MM 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL 33G<br>5MM 33 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT PEN NDL 33G<br>6MM 33 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY COMFORT SYR 0.5 ML 29G<br>8MM 1/2 ML 29 X5/16 "         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY COMFORT SYR 1 ML 29G<br>8MM 1 ML 29 GAUGE X 5/16        |                                   | 2         | PA; ST              |
| EASY COMFORT SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY GLIDE INS 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY GLIDE INS 0.5 ML<br>31GX6MM 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY GLIDE INS 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY GLIDE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"            | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                    |                                     | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-------------------------------------|-----------|---------------------|
| EASY TOUCH 0.3 ML 30G<br>8MM(1/2) 0.3 ML 30 GAUGE X<br>5/16" |                                     | 2         | PA; ST              |
| EASY TOUCH 0.3 ML 31G<br>6MM(1/2) 0.3 ML 31 GAUGE X<br>1/4"  | (insulin syr/ndl u100<br>half mark) | 2         | PA; ST              |
| EASY TOUCH 0.3 ML 31G<br>8MM(1/2) 0.3 ML 31 GAUGE X<br>5/16" |                                     | 2         | PA; ST              |
| EASY TOUCH 0.3 ML SYR<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"  |                                     | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16" |                                     | 2         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"         |                                     | 2         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"         |                                     | 2         | PA; ST              |
| EASY TOUCH ALCOHOL 70%<br>PADS GAMMA-STERILIZED              | (alcohol swabs)                     | 1         | PA; ST              |
| EASY TOUCH AUTO 0.5 ML 30G<br>6MM 0.5 ML 30 GAUGE X 1/4"     |                                     | 2         | PA; ST              |
| EASY TOUCH AUTO 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"    |                                     | 2         | PA; ST              |
| EASY TOUCH AUTORET 1 ML<br>30G 6MM 1 ML 30 GAUGE X 1/4"      |                                     | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH AUTORET 1 ML<br>30G 8MM 1 ML 30 GAUGE X 5/16"                                             | 2                | PA; ST                     |
| EASY TOUCH FLIPLOK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"                                              | 2                | PA; ST                     |
| EASY TOUCH INS 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle<br>u-100)           | 2                | PA; ST                     |
| EASY TOUCH INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)           | 2                | PA; ST                     |
| EASY TOUCH INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle<br>u-100)           | 2                | PA; ST                     |
| EASY TOUCH INS 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle<br>u-100)            | 2                | PA; ST                     |
| EASY TOUCH INS 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)           | 2                | PA; ST                     |
| EASY TOUCH INS 1 ML 27G 1/2"<br>1 ML 27 GAUGE X 1/2" (insulin syringe-needle<br>u-100)               | 2                | PA; ST                     |
| EASY TOUCH INS 1 ML 28G<br>12.7MM 1 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)             | 2                | PA; ST                     |
| EASY TOUCH INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle<br>u-100)            | 2                | PA; ST                     |
| EASY TOUCH INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 1/4" (insulin syringe-needle<br>u-100)            | 2                | PA; ST                     |
| EASY TOUCH INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)            | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>29GX1/2 1 ML 29 GAUGE X 1/2"                                              | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>30GX1/2 1 ML 30 GAUGE X 1/2"                                              | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1<br>ML 1 ML 29 GAUGE X 1/2" (insulin syringe-needle<br>u-100)                | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1<br>ML RETRACTABLE 1 ML 30<br>GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                              | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                                              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH INSULN 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>31GX5/16 1 ML 31 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>31GX5/16 1 ML 31 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe<br>needleless)                            | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)                    | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                    | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)                    | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)                    | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)                    | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G<br>5MM 29 GAUGE X 3/16"                                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G<br>8MM 29 GAUGE X 5/16"                                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                        | 2                | PA; ST                     |
| EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY TOUCH SYR 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 1 ML 27G<br>16MM 1 ML 27 GAUGE X 5/8"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH UNI-SLIP SYR 1<br>ML                            | (insulin syringe<br>needleless)   | 2         | PA; ST              |
| EASYLIFE ALCOHOL 70% PADS                                  | (alcohol swabs)                   | 1         | PA; ST              |
| EASYLIFE INS PEN NDL 29G<br>12MM 29 GAUGE X 1/2"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>4MM 31 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>6MM 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>8MM 32 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>4MM 33 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>5MM 33 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>6MM 33 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>8MM 33 GAUGE X 5/16"           |                                   | 2         | PA; ST              |
| EASYLIFE INS SYR 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                             |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASYLIFE INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYLIFE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYLIFE SAFTY PEN NDL 31G<br>4MM 31 GAUGE X 5/32"    | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASYLIFE SAFTY PEN NDL 31G<br>5MM 31 GAUGE X 3/16"    | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASYLIFE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"      |                                   | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"         | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"        | (pen needle, diabetic)            | 2         | PA; ST              |
| EXEL U100 0.3 ML 29GX1/2" 0.3<br>ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EXEL U100 0.3 ML 30GX5/16" 0.3<br>ML 30 GAUGE X 5/16" | (Advocate Syringes)               | 2         | PA; ST              |
| FT STERILE PADS 2" X 2" 2 X 2 "                       | (gauze bandage)                   | 1         | PA; ST              |
| GAUZE PAD TOPICAL<br>BANDAGE 2 X 2 "                  | (gauze bandage)                   | 1         | PA; ST              |
| GNP ALCOHOL SWAB STERILE,<br>TWO PLY                  | (Alcohol Pads)                    | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                       |                                | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|--------------------------------|-----------|---------------------|
| GNP PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                         | (1st Tier Unifine Pentips)     | 2         | PA; ST              |
| GNP PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                          | (CareFine Pen Needle)          | 2         | PA; ST              |
| GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)         | 2         | PA; ST              |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" |                                | 2         | PA; ST              |
| GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTR CMFRT 0.5 ML 30GX5/16 1/2 ML 30 GAUGE                  | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"            | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"                        | (1st Tier Unifine Pentips)     | 2         | PA; ST              |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16              | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16              | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                  | (pen needle, diabetic)         | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------|------------------|----------------------------|
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"  | 2                | PA; ST                     |
| HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"  | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>5MM 31G 31 GAUGE X 3/16" | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>6MM 31G 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic)<br>8MM 31G 31 GAUGE X 5/16" | 2                | PA; ST                     |
| HEALTHY ACCENTS PENTIP<br>12MM 29G 29 GAUGE X 1/2"                        | 2                | PA; ST                     |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs)<br>PADS                         | 1                | PA; ST                     |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"   | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"   | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"   | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"    | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"   | 2                | PA; ST                     |
| INPEN (FOR HUMALOG) BLUE<br>SUBCUTANEOUS INSULIN PEN                      | 3                |                            |
| INPEN (FOR HUMALOG) GREY<br>SUBCUTANEOUS INSULIN PEN                      | 3                |                            |
| INPEN (FOR HUMALOG) PINK<br>SUBCUTANEOUS INSULIN PEN                      | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>BLUE SUBCUTANEOUS INSULIN<br>PEN              | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>GREY SUBCUTANEOUS<br>INSULIN PEN              | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| INPEN (NOVOLOG OR FIASP)<br>PINK SUBCUTANEOUS INSULIN<br>PEN                                  | 3                |                            |
| INSULIN 1 ML SYRINGE 1 ML 29<br>GAUGE X 7/16", 1 ML 30 GAUGE<br>X 7/16"                       | 2                | PA; ST                     |
| INSULIN 1/2 ML SYRINGE 1/2 ML (Utileit Insulin Syringe)<br>29                                 | 2                | PA; ST                     |
| INSULIN 1/2 ML SYRINGE 1/2 ML<br>30 GAUGE                                                     | 2                | PA; ST                     |
| INSULIN 3/10 ML SYRINGE 0.3 ML 30 (Ultra Comfort Insulin Syringe)                             | 2                | PA; ST                     |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (Easy Touch Ins Syr (half unit))       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)        | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes) | 2                | PA; ST                     |
| INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)      | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)                         | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)          | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)                               | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)            | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                                            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSULIN SYRINGE 1 ML 27G 1/2" (Comfort EZ Insulin Syringe)<br>INNER 1 ML 27 GAUGE X 1/2"            | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)               | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)         | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)          | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)                     | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE, THIN II (OTC) 1 ML 31 GAUGE X 5/16 (Advocate Syringes) | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)                      | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)              | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)                             | 2                | PA; ST                     |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"                                       | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                                  | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                  | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                                | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                                  | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4" (pen needle, diabetic)                              | 2                | PA; ST                     |
| IV ANTISEPTIC WIPES (alcohol swabs)                                                                 | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                                                              | 1                | PA; ST                     |
| LISCO SPONGES 100/BAG 2 X 2 "                                                                             | 1                | PA; ST                     |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                                     | 2                | PA; ST                     |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100) | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 29 GAUGE                                                  | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)                          | 2                | PA; ST                     |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)                           | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)                                          | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                     | 2                | PA; ST                     |
| LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 2                | PA; ST                     |
| LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)                       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                       |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 2         | PA; ST              |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>5MM 29 GAUGE X 3/16"                               |                                   | 2         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>8MM 29 GAUGE X 5/16"                               |                                   | 2         | PA; ST              |
| MICRODOT PEN NEEDLE<br>31GX6MM 31 GAUGE X 1/4"                                  | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                         |                                   | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| MICRODOT PEN NEEDLE<br>32GX4MM 32 GAUGE X 5/32"                                   | (pen needle, diabetic)            | 2         | PA; ST              |
| MICRODOT PEN NEEDLE<br>33GX4MM 33 GAUGE X 5/32"                                   | (pen needle, diabetic)            | 2         | PA; ST              |
| MICRODOT READYGARD NDL<br>31G 5MM OUTER 31 GAUGE X<br>3/16"                       | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 5MM 32<br>GAUGE X 3/16"                                       | (CareFine Pen Needle)             | 2         | PA; ST              |
| MINI PEN NEEDLE 32G 8MM 32<br>GAUGE X 5/16"                                       | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI PEN NEEDLE 33G 5MM 33<br>GAUGE X 3/16"                                       | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI PEN NEEDLE 33G 6MM 33<br>GAUGE X 1/4"                                        | (Comfort EZ Pen<br>Needles)       | 2         | PA; ST              |
| MINI ULTRA-THIN II PEN NDL<br>31G STERILE 31 GAUGE X 3/16"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| MONOJECT 0.5 ML SYRN<br>28GX1/2" 1/2 ML 28 GAUGE                                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT 1 ML SYRN 27X1/2" 1<br>ML 27 GAUGE X 1/2"                                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT 1 ML SYRN 28GX1/2"<br>(OTC) 1 ML 28 GAUGE X 1/2"                         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT INSUL SYR U100<br>(OTC) 0.3 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT INSUL SYR U100<br>.5ML,29GX1/2" (OTC) 0.5 ML 29<br>GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 0.5<br>ML CONVERTS TO 29G (OTC) 1/2<br>ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1<br>ML 1 ML 25 GAUGE X 5/8"                              | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1<br>ML 3'S, 29GX1/2" (OTC) 1 ML 29<br>GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                 |                                 | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------|---------------------------------|-----------|---------------------|
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)             | (insulin syringes (disposable)) | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"       | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"       | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16  | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"         | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"           |                                 | 2         | PA; ST              |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"           | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"           | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"            | (pen needle, diabetic)          | 2         | PA; ST              |
| NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)          | 2         | PA; ST              |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"                      | (pen needle, diabetic)          | 2         | PA; ST              |
| NOVOFINE AUTOCOVER 30G NEEDLE 30 GAUGE X 1/3"             |                                 | 2         | PA; ST              |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"            |                                 | 2         | PA; ST              |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE        |                                 | 3         | QL (10 per 30 days) |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE     |                                 | 3         | QL (1 per 365 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| OMNIPOD 5 G6-G7 PODS (GEN 5)<br>SUBCUTANEOUS CARTRIDGE                                     | 3                | QL (10 per 30 days)        |
| OMNIPOD 5<br>INTRO(G6/LIBRE2PLUS)<br>SUBCUTANEOUS CARTRIDGE                                | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PODS (GEN<br>3) SUBCUTANEOUS CARTRIDGE                                     | 3                | QL (10 per 30 days)        |
| OMNIPOD DASH INTRO KIT<br>(GEN 4) SUBCUTANEOUS<br>CARTRIDGE                                | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PDM KIT (GEN<br>4)                                                            | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PODS (GEN 4)<br>SUBCUTANEOUS CARTRIDGE                                        | 3                | QL (10 per 30 days)        |
| PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle)<br>30 GAUGE X 3/16"                          | 2                | PA; ST                     |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle)<br>GAUGE X 5/16"                         | 2                | PA; ST                     |
| PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic)<br>GAUGE X 5/16"                          | 2                | PA; ST                     |
| PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine<br>GAUGE X 1/4" Pentips)                    | 2                | PA; ST                     |
| PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle)<br>GAUGE X 5/32"                               | 2                | PA; ST                     |
| PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips<br>NEEDLE 29 GAUGE X 1/2" Plus)             | 2                | PA; ST                     |
| PEN NEEDLES 12MM 29G (pen needle, diabetic)<br>29GX12MM,STRL 29 GAUGE X<br>1/2"            | 2                | PA; ST                     |
| PEN NEEDLES 4MM 32G 32 (pen needle, diabetic)<br>GAUGE X 5/32"                             | 2                | PA; ST                     |
| PEN NEEDLES 5MM 31G (pen needle, diabetic)<br>31GX5MM,STRL,MINI (OTC) 31<br>GAUGE X 3/16"  | 2                | PA; ST                     |
| PEN NEEDLES 8MM 31G (pen needle, diabetic)<br>31GX8MM,STRL,SHORT (OTC) 31<br>GAUGE X 5/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic)<br>29 GAUGE X 1/2"                  | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic)<br>31 GAUGE X 1/4"                  | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic)<br>MINI, 5MM 31 GAUGE X 3/16"      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic)<br>SHORT, 8MM 31 GAUGE X 5/16"     | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic)<br>32 GAUGE X 1/4"                  | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic)<br>32 GAUGE X 5/32"                | 2                | PA; ST                     |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic)<br>GAUGE X 3/16"                    | 2                | PA; ST                     |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                    | 2                | PA; ST                     |
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"                                         | 2                | PA; ST                     |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                       | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)   | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 5/16" u-100) | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100) | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)       | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)      | 2                | PA; ST                     |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)      | 2                | PA; ST                     |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                        | 1                | PA; ST                     |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                               |                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|--------------------------------|-----------|---------------------|
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO-COMFORT ALCOHOL 70% PADS                            | (alcohol swabs)                | 1         | PA; ST              |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"      | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"         | (pen needle, diabetic, safety) | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"          |                                | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"         |                                | 2         | PA; ST              |
| PURE COMFORT ALCOHOL 70% PADS                           | (alcohol swabs)                | 1         | PA; ST              |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"           | (pen needle, diabetic)         | 2         | PA; ST              |
| RA ISOPROPYL ALCOHOL 70% WIPES                          | (alcohol swabs)                | 1         | PA; ST              |
| RA STERILE PADS 2"X 2" 2 X 2 "                          | (Bordered Gauze)               | 1         | PA; ST              |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"         |                                | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                 |                               | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------|-------------------------------|-----------|---------------------|
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"                             | (Comfort Touch Pen Needle)    | 2         | PA; ST              |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"                            |                               | 2         | PA; ST              |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"                            | (True-Comfort Pro Pen Needle) | 2         | PA; ST              |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"                    | (Comfort EZ Insulin Syringe)  | 2         | PA; ST              |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"                    | (Comfort EZ Insulin Syringe)  | 2         | PA; ST              |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"                     | (Comfort EZ Insulin Syringe)  | 2         | PA; ST              |
| RELION PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"                              | (1st Tier Unifine Pentips)    | 2         | PA; ST              |
| RELION SYRING 0.3 ML 31GX5/16" INNER 0.3 ML 31 GAUGE X 5/16"              | (Advocate Syringes)           | 2         | PA; ST              |
| RELION SYRING 0.5 ML 31GX5/16" INNER (OTC) 0.5 ML 31 GAUGE X 5/16"        | (Advocate Syringes)           | 2         | PA; ST              |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" |                               | 2         | PA; ST              |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"   |                               | 2         | PA; ST              |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" |                               | 2         | PA; ST              |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"       |                               | 2         | PA; ST              |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"       |                               | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SAFETY PEN NEEDLE 31G 4MM<br>31 GAUGE X 5/32" (Comfort EZ PRO<br>Safety Pen Ndl)                                                                                                     | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 5MM X<br>31G 31 GAUGE X 3/16" (pen needle, diabetic,<br>safety)                                                                                                    | 2                | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G<br>1/2" 0.5 ML 30 GAUGE X 1/2"                                                                                                                             | 2                | PA; ST                     |
| SECURES SAFE PEN NDL<br>30GX5/16" OUTER 30 GAUGE X<br>5/16"                                                                                                                          | 2                | PA; ST                     |
| SECURES SAFE PEN NEEDLE 31G<br>5MM OUTER 31 GAUGE X 3/16" (pen needle, diabetic,<br>safety)                                                                                          | 2                | PA; ST                     |
| SECURES SAFE SYR 0.5 ML 29G<br>1/2" OUTER 0.5 ML 29 GAUGE X<br>1/2"                                                                                                                  | 2                | PA; ST                     |
| SECURES SAFE SYRNG 1 ML 29G<br>1/2" OUTER 1 ML 29 GAUGE X<br>1/2"                                                                                                                    | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"                                                                                                                                    | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"                                                                                                                                    | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                                                                                                                    | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                                                                                                   | 2                | PA; ST                     |
| NEEDLES, INSULIN DISP.,<br>SAFETY (insulin syringe-needle<br>u-100)                                                                                                                  | 2                | PA; ST                     |
| SURE COMFORT 0.5 ML<br>SYRINGE 0.5 ML 30 GAUGE X<br>1/2", 0.5 ML 30 GAUGE X 5/16",<br>0.5 ML 31 GAUGE X 5/16", 1/2 ML<br>28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)           | 2                | PA; ST                     |
| SURE COMFORT 1 ML SYRINGE<br>1 ML 28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2", 1 ML 30 GAUGE X<br>1/2", 1 ML 30 GAUGE X 5/16, 1<br>ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                 | 2                | PA; ST                     |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)                                                                 | 2                | PA; ST                     |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)                                                                                      | 1                | PA; ST                     |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                               | 2                | PA; ST                     |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                               | 2                | PA; ST                     |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)                                                  | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)                                                         | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                                | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                                | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                                                                | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                                                                 | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)                                                                 | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                                                                   | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                                                   | 2                | PA; ST                     |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                       | <b>Drug Tier</b>                    | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------|
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"                                                      | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16                               | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                                    | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| SURE-PREP ALCOHOL PREP PADS                                                                            | (alcohol swabs)<br>1                | PA; ST                     |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"                                                  | 2                                   | PA; ST                     |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"                                                  | 2                                   | PA; ST                     |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"                                                 | 2                                   | PA; ST                     |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"                                                  | 2                                   | PA; ST                     |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"                                                  | 2                                   | PA; ST                     |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"                                                  | 2                                   | PA; ST                     |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"                                                 | 2                                   | PA; ST                     |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"                                                  | 2                                   | PA; ST                     |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100)<br>2 | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                              |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| TECHLITE INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"                                             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TECHLITE INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16                                               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX1/2" 29 GAUGE X 1/2"                                                        | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"                                                        |                                   | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                        | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                                                      | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                      | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"                                                        | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/16" 32 GAUGE X 5/16"                                                      | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)            | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 27 GAUGE X 1/2", 1 ML<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 30 GAUGE X 3/8"                                                   | (Thinpro Insulin<br>Syringe)      | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1/2<br>ML 1/2 ML 30 X 3/8"                                                     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1/3<br>ML 0.3 ML 30 X 3/8"                                                     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)                              | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"                                                                                     | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"                                                                                     | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)        | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"                                                                                         | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                             | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                             | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"                                                                            | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)                                                     | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                     | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                    | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                                                                                | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"                                                                              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------|------------------|----------------------------|
| TRUE COMFORT 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"                             | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)                                        | 1                | PA; ST                     |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)                  | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"                                | 2                | PA; ST                     |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)                                        | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| TRUE COMFORT SFTY 1 ML 30G<br>1/2" 1 ML 30 GAUGE X 1/2"                                    | 2         | PA; ST              |
| TRUE COMFRT PRO 0.5 ML 30G (insulin syringe-needle<br>1/2" 0.5 ML 30 GAUGE X 1/2" u-100)   | 2         | PA; ST              |
| TRUE COMFRT SFTY 1 ML 30G<br>5/16" 1 ML 30 GAUGE X 5/16"                                   | 2         | PA; ST              |
| TRUE COMFRT SFTY 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16"                                   | 2         | PA; ST              |
| TRUE COMFRT SFTY 1 ML 32G<br>5/16" 1 ML 32 GAUGE X 5/16"                                   | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                  | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 15/64"                 | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                  | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                  | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                     | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic)<br>1/4" 31 GAUGE X 1/4"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)      | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16" | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------|------------------|----------------------------|
| TRUEPLUS SYR 0.5 ML 28GX1/2" (insulin syringe-needle u-100)<br>1/2 ML 28 GAUGE X 1/2"   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 29GX1/2" (insulin syringe-needle u-100)<br>0.5 ML 29 GAUGE X 1/2"   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)          | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)          | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)        | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)        | 2                | PA; ST                     |
| ULT CFT 0.3 ML 31GX5/16" (1/2) 1/2 UNIT 0.3 ML 31 GAUGE X 5/16"                         | 2                | PA; ST                     |
| ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark) | 2                | PA; ST                     |
| ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)          | 2                | PA; ST                     |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)      | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                   | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                      | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTICARE PEN NEEDLE 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"                               | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"                              | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 4MM (pen needle, diabetic)<br>32G MICRO, 32GX4MM 32<br>GAUGE X 5/32"            | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 6MM (pen needle, diabetic)<br>32G 32 GAUGE X 1/4"                               | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                                    | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 5MM<br>30G 30 GAUGE X 3/16"                                                    | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle<br>0.3 ML 30 GAUGE X 1/2" u-100)                | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML (insulin syringe-needle<br>31GX5/16" SHORT NDL 0.3 ML 31 u-100)<br>GAUGE X 5/16" | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)                | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML (insulin syringe-needle<br>31GX5/16" SHORT NDL 0.5 ML 31 u-100)<br>GAUGE X 5/16" | 2                | PA; ST                     |
| ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)                   | 2                | PA; ST                     |
| ULTIGUARD SAFE 1 ML 30G<br>12.7MM 1 ML 30 X 1/2"                                                     | 2                | PA; ST                     |
| ULTIGUARD SAFE0.3 ML 30G<br>12.7MM 0.3 ML 30 X 1/2"                                                  | 2                | PA; ST                     |
| ULTIGUARD SAFE0.5 ML 30G<br>12.7MM 1/2 ML 30 X 1/2"                                                  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 1 ML<br>31G 8MM 1 ML 31 X 5/16"                                                   | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 29G<br>12.7MM 29 GAUGE X 1/2"                                                     | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>5MM 31 GAUGE X 3/16"                                                       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| ULTIGUARD SAFEPAK 31G<br>6MM 31 GAUGE X 1/4"                                                                                                    | 2         | PA; ST              |
| ULTIGUARD SAFEPAK 31G<br>8MM 31 GAUGE X 5/16"                                                                                                   | 2         | PA; ST              |
| ULTIGUARD SAFEPAK 32G<br>4MM 32 GAUGE X 5/32"                                                                                                   | 2         | PA; ST              |
| ULTIGUARD SAFEPAK 32G<br>6MM 32 GAUGE X 1/4"                                                                                                    | 2         | PA; ST              |
| ULTIGUARD SAFEPK 0.3 ML 31G<br>8MM 0.3 ML 31 X 5/16"                                                                                            | 2         | PA; ST              |
| ULTIGUARD SAFEPK 0.5 ML 31G<br>8MM 1/2 ML 31 X 5/16"                                                                                            | 2         | PA; ST              |
| ULTILET ALCOHOL STERL (alcohol swabs)<br>SWAB                                                                                                   | 1         | PA; ST              |
| ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 30 GAUGE X 5/16", 0.3 ML 31<br>GAUGE X 5/16" | 2         | PA; ST              |
| ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100)<br>ML 30 GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16" | 2         | PA; ST              |
| ULTILET INSULIN SYRINGE 1 (insulin syringe-needle<br>ML 1 ML 29 GAUGE X 1/2", 1 ML u-100)<br>30 GAUGE X 5/16, 1 ML 31<br>GAUGE X 5/16           | 2         | PA; ST              |
| ULTILET PEN NEEDLE 29<br>GAUGE                                                                                                                  | 2         | PA; ST              |
| ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic)<br>32 GAUGE X 5/32"                                                                           | 2         | PA; ST              |
| ULTRA COMFORT 0.3 ML (insulin syringe-needle<br>29GX1/2" 0.3 ML 29 GAUGE X u-100)<br>1/2"                                                       | 2         | PA; ST              |
| ULTRA COMFORT 0.3 ML (insulin syringe-needle<br>SYRINGE 0.3 ML 30 GAUGE X u-100)<br>5/16"                                                       | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  |                                   | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA COMFORT 0.5 ML<br>28GX1/2" CONVERTS TO 29G 1/2<br>ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                 | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 0.5 ML<br>SYRINGE 0.5 ML 30 GAUGE X<br>5/16"                 | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 0.5 ML<br>SYRINGE 1/2 ML 28 GAUGE                            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16                       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16                       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>SYRINGE 1 ML 28 GAUGE X 1/2"                         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2)<br>0.3 ML 30 GAUGE X 1/2"                  |                                   | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2)<br>0.3 ML 30 GAUGE X 5/16"                 |                                   | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2)<br>0.3 ML 31 GAUGE X 5/16"                 |                                   | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 33G<br>4MM 33 GAUGE X 5/32"                           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA FLO PEN NEEDLES<br>12MM 29G 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64" |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16"  |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.5 ML 30G 12.7MM<br>0.5 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE PEN NDL 29G<br>12.7MM 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                          |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA-FINE SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II 1 ML 31GX5/16" 1<br>ML 31 GAUGE X 5/16               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 30G<br>0.3 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 31G<br>0.3 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 29G<br>0.5 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 30G<br>0.5 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 31G<br>0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>29G 1 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>30G 1 ML 30 GAUGE X 5/16             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>29GX1/2" 29 GAUGE X 1/2"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>31GX5/16 31 GAUGE X 5/16"                 | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                 | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                 | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL 29 GAUGE X<br>1/2"      | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 31GX3/16"<br>31GX5MM,STRL,MINI 31 GAUGE<br>X 3/16" | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| UNIFINE PENTIPS 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                       | 2                | PA; ST                     |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)                     | 2                | PA; ST                     |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                        | 2                | PA; ST                     |
| UNIFINE PENTIPS 8MM 31G 31GX8MM, SHORT, STRL 31 GAUGE X 5/16" (pen needle, diabetic)  | 2                | PA; ST                     |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)             | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)                | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                  | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)                | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"                                              | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"                                              | 2                | PA; ST                     |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"                                              | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"                                          | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"                                          | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                          |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| UNIFINE SAFECONTROL 31G<br>5MM 31 GAUGE X 3/16"                    | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"                     |                                   | 2         | PA; ST              |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"                    |                                   | 2         | PA; ST              |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"                    |                                   | 2         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>5MM 31 GAUGE X 3/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                   | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE ULTRA PEN NDL 31G<br>8MM 31 GAUGE X 5/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE ULTRA PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| VANISHPOINT 0.5 ML 30GX1/2"<br>SY OUTER 0.5 ML 30 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VANISHPOINT INS 0.5 ML 30G<br>8MM OUTER 0.5 ML 30 GAUGE X<br>5/16" |                                   | 2         | PA; ST              |
| VANISHPOINT INS 1 ML<br>30GX3/16" 1 ML 30 GAUGE X<br>3/16"         |                                   | 2         | PA; ST              |
| VANISHPOINT U-100 29X1/2 SYR<br>1 ML 29 GAUGE X 1/2"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERIFINE INS SYR 1 ML 29G 1/2"<br>1 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"                    | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                    | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 31G X<br>6MM 31 GAUGE X 1/4"                   | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 31G X<br>8MM 31 GAUGE X 5/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                             |                                   | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| VERIFINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 32G X<br>4MM 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PEN NEEDLE 32G X<br>5MM 32 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PLUS PEN NDL 31G<br>5MM 31 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PLUS PEN NDL 31G<br>8MM 31 GAUGE X 5/16"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| VERIFINE PLUS PEN NDL 32G<br>4MM-SHARPS CONTAINER 32<br>GAUGE X 5/32" |                                   | 2         | PA; ST              |
| VERIFINE SYRING 0.5 ML 29G<br>1/2" 0.5 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERIFINE SYRING 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERIFINE SYRNG 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERIFINE SYRNG 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| VERSALON ALL PURPOSE<br>SPONGE 25'S,N-STERILE,3PLY 2<br>X 2 "         |                                   | 1         | PA; ST              |
| V-GO 20 DEVICE                                                        |                                   | 3         | QL (30 per 30 days) |
| V-GO 30 DEVICE                                                        |                                   | 3         | QL (30 per 30 days) |
| V-GO 40 DEVICE                                                        |                                   | 3         | QL (30 per 30 days) |
| WEBCOL ALCOHOL PREPS<br>20'S,LARGE                                    | (alcohol swabs)                   | 1         | PA; ST              |
| WM UNIFINE PENTIP PLUS 8MM<br>31G W/ SAFETY CLICK 31<br>GAUGE X 5/16" | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                                                              | Drug Tier | Requirements/Limits              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                     |           |                                  |
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                     |           |                                  |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG                                                                                                                                      | 5         | PA; NM; NDS; QL (90 per 30 days) |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                    |           |                                  |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                    |           |                                  |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 3         |                                  |
| <i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)                                                                                                                               | 5         | PA; NM; NDS                      |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)                                                                                                                      | 5         | PA; NM; NDS                      |
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                                                        | 5         | PA; NM; NDS                      |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                                                                                  | 5         | PA BvD; NM; NDS                  |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)                                                                                                                               | 5         | PA; NM; NDS                      |
| <i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)                                                                                                                               | 5         | PA; NM; NDS                      |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML                                                                                                     | 5         | PA; NM; LA; NDS                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                                                                                                                                                                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| ZENPEP ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 10,000-32,000 -<br>42,000 UNIT, 15,000-47,000 -63,000<br>UNIT, 20,000-63,000- 84,000 UNIT,<br>25,000-79,000- 105,000 UNIT,<br>3,000-10,000 -14,000-UNIT, 40,000-<br>126,000- 168,000 UNIT, 5,000-<br>17,000- 24,000 UNIT, 60,000-<br>189,600- 252,600 UNIT | 3         |                     |
| <b>Eye, Ear, Nose, Throat Agents</b>                                                                                                                                                                                                                                                                        |           |                     |
| <b>Eye, Ear, Nose, Throat Agents,<br/>Miscellaneous</b>                                                                                                                                                                                                                                                     |           |                     |
| <i>atropine ophthalmic (eye) drops 1 %</i>                                                                                                                                                                                                                                                                  | 2         |                     |
| <i>azelastine nasal spray,non-aerosol<br/>137 mcg (0.1 %)</i>                                                                                                                                                                                                                                               | 2         | QL (60 per 30 days) |
| <i>azelastine nasal spray,non-aerosol</i> (Astepro Allergy)<br><i>205.5 mcg (0.15 %)</i>                                                                                                                                                                                                                    | 2         | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops<br/>0.05 %</i>                                                                                                                                                                                                                                                         | 2         |                     |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>                                                                                                                                                                                                                                                                  | 2         |                     |
| <i>epinastine ophthalmic (eye) drops<br/>0.05 %</i>                                                                                                                                                                                                                                                         | 2         |                     |
| <i>ipratropium bromide nasal<br/>spray,non-aerosol 21 mcg (0.03 %)</i>                                                                                                                                                                                                                                      | 2         | QL (30 per 28 days) |
| <i>ipratropium bromide nasal<br/>spray,non-aerosol 42 mcg (0.06 %)</i>                                                                                                                                                                                                                                      | 2         | QL (15 per 10 days) |
| MIEBO (PF) OPHTHALMIC (EYE)<br>DROPS 100 %                                                                                                                                                                                                                                                                  | 3         | QL (12 per 28 days) |
| <i>olopatadine ophthalmic (eye) drops<br/>0.1 %</i> (Eye Allergy Itch-<br>Redness Rlf)                                                                                                                                                                                                                      | 2         |                     |
| <i>olopatadine ophthalmic (eye) drops<br/>0.2 %</i> (Advanced Eye Relief<br>(olopatad))                                                                                                                                                                                                                     | 2         |                     |
| <b>Eye, Ear, Nose, Throat Anti-<br/>Infectives Agents</b>                                                                                                                                                                                                                                                   |           |                     |
| <i>acetic acid otic (ear) solution 2 %</i>                                                                                                                                                                                                                                                                  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>                                                       | 2                |                            |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)                          | 2                |                            |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>                                                           | 2                |                            |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>                                        | 2                | QL (7.5 per 7 days)        |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>                                                 | 2                | QL (3.5 per 4 days)        |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>                                                                  | 2                |                            |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>                                                        | 2                |                            |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)                                                      | 2                |                            |
| <b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>                                                            | 4                |                            |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)       | 2                |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)      | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>                     | 2                |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>                      | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                           | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                 | <b>Drug Tier</b>                     | <b>Requirements/Limits</b>       |
|----------------------------------------------------------------------------------|--------------------------------------|----------------------------------|
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-1 %</i>  | 2                                    |                                  |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1 %</i>     | (neomycin-bacitracin-poly-hc)<br>2   |                                  |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>       | (neomycin-bacitracin-polymyxin)<br>2 |                                  |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i>                                    | (Ocuflox)<br>2                       |                                  |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                          | 2                                    |                                  |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>                    | (bacitracin-polymyxin b)<br>2        |                                  |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1                                    |                                  |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                          | 2                                    |                                  |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                       | 2                                    |                                  |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>    | 2                                    |                                  |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                   | 1                                    |                                  |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>      | 2                                    |                                  |
| <i>tobramycin-lotepred ophthalmic (eye) drops,suspension 0.3-0.5 %</i>           | (Zylet)<br>2                         |                                  |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                                   | 2                                    |                                  |
| <b>XDEMVIY OPHTHALMIC (EYE) DROPS 0.25 %</b>                                     | 5                                    | PA; NM; NDS; QL (10 per 42 days) |
| <b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>                                        | 4                                    |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                      | Drug Tier | Requirements/Limits  |
|------------------------------------------------------------------------------------------------|-----------|----------------------|
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>                                         |           |                      |
| <i>bromfenac ophthalmic (eye) drops</i> (Prolensa)<br>0.07 %                                   | 2         |                      |
| <i>cyclosporine ophthalmic (eye) dropperette</i> (Restasis)<br>0.05 %                          | 2         | QL (60 per 30 days)  |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %                             | 2         |                      |
| <i>diclofenac sodium ophthalmic (eye) drops</i> 0.1 %                                          | 2         |                      |
| <i>difluprednate ophthalmic (eye) drops</i> (Durezol)<br>0.05 %                                | 2         |                      |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %                                               | 3         | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)                                    | 2         | QL (50 per 25 days)  |
| <i>fluocinolone acetonide oil otic (ear) drops</i> 0.01 % (DermOtic Oil)                       | 2         |                      |
| <i>fluorometholone ophthalmic (eye) drops,suspension</i> 0.1 % (FML Liquifilm)                 | 2         |                      |
| <i>flurbiprofen sodium ophthalmic (eye) drops</i> 0.03 %                                       | 2         |                      |
| <i>fluticasone propionate nasal spray,suspension</i> 50 mcg/actuation (24 Hour Allergy Relief) | 1         | QL (16 per 30 days)  |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %                                                 | 3         |                      |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %                                                 | 3         | QL (5.6 per 14 days) |
| <i>ketorolac ophthalmic (eye) drops</i> 0.5 % (Acular)                                         | 2         | QL (10 per 25 days)  |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %                                                        | 3         | QL (3.5 per 14 days) |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %                                                   | 3         | QL (5 per 16 days)   |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel</i> 0.5 % (Lotemax)                        | 2         | QL (10 per 14 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)                          | 2         | ST                      |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>                                  | 2         | QL (15 per 19 days)     |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))               | 2         | QL (34 per 30 days)     |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)                        | 4         |                         |
| XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %                                                                | 3         | QL (60 per 30 days)     |
| <b>Gastrointestinal Agents</b>                                                                        |           |                         |
| <b>Antiulcer Agents And Acid Suppressants</b>                                                         |           |                         |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                                   | 2         |                         |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>                                                       | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)                      | 2         |                         |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)        | 2         | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)               | 2         | ST; QL (60 per 30 days) |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                                 | 1         |                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                          | 1         |                         |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))           | 2         | QL (30 per 30 days)     |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)                              | 2         | QL (60 per 30 days)     |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                                             | 2         |                         |
| <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>                             | 1         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                        | Drug Tier | Requirements/Limits        |
|----------------------------------------------------------------------------------|-----------|----------------------------|
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix) | 1         |                            |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)          | 2         |                            |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                                  | 2         |                            |
| VOQUEZNA ORAL TABLET 10 MG, 20 MG                                                | 4         | PA                         |
| <b>Gastrointestinal Agents, Other</b>                                            |           |                            |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)                 | 5         | PA; NM; NDS                |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)                        | 2         |                            |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                        | 2         |                            |
| <i>dicyclomine oral capsule 10 mg</i>                                            | 2         |                            |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                                      | 2         |                            |
| <i>dicyclomine oral tablet 20 mg</i>                                             | 2         |                            |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)                 | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)                           | 2         |                            |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)                          | 2         |                            |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                                 | 2         |                            |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)                           | 2         |                            |
| <i>kionex oral suspension 15 gram/60 ml</i> (sodium polystyrene sulfonate)       | 2         |                            |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)                        | 2         |                            |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                                    | 3         | QL (30 per 30 days)        |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                                    | 3         |                            |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))                | 2         |                            |
| <i>lubiprostone oral capsule 24 mcg</i>                                          | 2         | QL (60 per 30 days)        |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                                 | 2         | QL (120 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                       | Drug Tier | Requirements/Limits              |
|-------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i>                                               | 2         |                                  |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)                                      | 1         |                                  |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                                                             | 3         | QL (30 per 30 days)              |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>                                         | 2         |                                  |
| <i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i> (Kionex)                      | 2         |                                  |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>                                     | 2         |                                  |
| TRULANCE ORAL TABLET 3 MG                                                                       | 3         | QL (30 per 30 days)              |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                                           | 5         | NM; NDS                          |
| <i>ursodiol oral capsule 300 mg</i>                                                             | 2         |                                  |
| <i>ursodiol oral tablet 250 mg</i>                                                              | 2         |                                  |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                                                 | 2         |                                  |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                           | 3         |                                  |
| XERMELO ORAL TABLET 250 MG                                                                      | 5         | PA; NM; NDS; QL (84 per 28 days) |
| <b>Laxatives</b>                                                                                |           |                                  |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)             | 2         |                                  |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)             | 2         |                                  |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)                               | 2         |                                  |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)             | 2         |                                  |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)                               | 2         |                                  |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 2         |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                              | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------|-----------|---------------------|
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i> | 2         |                     |
| <b>Phosphate Binders</b>                                                               |           |                     |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>                              | 2         |                     |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>                               | 2         |                     |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)          | 2         |                     |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)                                | 2         |                     |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i>                                        | 2         |                     |
| <b>Genitourinary Agents</b>                                                            |           |                     |
| <b>Antispasmodics, Urinary</b>                                                         |           |                     |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                      | 2         |                     |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)             | 2         |                     |
| <i>flavoxate oral tablet 100 mg</i>                                                    | 2         |                     |
| <b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</b> (mirabegron)          | 2         |                     |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                        | 2         |                     |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                            | 2         |                     |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>        | 2         |                     |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                                  | 2         |                     |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>                       | 2         |                     |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>                                              | 2         |                     |
| <i>trospium oral tablet 20 mg</i>                                                      | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                   | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b>Genitourinary Agents,<br/>Miscellaneous</b>                                              |           |                                   |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)                       | 2         | QL (30 per 30 days)               |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                            | 2         |                                   |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                               | 1         |                                   |
| <i>tamsulosin oral capsule 0.4 mg</i>                                                       | 1         |                                   |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                       | 1         |                                   |
| <b>Heavy Metal Antagonists</b>                                                              |           |                                   |
| <b>Heavy Metal Antagonists</b>                                                              |           |                                   |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)          | 5         | PA; NM; NDS                       |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)                               | 2         | PA                                |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                                   | 5         | PA; NM; NDS                       |
| <i>trientine oral capsule 250 mg</i> (Syprine)                                              | 5         | PA; NM; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents,<br/>Stimulant/Replacement/Modifying</b>                                 |           |                                   |
| <b>Androgens</b>                                                                            |           |                                   |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                           | 2         |                                   |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>                                                | 2         | PA                                |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)    | 2         | PA                                |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                            | 2         | PA                                |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                   | 2         | PA; QL (5 per 28 days)            |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo) | 2         | PA; QL (300 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                                             |                                | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------|----------------------------|
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>                                                  | (AndroGel)                     | 2         | PA; QL (150 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>                                                                     |                                | 2         | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i>                                                                      | (Vogelxo)                      | 2         | PA; QL (300 per 30 days)   |
| <b>Estrogens And Antiestrogens</b>                                                                                                    |                                |           |                            |
| <i>abigale lo oral tablet 0.5-0.1 mg</i>                                                                                              | (estradiol-norethindrone acet) | 1         |                            |
| <i>abigale oral tablet 1-0.5 mg</i>                                                                                                   | (estradiol-norethindrone acet) | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i>                                                    | (Premarin)                     | 2         |                            |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>                | (estradiol)                    | 2         | QL (8 per 28 days)         |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                       |                                | 1         |                            |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>            | (Dotti)                        | 2         | QL (8 per 28 days)         |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | (Climara)                      | 2         | QL (4 per 28 days)         |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>                                                                                   | (Estrace)                      | 2         |                            |
| <i>estradiol vaginal tablet 10 mcg</i>                                                                                                | (Yuvaferm)                     | 2         | QL (18 per 28 days)        |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>                                                                            | (Abigale Lo)                   | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>                                                                              | (Abigale)                      | 2         | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)                                     | 2         | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM                                                                  | 3         |                            |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)                                                  | 3         | PA-HRM; AGE (Max 64 Years) |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                                 | 3         | PA-HRM; AGE (Max 64 Years) |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                                          | 2         |                            |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol)                                                      | 2         | QL (18 per 28 days)        |
| <b>Glucocorticoids/Mineralocorticoids</b>                                                             |           |                            |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>                                                        | 2         |                            |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                      | 2         |                            |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                            | 1         |                            |
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                             | 2         |                            |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)                                         | 2         |                            |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)                         | 2         |                            |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                                      | 2         |                            |
| <i>methylprednisolone oral tablet 32 mg</i>                                                           | 2         |                            |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))                                 | 1         |                            |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>                                          | 2         | PA BvD                     |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                          | 2         | PA BvD                     |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2         | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                              | Drug Tier | Requirements/Limits                   |
|----------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>prednisone oral solution 5 mg/5 ml</i>                                              | 2         | PA BvD                                |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                  | 1         | PA BvD                                |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 2         |                                       |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)                 | 2         |                                       |
| <b>Pituitary</b>                                                                       |           |                                       |
| CORTROPHIN GEL INJECTION<br>GEL 80 UNIT/ML                                             | 5         | PA; NM; NDS; QL (35 per 28 days)      |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>                            | 2         |                                       |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>                     | 2         |                                       |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)                                 | 2         |                                       |
| INCRELEX SUBCUTANEOUS<br>SOLUTION 10 MG/ML                                             | 5         | PA; NM; NDS                           |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)                | 5         | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG                        | 5         | PA NSO; NM; NDS                       |
| LUPRON DEPOT<br>INTRAMUSCULAR SYRINGE KIT<br>3.75 MG                                   | 5         | PA NSO; NM; NDS                       |
| LUPRON DEPOT-PED (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG, 30 MG             | 5         | PA; NM; NDS                           |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR SYRINGE KIT<br>45 MG                                 | 5         | PA; NM; NDS                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                                      | Drug Tier | Requirements/Limits                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| NORDITROPIN FLEXPRO<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/1.5 ML (6.7 MG/ML), 15<br>MG/1.5 ML (10 MG/ML), 30 MG/3<br>ML (10 MG/ML), 5 MG/1.5 ML (3.3<br>MG/ML) | 5         | PA; NM; NDS                              |
| <i>octreotide acetate injection solution</i><br><i>1,000 mcg/ml</i>                                                                                            | 5         | NM; NDS                                  |
| <i>octreotide acetate injection solution</i> (Sandostatin)<br><i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>                                                         | 2         |                                          |
| <i>octreotide acetate injection solution</i><br><i>200 mcg/ml</i>                                                                                              | 2         |                                          |
| ORGOVYX ORAL TABLET 120<br>MG                                                                                                                                  | 5         | PA NSO; NM; NDS                          |
| ORILISSA ORAL TABLET 150 MG                                                                                                                                    | 5         | PA; NM; NDS; QL (28<br>per 28 days)      |
| ORILISSA ORAL TABLET 200 MG                                                                                                                                    | 5         | PA; NM; NDS; QL (56<br>per 28 days)      |
| SEROSTIM SUBCUTANEOUS<br>RECON SOLN 4 MG, 5 MG, 6 MG                                                                                                           | 5         | PA; NM; NDS                              |
| SIGNIFOR SUBCUTANEOUS<br>SOLUTION 0.3 MG/ML (1 ML), 0.6<br>MG/ML (1 ML), 0.9 MG/ML (1 ML)                                                                      | 5         | PA; NM; NDS; QL (60<br>per 30 days)      |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 60<br>MG/0.2 ML                                                                                          | 5         | PA NSO; NM; NDS; QL<br>(0.2 per 28 days) |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 90<br>MG/0.3 ML                                                                                          | 5         | PA NSO; NM; NDS; QL<br>(0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS<br>RECON SOLN 10 MG, 15 MG, 20<br>MG, 25 MG, 30 MG                                                                                       | 5         | PA; NM; NDS                              |
| <b>Progestins</b>                                                                                                                                              |           |                                          |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SYRINGE 104<br>MG/0.65 ML                                                                                                | 3         | QL (0.65 per 84 days)                    |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)                                                                                                      | 2         |                                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                        | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)                                                                     | 2         |                            |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)                                                                        | 2         |                            |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)                                                                             | 1         |                            |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>                                                                | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                                                                                        | 2         |                            |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)                                                                          | 2         |                            |
| <b>Thyroid And Antithyroid Agents</b>                                                                                                            |           |                            |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T) | 1         |                            |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)                                                                                   | 2         |                            |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)                                                                                   | 2         |                            |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                                                       | 1         |                            |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                                                        | 2         |                            |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG                                                                                                       | 5         | PA; NM; NDS                |
| <b>Immunological Agents</b>                                                                                                                      |           |                            |
| <b>Immunological Agents</b>                                                                                                                      |           |                            |
| <i>adalimumab-aaty subcutaneous auto-injector, kit 40 mg/0.4 ml</i> (Yuflyma(CF) Autoinjector)                                                   | 5         | PA; NM; NDS                |
| <i>adalimumab-aaty subcutaneous auto-injector, kit 80 mg/0.8 ml</i> (adalimumab-aaty(CF) AI Crohns)                                              | 5         | PA; NM; NDS                |
| <i>adalimumab-aaty subcutaneous syringe kit 20 mg/0.2 ml, 40 mg/0.4 ml</i> (Yuflyma(CF))                                                         | 5         | PA; NM; NDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>             |
|-------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------|
| <i>adalimumab-aaty(cf) ai crohns</i> (adalimumab-aaty)<br><i>subcutaneous auto-injector, kit 80</i><br><i>mg/0.8 ml</i> | 5                | PA; NM; NDS                            |
| ARCALYST SUBCUTANEOUS<br>RECON SOLN 220 MG                                                                              | 5                | PA; NM; NDS                            |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                                                          | 2                | PA BvD                                 |
| <i>azathioprine sodium injection recon</i><br><i>soln 100 mg</i>                                                        | 2                | PA BvD                                 |
| BENLYSTA SUBCUTANEOUS<br>AUTO-INJECTOR 200 MG/ML                                                                        | 5                | PA; NM; NDS; QL (8<br>per 28 days)     |
| BENLYSTA SUBCUTANEOUS<br>SYRINGE 200 MG/ML                                                                              | 5                | PA; NM; NDS; QL (8<br>per 28 days)     |
| BESREMI SUBCUTANEOUS<br>SYRINGE 500 MCG/ML                                                                              | 5                | PA NSO; NM; NDS; QL<br>(2 per 28 days) |
| CIMZIA POWDER FOR RECONST<br>SUBCUTANEOUS KIT 400 MG<br>(200 MG X 2 VIALS)                                              | 5                | PA; NM; NDS                            |
| CIMZIA STARTER KIT<br>SUBCUTANEOUS SYRINGE KIT<br>400 MG/2 ML (200 MG/ML X 2)                                           | 5                | PA; NM; NDS                            |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 200 MG/ML, 400<br>MG/2 ML (200 MG/ML X 2)                                            | 5                | PA; NM; NDS                            |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML                                                              | 5                | PA; NM; NDS                            |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                                                         | 5                | PA; NM; NDS                            |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                                                           | 5                | PA; NM; NDS                            |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML                                                       | 5                | PA; NM; NDS                            |
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br><i>250 mg/5 ml</i>                                             | 2                | PA BvD                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br>100 mg, 25 mg                                                   | 2                | PA BvD                     |
| <i>cyclosporine modified oral capsule</i><br>50 mg                                                                     | 2                | PA BvD                     |
| <i>cyclosporine modified oral solution</i> (Neoral)<br>100 mg/ml                                                       | 2                | PA BvD                     |
| <i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)                                                            | 2                | PA BvD                     |
| CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm)<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML     | 5                | PA; NM; NDS                |
| CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm)<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML      | 5                | PA; NM; NDS                |
| CYLTEZO(CF) PEN (adalimumab-adbm)<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML                       | 5                | PA; NM; NDS                |
| CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm)<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5                | PA; NM; NDS                |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML                                               | 5                | PA; NM; NDS                |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 5                | PA; NM; NDS                |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                                                  | 5                | PA; NM; NDS                |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML                                                                           | 5                | PA; NM; NDS                |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)                                                  | 5                | PA; NM; NDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>                       |
|----------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------|
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)                                         | 5                | PA; NM; NDS                                      |
| <i>everolimus (immunosuppressive) oral</i> (Zortress)<br><i>tablet 0.25 mg</i>                           | 2                | PA BvD                                           |
| <i>everolimus (immunosuppressive) oral</i> (Zortress)<br><i>tablet 0.5 mg, 0.75 mg, 1 mg</i>             | 5                | PA BvD; NM; NDS                                  |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)                                                      | 5                | PA BvD; NM; NDS                                  |
| <i>engraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                                         | 2                | PA BvD                                           |
| <i>engraf oral solution 100 mg/ml</i> (cyclosporine modified)                                            | 2                | PA BvD                                           |
| HADLIMA PUSH TOUCH<br>SUBCUTANEOUS AUTO-<br>INJECTOR 40 MG/0.8 ML                                        | 5                | PA; NM; NDS                                      |
| HADLIMA SUBCUTANEOUS<br>SYRINGE 40 MG/0.8 ML                                                             | 5                | PA; NM; NDS                                      |
| HADLIMA(CF) PUSH TOUCH (adalimumab-bwwd)<br>SUBCUTANEOUS AUTO-<br>INJECTOR 40 MG/0.4 ML                  | 5                | PA; NM; NDS                                      |
| HADLIMA(CF) SUBCUTANEOUS (adalimumab-bwwd)<br>SYRINGE 40 MG/0.4 ML                                       | 5                | PA; NM; NDS                                      |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                           | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.8 ML                                                 | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA SUBCUTANEOUS<br>SYRINGE KIT 40 MG/0.8 ML                                                          | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEDI CROHNS<br>STARTER SUBCUTANEOUS<br>SYRINGE KIT 80 MG/0.8 ML, 80<br>MG/0.8 ML-40 MG/0.4 ML | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEN CROHNS-UC-<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                            | 5                | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| Drug Name                                                                                                      | Drug Tier | Requirements/Limits                              |
|----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| HUMIRA(CF) PEN PEDIATRIC<br>UC SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                                   | 5         | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEN PSOR-UV-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML-40<br>MG/0.4 ML               | 5         | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) PEN<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 80 MG/0.8 ML                                  | 5         | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| HUMIRA(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML, 20<br>MG/0.2 ML, 40 MG/0.4 ML                             | 5         | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |
| <i>infliximab intravenous recon soln</i> (Remicade)<br>100 mg                                                  | 5         | PA; NM; NDS                                      |
| KINERET SUBCUTANEOUS<br>SYRINGE 100 MG/0.67 ML                                                                 | 5         | PA; NM; NDS                                      |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                                            | 2         |                                                  |
| <i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous)<br><i>intravenous recon soln 500 mg</i>              | 2         | PA BvD                                           |
| <i>mycophenolate mofetil oral capsule</i> (CellCept)<br>250 mg                                                 | 2         | PA BvD                                           |
| <i>mycophenolate mofetil oral</i> (CellCept)<br><i>suspension for reconstitution 200</i><br><i>mg/ml</i>       | 5         | PA BvD; NM; NDS                                  |
| <i>mycophenolate mofetil oral tablet</i> (CellCept)<br>500 mg                                                  | 2         | PA BvD                                           |
| <i>mycophenolate sodium oral</i> (Myfortic)<br><i>tablet, delayed release (dr/ec) 180</i><br><i>mg, 360 mg</i> | 2         | PA BvD                                           |
| NIKTIMVO INTRAVENOUS<br>SOLUTION 50 MG/ML                                                                      | 5         | PA NSO; NM; NDS                                  |
| NULOJIX INTRAVENOUS<br>RECON SOLN 250 MG                                                                       | 5         | PA BvD; NM; NDS                                  |
| ORENCIA (WITH MALTOSE)<br>INTRAVENOUS RECON SOLN<br>250 MG                                                     | 5         | PA; NM; NDS                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| ORENCIA CLICKJECT<br>SUBCUTANEOUS AUTO-<br>INJECTOR 125 MG/ML                                                                                                                                 | 5                | PA; NM; NDS                          |
| ORENCIA SUBCUTANEOUS<br>SYRINGE 125 MG/ML, 50 MG/0.4<br>ML, 87.5 MG/0.7 ML                                                                                                                    | 5                | PA; NM; NDS                          |
| OTEZLA ORAL TABLET 20 MG,<br>30 MG                                                                                                                                                            | 5                | PA; NM; NDS                          |
| OTEZLA STARTER ORAL<br>TABLETS,DOSE PACK 10 MG (4)-<br>20 MG (51), 10 MG (4)-20 MG (4)-<br>30 MG (47), 10 MG (4)-20 MG (4)-<br>30 MG(19)                                                      | 5                | PA; NM; NDS                          |
| OTEZLA XR INITIATION ORAL<br>TABLET AND TABLET ER DOSE<br>PACK 10-20-30-75 MG                                                                                                                 | 5                | PA; NM; NDS                          |
| OTEZLA XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 75<br>MG                                                                                                                                      | 5                | PA; NM; NDS                          |
| PROGRAF INTRAVENOUS (tacrolimus)<br>SOLUTION 5 MG/ML                                                                                                                                          | 4                | PA BvD                               |
| PROGRAF ORAL GRANULES IN<br>PACKET 0.2 MG, 1 MG                                                                                                                                               | 4                | PA BvD                               |
| RASUVO (PF) SUBCUTANEOUS<br>AUTO-INJECTOR 10 MG/0.2 ML,<br>12.5 MG/0.25 ML, 15 MG/0.3 ML,<br>17.5 MG/0.35 ML, 20 MG/0.4 ML,<br>22.5 MG/0.45 ML, 25 MG/0.5 ML,<br>30 MG/0.6 ML, 7.5 MG/0.15 ML | 4                | ST                                   |
| REZUROCK ORAL TABLET 200<br>MG                                                                                                                                                                | 5                | PA NSO; NM; NDS                      |
| RINVOQ LQ ORAL SOLUTION 1<br>MG/ML                                                                                                                                                            | 5                | PA; NM; NDS; QL (360<br>per 30 days) |
| RINVOQ ORAL TABLET<br>EXTENDED RELEASE 24 HR 15<br>MG, 30 MG, 45 MG                                                                                                                           | 5                | PA; NM; NDS                          |
| SELARSDI INTRAVENOUS<br>SOLUTION 130 MG/26 ML                                                                                                                                                 | 5                | PA; NM; NDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                   | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| SELARSDI SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                 | 3         | PA                                |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)                               | 3         | PA                                |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)                                   | 5         | PA; NM; NDS                       |
| <i>sirolimus oral solution 1 mg/ml</i>                                                      | 2         | PA BvD                            |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                             | 2         | PA BvD                            |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML                                                       | 5         | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML                                                 | 5         | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML                                                      | 5         | PA; NM; NDS                       |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5         | PA; NM; NDS                       |
| <i>tacrolimus intravenous solution 5 mg/ml</i> (Prograf)                                    | 2         | PA BvD                            |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                 | 2         | PA BvD                            |
| <i>tacrolimus oral capsule, extended release 24hr 0.5 mg, 1 mg</i> (Astagraf XL)            | 2         | PA BvD                            |
| <i>tacrolimus oral capsule, extended release 24hr 5 mg</i> (Astagraf XL)                    | 5         | PA BvD; NM; NDS                   |
| TAVNEOS ORAL CAPSULE 10 MG                                                                  | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>tofacitinib oral solution 1 mg/ml</i> (Xeljanz)                                          | 5         | PA; NM; NDS                       |
| <i>tofacitinib oral tablet 10 mg, 5 mg</i> (Xeljanz)                                        | 5         | PA; NM; NDS                       |
| <i>tofacitinib oral tablet extended release 24 hr 11 mg, 22 mg</i> (Xeljanz XR)             | 5         | PA; NM; NDS                       |
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)                                        | 5         | PA; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                    | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| TREMFYA ONE-PRESS<br>SUBCUTANEOUS AUTO-<br>INJECTOR 100 MG/ML                                                | 5         | PA; NM; NDS         |
| TREMFYA PEN INDUCTION<br>PK(2PEN) SUBCUTANEOUS PEN<br>INJECTOR 200 MG/2 ML                                   | 5         | PA; NM; NDS         |
| TREMFYA PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/2 ML                                                      | 5         | PA; NM; NDS         |
| TREMFYA SUBCUTANEOUS<br>SYRINGE 100 MG/ML, 200 MG/2<br>ML                                                    | 5         | PA; NM; NDS         |
| TYENNE AUTOINJECTOR<br>SUBCUTANEOUS PEN INJECTOR<br>162 MG/0.9 ML                                            | 5         | PA; NM; NDS         |
| TYENNE INTRAVENOUS<br>SOLUTION 200 MG/10 ML (20<br>MG/ML), 400 MG/20 ML (20<br>MG/ML), 80 MG/4 ML (20 MG/ML) | 5         | PA; NM; NDS         |
| TYENNE SUBCUTANEOUS<br>SYRINGE 162 MG/0.9 ML                                                                 | 5         | PA; NM; NDS         |
| <i>ustekinumab-aaaz subcutaneous</i> (Otulfi)<br><i>syringe 45 mg/0.5 ml, 90 mg/ml</i>                       | 3         | PA                  |
| XELJANZ ORAL SOLUTION 1 (tofacitinib)<br>MG/ML                                                               | 5         | PA; NM; NDS         |
| XELJANZ ORAL TABLET 10 MG, (tofacitinib)<br>5 MG                                                             | 5         | PA; NM; NDS         |
| XELJANZ XR ORAL TABLET (tofacitinib)<br>EXTENDED RELEASE 24 HR 11<br>MG, 22 MG                               | 5         | PA; NM; NDS         |
| YESINTEK INTRAVENOUS<br>SOLUTION 130 MG/26 ML                                                                | 5         | PA; NM; NDS         |
| YESINTEK SUBCUTANEOUS<br>SOLUTION 45 MG/0.5 ML                                                               | 3         | PA                  |
| YESINTEK SUBCUTANEOUS<br>SYRINGE 45 MG/0.5 ML                                                                | 3         | PA                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML                                                                   | 5         | PA; NM; NDS         |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty)<br>HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML          | 5         | PA; NM; NDS         |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty)<br>SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5         | PA; NM; NDS         |
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty)<br>SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML                     | 5         | PA; NM; NDS         |
| <b>Vaccines</b>                                                                                          |           |                     |
| ABRYSVO (PF)<br>INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML                                                  | 3         | \$0 copay           |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                                                       | 3         |                     |
| ADACEL(TDAP ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML               | 3         | \$0 copay           |
| ADACEL(TDAP ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML                  | 3         | \$0 copay           |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML                                   | 3         | \$0 copay           |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG                               | 3         | \$0 copay           |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML                                                     | 3         | \$0 copay           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                         | 3                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                           | 3                | \$0 copay                  |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML    | 3                |                            |
| DENG VAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML | 3                | QL (3 per 365 days)        |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                       | 3                | PA BvD; \$0 copay          |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                          | 3                | PA BvD; \$0 copay          |
| ENGRIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML                            | 3                | PA BvD; \$0 copay          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                                        | 3                | \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML                                           | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                                     | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                                   | 3                |                            |
| HEPLISAV-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/0.5 ML                                    | 3                | PA BvD; \$0 copay          |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                       | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------|------------------|----------------------------|
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT         | 3                | PA BvD; \$0 copay          |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML | 3                |                            |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                           | 3                | \$0 copay                  |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                          | 3                | \$0 copay                  |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5   | 3                | \$0 copay                  |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML          | 3                |                            |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML                    | 3                | \$0 copay                  |
| MENQUADFI (PF)<br>INTRAMUSCULAR SOLUTION 10<br>MCG/0.5 ML                  | 3                | \$0 copay                  |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML        | 3                | \$0 copay                  |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML     | 3                | \$0 copay                  |
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                     | 3                | \$0 copay                  |
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML   | 3                |                            |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML                | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML                                              | 3                | \$0 copay                  |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 3                | \$0 copay                  |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 3                | \$0 copay                  |
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                          | 3                | \$0 copay                  |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG     | 3                | \$0 copay                  |
| PENMENVY MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                  | 3                | \$0 copay                  |
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15LF-<br>20MCG-5LF- 62 DU/0.5 ML                                 | 3                |                            |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3.4-4.2-<br>3.3CCID50/0.5ML      | 3                | \$0 copay                  |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5      | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML                         | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-----------------------------------------------------------------------------------------|------------------|-----------------------------------|
| QUADRACEL (PF)<br>INTRAMUSCULAR SYRINGE 15<br>LF-48 MCG- 5 LF UNIT/0.5ML                | 3                |                                   |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                | 3                | PA BvD; \$0 copay                 |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML | 3                | PA BvD; \$0 copay                 |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                  | 3                | PA BvD; \$0 copay                 |
| ROTARIX ORAL SUSPENSION<br>10EXP6 CCID50 /1.5 ML                                        | 3                |                                   |
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                       | 3                |                                   |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML                                                   | 3                |                                   |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML        | 3                | \$0 copay; QL (2 per 365<br>days) |
| SHINGRIX (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                                 | 3                | \$0 copay; QL (2 per 365<br>days) |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                                    | 3                | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML                  | 3                | \$0 copay                         |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                             | 3                | \$0 copay                         |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                        | 3                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                            | 3                | \$0 copay                  |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                           | 3                | \$0 copay                  |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML                         | 3                | \$0 copay                  |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                          | 3                | \$0 copay                  |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch<br>vaccine)         | 3                | \$0 copay                  |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                                      | 3                |                            |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                          | 3                | \$0 copay                  |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                                         | 3                |                            |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                             | 3                | \$0 copay                  |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 1,350<br>UNIT/0.5 ML         | 3                | \$0 copay                  |
| VAXCHORA VACCINE ORAL<br>SUSPENSION FOR<br>RECONSTITUTION 4X10EXP8 TO<br>2X 10EXP9 CF UNIT | 3                | \$0 copay                  |
| VIMKUNYA INTRAMUSCULAR<br>SYRINGE 40 MCG/0.8 ML                                            | 3                | \$0 copay                  |
| VIVOTIF ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 2 BILLION<br>UNIT                        | 3                | \$0 copay                  |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10 EXP4.74<br>UNIT/0.5 ML     | 3                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------------------|-----------|----------------------|
| <b>Inflammatory Bowel Disease Agents</b>                                              |           |                      |
| <b>Inflammatory Bowel Disease Agents</b>                                              |           |                      |
| <i>alosetron oral tablet 0.5 mg</i> (Lotronex)                                        | 2         |                      |
| <i>alosetron oral tablet 1 mg</i> (Lotronex)                                          | 5         | NM; NDS              |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                                      | 2         |                      |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i>                         | 2         |                      |
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris)                                 | 2         |                      |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)                           | 2         |                      |
| <i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)                     | 2         |                      |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)             | 2         |                      |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)              | 2         | QL (120 per 30 days) |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                  | 2         |                      |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4         |                      |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                      |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                      |
| <i>alendronate oral solution 70 mg/75 ml</i>                                          | 2         | QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg</i>                                                  | 1         | QL (30 per 30 days)  |
| <i>alendronate oral tablet 35 mg</i>                                                  | 1         | QL (4 per 28 days)   |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                        | 1         | QL (4 per 28 days)   |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>                | 2         |                      |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                      | 2         |                      |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                                 | 2         | QL (60 per 30 days)  |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                        | 2         | QL (120 per 30 days) |
| <i>ibandronate oral tablet 150 mg</i>                                                 | 2         | QL (1 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                           | Drug Tier | Requirements/Limits                |
|-------------------------------------------------------------------------------------|-----------|------------------------------------|
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                             | 5         | PA; NM; NDS                        |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                             | 2         |                                    |
| <i>paricalcitol oral capsule 4 mcg</i>                                              | 2         |                                    |
| RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG                                 | 5         | NM; NDS; QL (60 per 30 days)       |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML                                              | 3         | QL (1 per 180 days)                |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 5         | PA; NM; NDS; QL (2.24 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 5         | PA; NM; NDS; QL (1.56 per 30 days) |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                    |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                    |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                      | 5         | PA; NM; NDS                        |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                     | 3         |                                    |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                 | 5         | PA; NM; NDS                        |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                      | 1         |                                    |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                               | 5         | NM; NDS                            |
| <i>glucagon emergency kit (human) injection recon soln 1 mg</i>                     | 3         |                                    |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)                | 5         | PA; NM; NDS; QL (180 per 30 days)  |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML          | 3         |                                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                      | Drug Tier | Requirements/Limits                      |
|--------------------------------------------------------------------------------|-----------|------------------------------------------|
| GVOKE PFS 1-PACK SYRINGE<br>SUBCUTANEOUS SYRINGE 0.5<br>MG/0.1 ML, 1 MG/0.2 ML | 3         |                                          |
| GVOKE SUBCUTANEOUS<br>SOLUTION 1 MG/0.2 ML                                     | 3         |                                          |
| <i>hydroxyzine pamoate oral capsule<br/>100 mg</i>                             | 2         |                                          |
| <i>hydroxyzine pamoate oral capsule 25<br/>mg, 50 mg</i>                       | 1         |                                          |
| <i>leucovorin calcium oral tablet 10 mg,<br/>15 mg, 25 mg, 5 mg</i>            | 2         |                                          |
| <i>mesna oral tablet 400 mg</i> (Mesnex)                                       | 5         | NM; NDS                                  |
| <i>nitroglycerin rectal ointment 0.4 %<br/>(w/w)</i> (Rectiv)                  | 2         | QL (30 per 30 days)                      |
| <i>pyridostigmine bromide oral tablet<br/>60 mg</i> (Mestinon)                 | 2         |                                          |
| THALOMID ORAL CAPSULE 100<br>MG                                                | 5         | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| THALOMID ORAL CAPSULE 150<br>MG, 200 MG                                        | 5         | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| THALOMID ORAL CAPSULE 50<br>MG                                                 | 5         | PA NSO; NM; NDS; QL<br>(224 per 28 days) |
| TYBOST ORAL TABLET 150 MG                                                      | 3         | QL (30 per 30 days)                      |
| VEOZAH ORAL TABLET 45 MG                                                       | 4         | PA; QL (30 per 30 days)                  |
| VOWST ORAL CAPSULE 1 X<br>10EXP6 TO 3 X 10EXP7 CELL                            | 5         | PA; NM; NDS; QL (12<br>per 30 days)      |
| <b>Ophthalmic Agents</b>                                                       |           |                                          |
| <b>Antiglaucoma Agents</b>                                                     |           |                                          |
| <i>acetazolamide oral capsule, extended<br/>release 500 mg</i>                 | 2         |                                          |
| <i>acetazolamide oral tablet 125 mg,<br/>250 mg</i>                            | 2         |                                          |
| <i>acetazolamide sodium injection<br/>recon soln 500 mg</i>                    | 2         |                                          |
| <i>betaxolol ophthalmic (eye) drops 0.5<br/>%</i>                              | 2         |                                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------|------------------|----------------------------|
| <i>brimonidine ophthalmic (eye) drops</i> (Alphagan P)<br>0.1 %, 0.15 %      | 2                |                            |
| <i>brimonidine ophthalmic (eye) drops</i><br>0.2 %                           | 2                |                            |
| <i>brimonidine-timolol ophthalmic (eye) drops</i> (Combigan)<br>0.2-0.5 %    | 2                |                            |
| <i>brinzolamide ophthalmic (eye) drops,suspension</i> (Azopt)<br>1 %         | 2                |                            |
| <i>carteolol ophthalmic (eye) drops</i> 1 %                                  | 2                |                            |
| <i>dorzolamide ophthalmic (eye) drops</i><br>2 %                             | 2                |                            |
| <i>dorzolamide-timolol ophthalmic (eye) drops</i> (Cosopt)<br>22.3-6.8 mg/ml | 2                |                            |
| <i>latanoprost ophthalmic (eye) drops</i> (Xalatan)<br>0.005 %               | 1                | QL (2.5 per 25 days)       |
| <i>levobunolol ophthalmic (eye) drops</i><br>0.5 %                           | 2                |                            |
| LUMIGAN OPTHALMIC (EYE) (bimatoprost)<br>DROPS 0.01 %                        | 3                | QL (2.5 per 25 days)       |
| <i>methazolamide oral tablet</i> 25 mg, 50 mg                                | 2                |                            |
| <i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 %                  | 2                |                            |
| RHOPRESSA OPTHALMIC (EYE) DROPS 0.02 %                                       | 3                | QL (2.5 per 25 days)       |
| ROCKLATAN OPTHALMIC (EYE) DROPS 0.02-0.005 %                                 | 3                | QL (2.5 per 25 days)       |
| SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %                           | 3                |                            |
| <i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 %                  | 1                |                            |
| <i>timolol ophthalmic (eye) drops</i> 0.5 % (Betimol)                        | 1                |                            |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z)<br>0.004 %             | 2                | QL (2.5 per 25 days)       |
| VYZULTA OPTHALMIC (EYE) DROPS 0.024 %                                        | 4                | QL (5 per 30 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                              | Drug Tier                        | Requirements/Limits |
|------------------------------------------------------------------------|----------------------------------|---------------------|
| <b>Replacement Preparations</b>                                        |                                  |                     |
| <b>Replacement Preparations</b>                                        |                                  |                     |
| <i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i>  | (d5 % and 0.9 % sodium chloride) | 2                   |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>  | (D5 % (d-glucose)-0.9 % sodchlr) | 2                   |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>     |                                  | 2                   |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>           | (potassium chloride)             | 2                   |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>           | (potassium chloride)             | 2                   |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>           | (potassium chloride)             | 2                   |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>           |                                  | 4                   |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>            |                                  | 2                   |
| <i>potassium chloride intravenous solution 2 meq/ml</i>                |                                  | 2                   |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> |                                  | 2                   |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>       |                                  | 2                   |
| <i>potassium chloride oral tablet extended release 10 meq</i>          | (Klor-Con 10)                    | 2                   |
| <i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>  |                                  | 2                   |
| <i>potassium chloride oral tablet extended release 8 meq</i>           | (Klor-Con 8)                     | 2                   |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i>     | (Klor-Con M10)                   | 2                   |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i>     | (Klor-Con M15)                   | 2                   |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i>     | (Klor-Con M20)                   | 2                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                                                                  | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)                                                      | 2         |                              |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)                                                                 | 2         |                              |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>                                                                       | 2         |                              |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>                                                                       | 2         |                              |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i>                                                                               | 2         |                              |
| <i>sodium chloride 0.9% solution mini-bag, single use</i>                                                                                  | 2         |                              |
| <b>Respiratory Tract Agents</b>                                                                                                            |           |                              |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                                                                        |           |                              |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3         | QL (12 per 30 days)          |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)                | 3         | QL (30 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)                              | 3         | QL (60 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE                                                                                 | 3         | QL (60 per 30 days)          |
| <i>breyndra inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)                         | 2         | QL (30.9 per 30 days)        |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)                                  | 2         | PA BvD; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>budesonide-formoterol inhalation hfa (Breyna)<br/>aerosol inhaler 160-4.5<br/>mcg/actuation, 80-4.5 mcg/actuation</i>                          | 2                | QL (30.6 per 30 days)      |
| <i>fluticasone propionate inhalation hfa<br/>aerosol inhaler 110 mcg/actuation</i>                                                                | 2                | QL (12 per 30 days)        |
| <i>fluticasone propionate inhalation hfa<br/>aerosol inhaler 220 mcg/actuation</i>                                                                | 2                | QL (24 per 30 days)        |
| <i>fluticasone propionate inhalation hfa<br/>aerosol inhaler 44 mcg/actuation</i>                                                                 | 2                | QL (21.2 per 30 days)      |
| <i>fluticasone propion-salmeterol (Wixela Inhub)<br/>inhalation blister with device 100-50<br/>mcg/dose, 250-50 mcg/dose, 500-50<br/>mcg/dose</i> | 2                | QL (60 per 30 days)        |
| <i>wixela inhub inhalation blister with<br/>device 100-50 mcg/dose, 250-50<br/>mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-<br>salmeterol) | 2                | QL (60 per 30 days)        |
| <b>Antileukotrienes</b>                                                                                                                           |                  |                            |
| <i>montelukast oral tablet 10 mg (Singulair)</i>                                                                                                  | 1                |                            |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)</i>                                                                                   | 2                |                            |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i>                                                                                                       | 2                |                            |
| <b>Bronchodilators</b>                                                                                                                            |                  |                            |
| <b>AIRSUPRA INHALATION HFA<br/>AEROSOL INHALER 90-80<br/>MCG/ACTUATION</b>                                                                        | 3                | QL (32.1 per 30 days)      |
| <i>albuterol sulfate inhalation hfa (Ventolin HFA)<br/>aerosol inhaler 90 mcg/actuation</i>                                                       | 2                | QL (17 per 30 days)        |
| <i>albuterol sulfate inhalation hfa<br/>aerosol inhaler 90 mcg/actuation<br/>(nda020503)</i>                                                      | 2                | QL (13.4 per 30 days)      |
| <i>albuterol sulfate inhalation hfa<br/>aerosol inhaler 90 mcg/actuation<br/>(nda020983)</i>                                                      | 2                | QL (36 per 30 days)        |
| <i>albuterol sulfate inhalation solution<br/>for nebulization 0.63 mg/3 ml, 1.25<br/>mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5<br/>mg/0.5 ml</i>       | 2                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                           | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------------------------------------------|-----------|------------------------------|
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)        | 3         | QL (60 per 30 days)          |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-18-4.8 MCG/ACTUATION, 160-9-4.8 MCG/ACTUATION | 3         | QL (10.7 per 30 days)        |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION                                             | 3         | QL (8 per 30 days)           |
| <i>ipratropium bromide inhalation hfa aerosol inhaler 17 mcg/actuation</i> (Atrovent HFA)           | 2         | QL (25.8 per 28 days)        |
| <i>ipratropium bromide inhalation solution 0.02 %</i>                                               | 2         | PA BvD                       |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>     | 2         | PA BvD; QL (540 per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE                                          | 3         | QL (60 per 30 days)          |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION                                                 | 3         | QL (4 per 30 days)           |
| SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION                                                  | 3         | QL (4 per 30 days)           |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION                                              | 3         | QL (4 per 30 days)           |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION                                                | 3         | QL (4 per 28 days)           |
| <i>theophylline oral solution 80 mg/15 ml</i>                                                       | 2         |                              |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>               | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                          | Drug Tier | Requirements/Limits                 |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>                              | 2         |                                     |
| <i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler) | 2         | QL (30 per 30 days)                 |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG                    | 3         | QL (60 per 30 days)                 |
| <b>Respiratory Tract Agents, Other</b>                                                             |           |                                     |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>                                  | 2         | PA BvD                              |
| ALYFTREK ORAL TABLET 10-50-125 MG                                                                  | 5         | PA; NM; NDS; QL (60 per 30 days)    |
| ALYFTREK ORAL TABLET 4-20-50 MG                                                                    | 5         | PA; NM; NDS; QL (90 per 30 days)    |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG                                           | 5         | NM; NDS; QL (560 per 28 days)       |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>                                    | 2         | PA BvD                              |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML                                                    | 5         | PA; NM; NDS; QL (1 per 28 days)     |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                                                | 5         | PA; NM; NDS; QL (1 per 28 days)     |
| JASCAYD ORAL TABLET 18 MG, 9 MG                                                                    | 5         | PA; NM; NDS; QL (60 per 30 days)    |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                              | 5         | PA; NM; NDS; QL (56 per 28 days)    |
| KALYDECO ORAL TABLET 150 MG                                                                        | 5         | PA; NM; NDS; QL (56 per 28 days)    |
| <i>nintedanib oral capsule 100 mg, 150 mg</i> (Ofev)                                               | 5         | PA; NM; NDS; QL (60 per 30 days)    |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                                        | 5         | PA; NM; LA; NDS; QL (3 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits                   |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                                                 | 5         | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML                                                                 | 5         | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML                                                              | 5         | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                                            | 5         | PA; NM; NDS; QL (112 per 28 days)     |
| <i>pirfenidone oral capsule 267 mg</i>                                                                | 5         | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                                                       | 5         | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 534 mg</i>                                                                 | 5         | PA; NM; NDS; QL (90 per 30 days)      |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                                                       | 5         | PA; NM; NDS; QL (90 per 30 days)      |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML                                                 | 5         | PA BvD; NM; NDS                       |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)                                                     | 2         | QL (28 per 28 days)                   |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)                                                     | 2         | QL (30 per 30 days)                   |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | 5         | PA; NM; NDS; QL (56 per 28 days)      |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)            | 5         | PA; NM; NDS; QL (84 per 28 days)      |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)                        | 5         | PA; NM; NDS; QL (1 per 21 days)       |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                | 5         | PA; NM; NDS                           |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG                                                                 | 5         | PA; NM; NDS                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                  | Drug Tier | Requirements/Limits                      |
|----------------------------------------------------------------------------|-----------|------------------------------------------|
| XOLAIR SUBCUTANEOUS<br>SYRINGE 150 MG/ML, 300 MG/2<br>ML, 75 MG/0.5 ML     | 5         | PA; NM; NDS                              |
| <b>Skeletal Muscle Relaxants</b>                                           |           |                                          |
| <b>Skeletal Muscle Relaxants</b>                                           |           |                                          |
| <i>baclofen oral tablet 10 mg, 20 mg, 5<br/>mg</i>                         | 2         |                                          |
| <i>cyclobenzaprine oral tablet 10 mg, 5<br/>mg</i>                         | 1         |                                          |
| <i>dantrolene oral capsule 100 mg, 50<br/>mg</i>                           | 2         |                                          |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium)                            | 2         |                                          |
| <i>methocarbamol oral tablet 500 mg,<br/>750 mg</i>                        | 2         |                                          |
| <i>tizanidine oral tablet 2 mg</i>                                         | 2         |                                          |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)                              | 2         |                                          |
| <b>Sleep Disorder Agents</b>                                               |           |                                          |
| <b>Sleep Disorder Agents</b>                                               |           |                                          |
| <i>armodafinil oral tablet 150 mg, 200<br/>mg, 250 mg, 50 mg</i> (Nuvigil) | 2         | PA; QL (30 per 30 days)                  |
| BELSOMRA ORAL TABLET 10<br>MG, 15 MG, 20 MG, 5 MG                          | 3         | QL (30 per 30 days)                      |
| <i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)                            | 2         | QL (30 per 30 days)                      |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3<br/>mg</i> (Lunesta)              | 2         | QL (30 per 30 days)                      |
| <i>modafinil oral tablet 100 mg</i> (Provigil)                             | 2         | PA; QL (30 per 30 days)                  |
| <i>modafinil oral tablet 200 mg</i> (Provigil)                             | 2         | PA; QL (60 per 30 days)                  |
| <i>sodium oxybate oral solution 500<br/>mg/ml</i> (Xyrem)                  | 5         | PA; NM; LA; NDS; QL<br>(540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                   | 2         | QL (30 per 30 days)                      |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                           | 1         | QL (30 per 30 days)                      |
| <b>Vasodilating Agents</b>                                                 |           |                                          |
| <b>Vasodilating Agents</b>                                                 |           |                                          |
| ADEMPAS ORAL TABLET 0.5<br>MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                  | 5         | PA; NM; NDS; QL (90<br>per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| Drug Name                                                                                 |                                  | Drug Tier | Requirements/Limits                  |
|-------------------------------------------------------------------------------------------|----------------------------------|-----------|--------------------------------------|
| <i>alyq oral tablet 20 mg</i>                                                             | (tadalafil (pulm. hypertension)) | 2         | PA; QL (60 per 30 days)              |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>                                               | (Tracleer)                       | 5         | PA; NM; LA; NDS; QL (60 per 30 days) |
| <i>macitentan oral tablet 10 mg</i>                                                       | (Opsumit)                        | 5         | PA; NM; NDS; QL (30 per 30 days)     |
| OPSUMIT ORAL TABLET 10 MG                                                                 | (macitentan)                     | 5         | PA; NM; NDS; QL (30 per 30 days)     |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>                                   | (Revatio)                        | 2         | PA; QL (360 per 30 days)             |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>                                        | (Viagra)                         | 1         | EX; CB (6 EA per 30 days)            |
| <i>tadalafil oral tablet 2.5 mg</i>                                                       |                                  | 2         | PA; QL (30 per 30 days)              |
| <i>tadalafil oral tablet 5 mg</i>                                                         | (Cialis)                         | 2         | PA; QL (30 per 30 days)              |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG |                                  | 5         | PA; NM; NDS; QL (60 per 30 days)     |
| UPTRAVI ORAL TABLET 200 MCG                                                               |                                  | 5         | PA; NM; NDS; QL (240 per 30 days)    |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)                                |                                  | 5         | PA; NM; NDS                          |
| YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG      |                                  | 5         | PA; NM; NDS                          |
| <b>Vitamins And Minerals</b>                                                              |                                  |           |                                      |
| <b>Vitamins And Minerals</b>                                                              |                                  |           |                                      |
| <i>bal-care dha combo pack 27-1-430 mg</i>                                                |                                  | 1         |                                      |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>                                |                                  | 1         |                                      |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>                                        |                                  | 1         |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>completenate tablet chew 29 mg iron-1 mg</i>                                                          | 1                |                            |
| <i>cyanocobalamin (vitamin b-12) injection solution</i>                                                  | 1                | EX                         |
| <i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> (ergocalciferol (vitamin d2))    | 1                | EX                         |
| <i>folic acid oral tablet 1 mg</i>                                                                       | 1                | EX                         |
| <i>folivane-ob capsule 85-1 mg</i>                                                                       | 1                |                            |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>                                                    | 1                |                            |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>                                                                | 1                |                            |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                             | 1                |                            |
| <i>mynatal advance oral tablet 90-1-50 mg</i>                                                            | 1                |                            |
| <i>mynatal capsule 65 mg iron- 1 mg</i>                                                                  | 1                |                            |
| <i>mynatal oral tablet 90-1-50 mg</i>                                                                    | 1                |                            |
| <i>mynatal plus captab 65 mg iron- 1 mg</i>                                                              | 1                |                            |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>                                                                 | 1                |                            |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>                                       | 1                |                            |
| <i>newgen tablet 32-1,000 mg-mcg</i>                                                                     | 1                |                            |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                                                 | 1                |                            |
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>                                                | 1                |                            |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>                            | 1                |                            |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                |                            |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>                                                 | 1                |                            |
| <i>pnv-omega softgel 28-1-300 mg</i>                                                                     | 1                |                            |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                                               | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                                       | 1                |                            |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>                                              | 1                |                            |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                                       | 1                |                            |
| <i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>                                              | 1                |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>                                                  | 1                |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>                                                | 1                |                            |
| <i>prenatabs fa tablet 29-1 mg</i>                                                                  | 1                |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>                               | 1                |                            |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)             | 1                |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                |                            |
| <i>prenatal-u capsule 106.5-1 mg</i>                                                                | 1                |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>                                                   | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                |                            |
| <i>taron-c dha capsule 35-1-200 mg</i>                                                              | 1                |                            |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>                          | 1                |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>                                             | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026



| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------|------------------|----------------------------|
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                | 1                |                            |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                | 1                |                            |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 1                |                            |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>        | 1                |                            |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                   | 1                |                            |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>        | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

08/01/2026

## INDEX

|                                            |                                            |                                                    |
|--------------------------------------------|--------------------------------------------|----------------------------------------------------|
| 1ST TIER UNIFINE PENTIPS<br>..... 104, 105 | <i>afirmelle</i> .....91                   | <i>ammonium lactate</i> .....100, 101              |
| 1ST TIER UNIFINE PENTIPS<br>PLUS..... 105  | AIMOVIG AUTOINJECTOR... 55                 | <i>amoxapine</i> .....43                           |
| <i>abacavir</i> .....67                    | AIRSUPRA..... 186                          | <i>amoxicil-clarithromy-lansopraz</i><br>..... 157 |
| <i>abacavir-lamivudine</i> .....67         | AKEEGA.....17                              | <i>amoxicillin</i> ..... 13                        |
| ABELCET..... 52                            | <i>ala-cort</i> ..... 102                  | <i>amoxicillin-pot clavulanate</i> ..... 14        |
| <i>abigale</i> ..... 162                   | <i>albendazole</i> .....58                 | <i>amphotericin b</i> .....52                      |
| <i>abigale lo</i> ..... 162                | <i>albuterol sulfate</i> .....186          | <i>amphotericin b liposome</i> ..... 52            |
| ABILIFY ASIMTUFII..... 60                  | ALCOHOL PADS.....105                       | <i>ampicillin</i> ..... 14                         |
| ABILIFY MAINTENA..... 60                   | ALCOHOL PREP PADS..... 127                 | <i>ampicillin sodium</i> ..... 14                  |
| <i>abiraterone</i> ..... 16, 17            | ALCOHOL SWABS..... 122                     | <i>ampicillin-sulbactam</i> ..... 14               |
| <i>abiraterone, submicronized</i> ..... 17 | ALCOHOL WIPES..... 133                     | <i>anagrelide</i> .....76                          |
| <i>abirtega</i> .....17                    | ALECENSA..... 17                           | <i>anastrozole</i> ..... 17                        |
| ABRYSVO (PF)..... 174                      | <i>alendronate</i> .....180                | ANKTIVA..... 17                                    |
| <i>acamprosate</i> .....7                  | <i>alfuzosin</i> .....161                  | ANORO ELLIPTA.....187                              |
| <i>acarbose</i> .....46                    | <i>aliskiren</i> ..... 87                  | <i>aprepitant</i> ..... 57                         |
| <i>acebutolol</i> ..... 81                 | <i>allopurinol</i> ..... 54                | <i>apri</i> ..... 92                               |
| <i>acetaminophen-codeine</i> .....3        | <i>alosetron</i> ..... 180                 | APTIVUS..... 67                                    |
| <i>acetazolamide</i> ..... 182             | <i>alprazolam</i> .....8                   | AQINJECT PEN NEEDLE<br>..... 105, 106              |
| <i>acetazolamide sodium</i> .....182       | <i>altavera (28)</i> ..... 92              | ARCALYST..... 167                                  |
| <i>acetic acid</i> .....153                | ALTRENO.....104                            | AREXVY (PF)..... 174                               |
| <i>acetylcysteine</i> .....188             | ALUNBRIG.....17                            | ARIKAYCE.....9                                     |
| <i>acitretin</i> .....100                  | ALVAIZ..... 75                             | <i>aripiprazole</i> ..... 60                       |
| ACTHIB (PF)..... 174                       | <i>alyacen 1/35 (28)</i> .....92           | ARISTADA.....61                                    |
| ACTIMMUNE.....181                          | <i>alyacen 7/7/7 (28)</i> .....92          | ARISTADA INITIO.....61                             |
| <i>acyclovir</i> ..... 73, 74, 100         | ALYFTREK..... 188                          | <i>armodafinil</i> ..... 190                       |
| <i>acyclovir sodium</i> ..... 74           | <i>alyq</i> ..... 191                      | ARNUITY ELLIPTA..... 185                           |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)..... 174 | <i>amantadine hcl</i> ..... 59             | <i>asenapine maleate</i> ..... 61                  |
| <i>adalimumab-aaty</i> ..... 166           | <i>amethyst (28)</i> ..... 92              | <i>aspirin-dipyridamole</i> ..... 77               |
| <i>adalimumab-aaty(cf) ai crohns</i> 167   | <i>amikacin</i> .....9                     | ASSURE ID DUO PRO SFTY<br>PEN NDL..... 106         |
| <i>adapalene</i> .....104                  | <i>amiloride</i> .....84                   | ASSURE ID DUO-SHIELD.... 106                       |
| <i>adefovir</i> ..... 74                   | <i>amiloride-hydrochlorothiazide</i> ...84 | ASSURE ID INSULIN<br>SAFETY..... 106               |
| ADEMPAS..... 190                           | <i>amiodarone</i> .....80                  | ASSURE ID PEN NEEDLE....106                        |
| <i>adrucil</i> .....17                     | <i>amitriptyline</i> ..... 43              | ASSURE ID PRO PEN<br>NEEDLE.....106                |
| ADVAIR HFA.....185                         | <i>amlodipine</i> ..... 84                 | <i>atazanavir</i> ..... 67                         |
| ADVOCATE PEN NEEDLE... 105                 | <i>amlodipine-atorvastatin</i> ..... 85    |                                                    |
| ADVOCATE SYRINGES.....105                  | <i>amlodipine-benazepril</i> .....84       |                                                    |
|                                            | <i>amlodipine-olmesartan</i> .....84       |                                                    |
|                                            | <i>amlodipine-valsartan</i> .....84        |                                                    |
|                                            | <i>amlodipine-valsartan-hcthiacid</i> ..84 |                                                    |

|                                      |     |                                          |     |                                          |          |
|--------------------------------------|-----|------------------------------------------|-----|------------------------------------------|----------|
| <i>atenolol</i> .....                | 81  | BCG VACCINE, LIVE (PF)....               | 174 | BETASERON.....                           | 89       |
| <i>atenolol-chlorthalidone</i> ..... | 81  | BD ALCOHOL SWABS.....                    | 107 | <i>betaxolol</i> .....                   | 182      |
| <i>atomoxetine</i> .....             | 88  | BD AUTOSHIELD DUO PEN                    |     | <i>bethanechol chloride</i> .....        | 160      |
| <i>atorvastatin</i> .....            | 86  | NEEDLE.....                              | 106 | <i>bexarotene</i> .....                  | 18       |
| <i>atovaquone</i> .....              | 58  | BD ECLIPSE LUER-LOK.....                 | 106 | BEXSERO.....                             | 174      |
| <i>atovaquone-proguanil</i> .....    | 58  | BD INSULIN SYRINGE.....                  | 106 | <i>bicalutamide</i> .....                | 18       |
| <i>atropine</i> .....                | 153 | BD INSULIN SYRINGE                       |     | BICILLIN L-A.....                        | 14       |
| ATTRUBY.....                         | 83  | (HALF UNIT).....                         | 106 | BIKTARVY.....                            | 68       |
| <i>aubra eq</i> .....                | 92  | BD INSULIN SYRINGE                       |     | <i>bisoprolol fumarate</i> .....         | 81       |
| AUGTYRO.....                         | 17  | ULTRA-FINE.....                          | 106 | <i>bisoprolol-hydrochlorothiazide</i> .. | 81       |
| <i>aurovela 1.5/30 (21)</i> .....    | 92  | BD SAFETYGLIDE INSULIN                   |     | BIZENGRI.....                            | 18       |
| <i>aurovela 1/20 (21)</i> .....      | 92  | SYRINGE.....                             | 107 | <i>bleomycin</i> .....                   | 18       |
| <i>aurovela 24 fe</i> .....          | 92  | BD SAFETYGLIDE SYRINGE                   |     | <i>blisovi 24 fe</i> .....               | 92       |
| <i>aurovela fe 1.5/30 (28)</i> ..... | 92  | .....                                    | 107 | <i>blisovi fe 1.5/30 (28)</i> .....      | 92       |
| <i>aurovela fe 1-20 (28)</i> .....   | 92  | BD ULTRA-FINE MICRO                      |     | <i>blisovi fe 1/20 (28)</i> .....        | 92       |
| AUSTEDO.....                         | 88  | PEN NEEDLE.....                          | 107 | BOOSTRIX TDAP.....                       | 175      |
| AUSTEDO XR.....                      | 88  | BD ULTRA-FINE MINI PEN                   |     | BORDERED GAUZE.....                      | 108      |
| AUSTEDO XR TITRATION                 |     | NEEDLE.....                              | 107 | <i>bortezomib</i> .....                  | 18       |
| KT(WK1-4).....                       | 89  | BD ULTRA-FINE NANO PEN                   |     | BORUZU.....                              | 18       |
| AUVELITY.....                        | 43  | NEEDLE.....                              | 107 | <i>bosentan</i> .....                    | 191      |
| <i>aviane</i> .....                  | 92  | BD ULTRA-FINE ORIG PEN                   |     | BOSULIF.....                             | 18       |
| AVMAPKI.....                         | 17  | NEEDLE.....                              | 107 | <i>bosutinib</i> .....                   | 19       |
| AVMAPKI-FAKZYNJA.....                | 17  | BD ULTRA-FINE SHORT                      |     | BRAFTOVI.....                            | 19       |
| AVONEX.....                          | 89  | PEN NEEDLE.....                          | 107 | BREO ELLIPTA.....                        | 185      |
| AXTLE.....                           | 17  | BD VEO INSULIN SYR                       |     | <i>breyana</i> .....                     | 185      |
| <i>ayuna</i> .....                   | 92  | (HALF UNIT).....                         | 107 | BREZTRI AEROSPHERE.....                  | 187      |
| AYVAKIT.....                         | 17  | BD VEO INSULIN SYRINGE                   |     | <i>brimonidine</i> .....                 | 183      |
| <i>azacitidine</i> .....             | 17  | UF.....                                  | 108 | <i>brimonidine-timolol</i> .....         | 183      |
| <i>azathioprine</i> .....            | 167 | BELSOMRA.....                            | 190 | <i>brinzolamide</i> .....                | 183      |
| <i>azathioprine sodium</i> .....     | 167 | <i>benazepril</i> .....                  | 79  | <i>brivaracetam</i> .....                | 36       |
| <i>azelastine</i> .....              | 153 | <i>benazepril-hydrochlorothiazide</i> .. | 79  | BRIVIACT.....                            | 36       |
| <i>azithromycin</i> .....            | 12  | <i>bendamustine</i> .....                | 18  | <i>bromfenac</i> .....                   | 156      |
| <i>aztreonam</i> .....               | 13  | BENDAMUSTINE.....                        | 18  | <i>bromocriptine</i> .....               | 59       |
| <i>azurette (28)</i> .....           | 92  | BENDEKA.....                             | 18  | BRONCHITOL.....                          | 188      |
| <i>bacitracin</i> .....              | 154 | BENLYSTA.....                            | 167 | BRUKINSA.....                            | 19       |
| <i>bacitracin-polymyxin b</i> .....  | 154 | <i>benzonatate</i> .....                 | 100 | <i>budesonide</i> .....                  | 180, 185 |
| <i>baclofen</i> .....                | 190 | <i>benztropine</i> .....                 | 59  | <i>budesonide-formoterol</i> .....       | 186      |
| <i>bal-care dha</i> .....            | 191 | BESREMI.....                             | 167 | <i>bumetanide</i> .....                  | 84       |
| <i>bal-care dha essential</i> .....  | 191 | <i>betaine</i> .....                     | 181 | <i>buprenorphine</i> .....               | 3        |
| <i>balsalazide</i> .....             | 180 | <i>betamethasone dipropionate</i> .....  | 102 | <i>buprenorphine hcl</i> .....           | 7        |
| BALVERSA.....                        | 18  | <i>betamethasone valerate</i> .....      | 102 | <i>buprenorphine-naloxone</i> .....      | 7        |
| BAQSIMI.....                         | 181 | <i>betamethasone, augmented</i> .....    | 102 | <i>bupropion hcl</i> .....               | 43       |

|                                              |                                                |                                              |
|----------------------------------------------|------------------------------------------------|----------------------------------------------|
| <i>bupropion hcl (smoking deter)</i> ..... 7 | CAYSTON..... 13                                | <i>clindamycin hcl</i> ..... 10              |
| <i>buspirone</i> ..... 181                   | <i>cefaclor</i> ..... 11                       | <i>clindamycin phosphate</i> . 10, 55, 101   |
| <i>butalbital-acetaminop-caf-cod</i> ..... 3 | <i>cefadroxil</i> ..... 11                     | <i>clindamycin-benzoyl peroxide</i> .. 101   |
| <i>butalbital-acetaminophen-caff</i> .....3  | <i>cefazolin</i> ..... 11                      | CLINIMIX 6%-D5W                              |
| BYSANTI..... 61                              | <i>cefdinir</i> ..... 11                       | (SULFITE-FREE)..... 77                       |
| BYSANTI TITRATION PACK                       | <i>cefepime</i> ..... 11                       | CLINIMIX 8%-                                 |
| A..... 61                                    | <i>cefixime</i> ..... 11                       | D10W(SULFITE-FREE)..... 77                   |
| BYSANTI TITRATION PACK                       | <i>cefoxitin</i> ..... 11                      | CLINIMIX 8%-                                 |
| B..... 61                                    | <i>cefpodoxime</i> ..... 11                    | D14W(SULFITE-FREE)..... 77                   |
| BYSANTI TITRATION PACK                       | <i>cefprozil</i> ..... 11                      | CLINIMIX E 8%-D10W                           |
| C..... 61                                    | <i>ceftaroline fosamil</i> ..... 12            | SULFITEFREE..... 77                          |
| CABENUVA..... 68                             | <i>ceftazidime</i> ..... 12                    | CLINIMIX E 8%-D14W                           |
| <i>cabergoline</i> ..... 59                  | <i>ceftriaxone</i> ..... 12                    | SULFITEFREE..... 77                          |
| CABOMETYX..... 19                            | <i>cefuroxime axetil</i> ..... 12              | <i>clobazam</i> ..... 37                     |
| <i>cabotegravir</i> ..... 68                 | <i>cefuroxime sodium</i> ..... 12              | <i>clobetasol</i> ..... 102, 103             |
| <i>calcipotriene</i> ..... 101               | <i>celecoxib</i> ..... 5                       | <i>clobetasol-emollient</i> ..... 103        |
| <i>calcitonin (salmon)</i> ..... 180         | <i>cephalexin</i> ..... 12                     | <i>clomipramine</i> ..... 43                 |
| <i>calcitriol</i> ..... 180                  | <i>cevimeline</i> ..... 100                    | <i>clonazepam</i> ..... 8                    |
| <i>calcium acetate(phosphat bind)</i> 160    | <i>chateal eq (28)</i> ..... 93                | <i>clonidine</i> ..... 77, 78                |
| CALQUENCE                                    | <i>chlordiazepoxide hcl</i> ..... 8            | <i>clonidine hcl</i> ..... 77                |
| (ACALABRUTINIB MAL)..... 19                  | <i>chlorhexidine gluconate</i> ..... 100       | <i>clopidogrel</i> ..... 77                  |
| CAMCEVI (6 MONTH)..... 19                    | <i>chloroquine phosphate</i> ..... 58          | <i>clorazepate dipotassium</i> ..... 8       |
| <i>camila</i> ..... 92                       | <i>chlormpromazine</i> ..... 61                | <i>clotrimazole</i> ..... 52                 |
| CAMZYOS..... 83                              | <i>chlorthalidone</i> ..... 84                 | <i>clotrimazole-betamethasone</i> ..... 52   |
| <i>candesartan</i> ..... 78                  | <i>cholestyramine (with sugar)</i> ..... 86    | <i>clozapine</i> ..... 62                    |
| <i>candesartan-hydrochlorothiazid</i> 78     | <i>cholestyramine light</i> ..... 86           | <i>c-nate dha</i> ..... 191                  |
| CAPLYTA..... 61                              | <i>ciclopirox</i> ..... 52                     | COARTEM..... 58                              |
| CAPRELSA..... 19                             | <i>cilostazol</i> ..... 77                     | COBENFY..... 62                              |
| <i>captopril</i> ..... 79                    | CIMDUO..... 68                                 | COBENFY STARTER PACK... 62                   |
| <i>carbamazepine</i> ..... 36, 37            | <i>cimetidine hcl</i> ..... 157                | <i>colchicine</i> ..... 54                   |
| <i>carbidopa-levodopa</i> ..... 59           | CIMZIA..... 167                                | <i>colesevelam</i> ..... 86                  |
| CAREFINE PEN NEEDLE..... 108                 | CIMZIA POWDER FOR                              | <i>colestipol</i> ..... 86                   |
| CARETOUCH ALCOHOL                            | RECONST..... 167                               | <i>colistin (colistimethate na)</i> ..... 10 |
| PREP PAD..... 108                            | CIMZIA STARTER KIT..... 167                    | COMBIVENT RESPIMAT..... 187                  |
| CARETOUCH INSULIN                            | <i>cinacalcet</i> ..... 180                    | COMETRIQ..... 19                             |
| SYRINGE..... 109                             | <i>ciprofloxacin hcl</i> ..... 15, 154         | COMFORT EZ INSULIN                           |
| CARETOUCH PEN NEEDLE                         | <i>ciprofloxacin in 5 % dextrose</i> .... 15   | SYRINGE..... 109, 110, 111                   |
| ..... 108, 109                               | <i>ciprofloxacin-dexamethasone</i> ... 154     | COMFORT EZ PEN                               |
| <i>carglumic acid</i> ..... 158              | <i>citalopram</i> ..... 43                     | NEEDLES..... 110                             |
| <i>carteolol</i> ..... 183                   | <i>cladribine(multiple sclerosis)</i> ..... 89 | COMFORT EZ PRO SAFETY                        |
| <i>cartia xt</i> ..... 82                    | <i>clarithromycin</i> ..... 12                 | PEN NDL..... 110, 111                        |
| <i>carvedilol</i> ..... 81                   | CLICKFINE PEN NEEDLE.... 109                   |                                              |

|                                       |                                            |          |                                         |          |
|---------------------------------------|--------------------------------------------|----------|-----------------------------------------|----------|
| COMFORT TOUCH PEN                     | DANYELZA.....                              | 20       | <i>diclofenac potassium</i> .....       | 5        |
| NEEDLE.....111, 112                   | DANZITEN.....                              | 20       | <i>diclofenac sodium</i> .....          | 5, 156   |
| <i>completenate</i> .....             | <i>dapagliflozin</i> .....                 | 46       | <i>diclofenac-misoprostol</i> .....     | 6        |
| <i>compro</i> .....                   | <i>dapagliflozin-metformin</i> .....       | 46       | <i>dicloxacillin</i> .....              | 14       |
| <i>conjugated estrogens</i> .....     | <i>dapsone</i> .....                       | 56       | <i>dicyclomine</i> .....                | 158      |
| <i>constulose</i> .....               | DAPTACEL (DTAP                             |          | <i>didanosine</i> .....                 | 68       |
| COPIKTRA.....                         | PEDIATRIC) (PF).....                       | 175      | <i>difluprednate</i> .....              | 156      |
| CORLANOR.....                         | <i>daptomycin</i> .....                    | 10       | <i>digoxin</i> .....                    | 83       |
| CORTROPHIN GEL.....                   | <i>darunavir</i> .....                     | 68       | <i>dihydroergotamine</i> .....          | 55       |
| COSENTYX.....                         | <i>dasatinib</i> .....                     | 20       | DILANTIN.....                           | 37       |
| COSENTYX (2 SYRINGES)...              | <i>dasetta 1/35 (28)</i> .....             | 93       | <i>diltiazem hcl</i> .....              | 82       |
| COSENTYX PEN (2 PENS)....             | <i>dasetta 7/7/7 (28)</i> .....            | 93       | <i>dilt-xr</i> .....                    | 82       |
| COSENTYX UNOREADY                     | DATROWAY.....                              | 20       | <i>dimethyl fumarate</i> .....          | 89, 90   |
| PEN.....                              | DAURISMO.....                              | 20       | <i>diphenoxylate-atropine</i> .....     | 158      |
| COTELLIC.....                         | <i>deblitane</i> .....                     | 93       | <i>dipyridamole</i> .....               | 77       |
| CREON.....                            | <i>decitabine</i> .....                    | 20       | <i>disulfiram</i> .....                 | 7        |
| CRESEMBA.....                         | <i>deferasirox</i> .....                   | 161      | <i>divalproex</i> .....                 | 37       |
| <i>cromolyn</i> .....                 | DELSTRIGO.....                             | 68       | <i>dofetilide</i> .....                 | 80       |
| <i>cryselle (28)</i> .....            | <i>demeclocycline</i> .....                | 16       | <i>dolishale</i> .....                  | 93       |
| CURITY ALCOHOL SWABS                  | DENG VAXIA (PF).....                       | 175      | <i>donepezil</i> .....                  | 42       |
| GAUZE.....                            | <i>denta 5000 plus</i> .....               | 100      | <i>dorzolamide</i> .....                | 183      |
| <i>cyanocobalamin (vitamin b-12)</i>  | <i>dentagel</i> .....                      | 100      | <i>dorzolamide-timolol</i> .....        | 183      |
| <i>192</i>                            | DEPO-SUBQ PROVERA                          | 104, 165 | <i>dotti</i> .....                      | 162      |
| <i>cyclobenzaprine</i> .....          | DERMACEA.....                              | 112      | DOVATO.....                             | 68       |
| <i>190</i>                            | DERMACEA NON-WOVEN..                       | 112      | <i>doxazosin</i> .....                  | 78       |
| <i>cyclophosphamide</i> .....         | <i>dermacinrx lidocan</i> .....            | 6        | <i>doxepin</i> .....                    | 43, 190  |
| <i>19, 20</i>                         | DESCOVY.....                               | 68       | <i>doxorubicin, peg-liposomal</i> ..... | 20       |
| <i>cyclosporine</i> .....             | <i>desipramine</i> .....                   | 43       | <i>doxy-100</i> .....                   | 16       |
| <i>156, 167, 168</i>                  | <i>desmopressin</i> .....                  | 164      | <i>doxycycline hyclate</i> .....        | 16       |
| <i>cyclosporine modified</i> .....    | <i>desog-e.estradiol/e.estradiol</i> ..... | 93       | <i>doxycycline monohydrate</i> .....    | 16       |
| <i>168</i>                            | <i>desvenlafaxine succinate</i> .....      | 43       | DRIZALMA SPRINKLE.....                  | 43, 44   |
| CYLTEZO(CF).....                      | <i>dexamethasone</i> .....                 | 163      | <i>dronabinol</i> .....                 | 57       |
| 168                                   | <i>dexamethasone sodium</i>                |          | DROPLET INSULIN                         |          |
| CYLTEZO(CF) PEN.....                  | <i>phosphate</i> .....                     | 156, 163 | SYR(HALF UNIT).....                     | 112, 113 |
| CYLTEZO(CF) PEN                       | <i>dextroamphetamine-</i>                  |          | DROPLET INSULIN                         |          |
| CROHN'S-UC-HS.....                    | <i>amphetamine</i> .....                   | 89       | SYRINGE.....                            | 113, 114 |
| 168                                   | <i>dextrose 5 % in water (d5w)</i> .....   | 77       | DROPLET MICRON PEN                      |          |
| CYLTEZO(CF) PEN                       | DIACOMIT.....                              | 37       | NEEDLE.....                             | 114      |
| PSORIASIS-UV.....                     | <i>diazepam</i> .....                      | 8, 9, 37 | DROPLET PEN NEEDLE.....                 | 115      |
| 168                                   | <i>diazepam intensol</i> .....             | 8        | DROPSAFE ALCOHOL PREP                   |          |
| <i>cyred eq</i> .....                 | <i>diazoxide</i> .....                     | 181      | PADS.....                               | 115      |
| <i>93</i>                             | <i>diclofenac epolamine</i> .....          | 5        |                                         |          |
| <i>d5 % (d-glucose)-0.9 % sodchlr</i> |                                            |          |                                         |          |
| <i>.....</i>                          |                                            |          |                                         |          |
| <i>184</i>                            |                                            |          |                                         |          |
| <i>d5 % and 0.9 % sodium</i>          |                                            |          |                                         |          |
| <i>chloride</i> .....                 |                                            |          |                                         |          |
| <i>184</i>                            |                                            |          |                                         |          |
| <i>d5 %-0.45 % sodium chloride..</i>  |                                            |          |                                         |          |
| <i>184</i>                            |                                            |          |                                         |          |
| <i>dabigatran etexilate</i> .....     |                                            |          |                                         |          |
| <i>74</i>                             |                                            |          |                                         |          |
| <i>dalfampridine</i> .....            |                                            |          |                                         |          |
| <i>89</i>                             |                                            |          |                                         |          |
| <i>danazol</i> .....                  |                                            |          |                                         |          |
| <i>161</i>                            |                                            |          |                                         |          |
| <i>dantrolene</i> .....               |                                            |          |                                         |          |
| <i>190</i>                            |                                            |          |                                         |          |

|                                      |                    |                                            |          |                                          |         |
|--------------------------------------|--------------------|--------------------------------------------|----------|------------------------------------------|---------|
| DROPSAFE INSULIN SYRINGE.....        | 115                | EASY TOUCH SHEATHLOCK INSULIN .....        | 119, 120 | enalapril-hydrochlorothiazide .....      | 79, 80  |
| DROPSAFE PEN NEEDLE.....             | 116                | EASY TOUCH UNI-SLIP .....                  | 121      | ENBREL.....                              | 168     |
| <i>droxidopa</i> .....               | 78                 | EASYLIFE ALCOHOL PADS                      | 121      | ENBREL MINI.....                         | 168     |
| <i>duloxetine</i> .....              | 44                 | EASYLIFE INSULIN PEN NEEDLE.....           | 121      | ENBREL SURECLICK.....                    | 169     |
| DUPIXENT PEN.....                    | 168                | EASYLIFE INSULIN SYRINGE.....              | 121, 122 | <i>endocet</i> .....                     | 3       |
| DUPIXENT SYRINGE.....                | 168                | EASYLIFE SAFETY PEN NEEDLE.....            | 122      | ENERGIX-B (PF).....                      | 175     |
| <i>dutasteride</i> .....             | 161                | <i>econazole nitrate</i> .....             | 52       | ENERGIX-B PEDIATRIC (PF) .....           | 175     |
| EASY COMFORT ALCOHOL PAD.....        | 116                | EDURANT PED.....                           | 68       | <i>enilloring</i> .....                  | 93      |
| EASY COMFORT INSULIN SYRINGE.....    | 116, 117           | <i>efavirenz</i> .....                     | 68       | <i>enoxaparin</i> .....                  | 74, 75  |
| EASY COMFORT PEN NEEDLES.....        | 117                | <i>efavirenz-emtricitabin-tenofov</i> .... | 68       | <i>enpresse</i> .....                    | 93      |
| EASY COMFORT SAFETY PEN NEEDLE.....  | 116                | <i>efavirenz-lamivu-tenofov disop</i> ...  | 68       | ENSACOVE.....                            | 21      |
| EASY GLIDE INSULIN SYRINGE.....      | 117                | ELAHERE.....                               | 20       | <i>enskyce</i> .....                     | 93      |
| EASY GLIDE PEN NEEDLE..              | 117                | ELEPSIA XR.....                            | 37       | <i>entacapone</i> .....                  | 59      |
| EASY TOUCH.....                      | 120                | ELIGARD.....                               | 20       | <i>entecavir</i> .....                   | 74      |
| EASY TOUCH ALCOHOL PREP PADS.....    | 118                | ELIGARD (3 MONTH).....                     | 20       | ENTRESTO.....                            | 78      |
| EASY TOUCH AUTORETRACT SYRINGE ..... | 118, 119           | ELIGARD (4 MONTH).....                     | 20       | ENTRESTO SPRINKLE .....                  | 78      |
| EASY TOUCH FLIPLOCK INSULIN.....     | 119, 120           | ELIGARD (6 MONTH).....                     | 20       | <i>enulose</i> .....                     | 158     |
| EASY TOUCH FLIPLOCK SYRINGE.....     | 119                | <i>elinest</i> .....                       | 93       | EPCLUSA.....                             | 73      |
| EASY TOUCH INS SYR (HALF UNIT).....  | 118                | ELIQUIS.....                               | 74       | EPIDIOLEX.....                           | 37      |
| EASY TOUCH INSULIN SAFETY SYR.....   | 118                | ELIQUIS DVT-PE TREAT 30D START .....       | 74       | <i>epinastine</i> .....                  | 153     |
| EASY TOUCH INSULIN SYRINGE.....      | 118, 119, 120, 121 | ELIQUIS SPRINKLE.....                      | 74       | <i>epinephrine</i> .....                 | 83      |
| EASY TOUCH LUER LOCK INSULIN.....    | 120                | ELREXFIO.....                              | 21       | <i>epitol</i> .....                      | 38      |
| EASY TOUCH PEN NEEDLE                | 120                | <i>eltrombopag olamine</i> .....           | 76       | EPKINLY.....                             | 21      |
| EASY TOUCH SAFETY PEN NEEDLE.....    | 120, 122           | <i>eluryng</i> .....                       | 93       | <i>eplerenone</i> .....                  | 87      |
|                                      |                    | EMBRACE PEN NEEDLE.....                    | 122      | ERBITUX.....                             | 21      |
|                                      |                    | EMCYT.....                                 | 21       | <i>ergocalciferol (vitamin d2)</i> ..... | 192     |
|                                      |                    | EMGALITY PEN.....                          | 55       | <i>ergoloid</i> .....                    | 42      |
|                                      |                    | EMGALITY SYRINGE.....                      | 55       | ERIVEDGE.....                            | 21      |
|                                      |                    | EMRELIS.....                               | 21       | ERLEADA.....                             | 21      |
|                                      |                    | EMSAM.....                                 | 44       | <i>erlotinib</i> .....                   | 21      |
|                                      |                    | <i>emtricitabine</i> .....                 | 68       | <i>errin</i> .....                       | 93      |
|                                      |                    | <i>emtricitabine-tenofov (tdf)</i> .....   | 69       | <i>ertapenem</i> .....                   | 13      |
|                                      |                    | <i>emtricitabine-tenofov df</i> .....      | 69       | <i>erythromycin</i> .....                | 13, 154 |
|                                      |                    | EMTRIVA.....                               | 69       | <i>erythromycin ethylsuccinate</i> ..... | 13      |
|                                      |                    | <i>emzahn</i> .....                        | 93       | <i>erythromycin with ethanol</i> .....   | 101     |
|                                      |                    | <i>enalapril maleate</i> .....             | 79       | ERZOFRI.....                             | 62      |
|                                      |                    |                                            |          | <i>escitalopram oxalate</i> .....        | 44      |
|                                      |                    |                                            |          | <i>eslicarbazepine</i> .....             | 38      |
|                                      |                    |                                            |          | <i>esomeprazole magnesium</i> .....      | 157     |
|                                      |                    |                                            |          | <i>estarylla</i> .....                   | 93      |



|                                            |        |                                            |               |                                            |             |
|--------------------------------------------|--------|--------------------------------------------|---------------|--------------------------------------------|-------------|
| <i>estradiol</i> .....                     | 162    | <i>fenofibrate micronized</i> .....        | 86            | <i>folic acid</i> .....                    | 192         |
| <i>estradiol-norethindrone acet</i> ....   | 162    | <i>fenofibrate nanocrystallized</i> .....  | 86            | <i>folivane-ob</i> .....                   | 192         |
| <i>eszopiclone</i> .....                   | 190    | <i>fentanyl</i> .....                      | 4             | <i>fondaparinux</i> .....                  | 75          |
| <i>ethambutol</i> .....                    | 56     | <i>fentanyl citrate</i> .....              | 3             | <i>fosamprenavir</i> .....                 | 69          |
| <i>ethosuximide</i> .....                  | 38     | <i>fesoterodine</i> .....                  | 160           | <i>fosfomycin tromethamine</i> .....       | 10          |
| <i>ethynodiol diac-eth estradiol</i> ..... | 93     | FETZIMA.....                               | 44            | <i>fosinopril</i> .....                    | 80          |
| <i>etodolac</i> .....                      | 6      | FIASP FLEXTOUCH U-100                      |               | <i>fosinopril-hydrochlorothiazide</i> ...  | 80          |
| <i>etonogestrel-ethinyl estradiol</i> .... | 94     | INSULIN.....                               | 49            | <i>fosphenytoin</i> .....                  | 38          |
| ETOPOPHOS.....                             | 21     | FIASP PENFILL U-100                        |               | FOTIVDA.....                               | 22          |
| <i>etoposide</i> .....                     | 21     | INSULIN.....                               | 49            | FRUZAQLA.....                              | 22          |
| <i>etravirine</i> .....                    | 69     | FIASP PUMPCART.....                        | 49            | <i>fulvestrant</i> .....                   | 22          |
| EUCRISA.....                               | 103    | FIASP U-100 INSULIN.....                   | 49            | <i>furosemide</i> .....                    | 84, 85      |
| EULEXIN.....                               | 21     | <i>fidaxomicin</i> .....                   | 13            | FUZEON.....                                | 69          |
| <i>everolimus (antineoplastic)</i> ..      | 21, 22 | <i>finasteride</i> .....                   | 161           | FYARRO.....                                | 22          |
| <i>everolimus</i>                          |        | <i> fingolimod</i> .....                   | 90            | <i>gabapentin</i> .....                    | 38          |
| <i>(immunosuppressive)</i> .....           | 169    | FINTEPLA.....                              | 38            | <i>galantamine</i> .....                   | 42          |
| EVOTAZ.....                                | 69     | FIRMAGON KIT W                             |               | <i>gallifrey</i> .....                     | 165         |
| EXEL INSULIN.....                          | 122    | DILUENT SYRINGE.....                       | 22            | GAMUNEX-C.....                             | 169         |
| <i>exemestane</i> .....                    | 22     | <i>flavoxate</i> .....                     | 160           | GARDASIL 9 (PF).....                       | 175         |
| EXTENCILLINE.....                          | 14     | <i>flecainide</i> .....                    | 80            | GAUZE BANDAGE.....                         | 133         |
| EXXUA.....                                 | 44     | <i>floxuridine</i> .....                   | 22            | GAUZE PAD.....                             | 122         |
| EYSUVIS.....                               | 156    | <i>fluconazole</i> .....                   | 53            | <i>gavilyte-c</i> .....                    | 159         |
| <i>ezetimibe</i> .....                     | 86     | <i>fluconazole in nacl (iso-osm)</i> ..... | 52            | <i>gavilyte-g</i> .....                    | 159         |
| <i>ezetimibe-simvastatin</i> .....         | 86     | <i>flucytosine</i> .....                   | 53            | <i>gavilyte-n</i> .....                    | 159         |
| FAKZYNJA.....                              | 22     | <i>fludrocortisone</i> .....               | 163           | GAVRETO.....                               | 22          |
| <i>falmina (28)</i> .....                  | 94     | <i>flunisolide</i> .....                   | 156           | <i>gefitinib</i> .....                     | 22          |
| <i>famciclovir</i> .....                   | 74     | <i>fluocinolone</i> .....                  | 103           | <i>gemfibrozil</i> .....                   | 86          |
| <i>famotidine</i> .....                    | 157    | <i>fluocinolone acetonide oil</i> .....    | 156           | <i>generlac</i> .....                      | 158         |
| FANAPT.....                                | 62     | <i>fluocinonide</i> .....                  | 103           | <i>engraf</i> .....                        | 169         |
| FANAPT TITRATION PACK                      |        | <i>fluoride (sodium)</i> .....             | 100           | <i>gentamicin</i> .....                    | 9, 101, 154 |
| A.....                                     | 62     | <i>fluorometholone</i> .....               | 156           | <i>gentamicin sulfate (ped) (pf)</i> ..... | 9           |
| FANAPT TITRATION PACK                      |        | <i>fluorouracil</i> .....                  | 22, 101       | GENVOYA.....                               | 69          |
| B.....                                     | 62     | <i>fluoxetine</i> .....                    | 44            | GILOTRIF.....                              | 23          |
| FANAPT TITRATION PACK                      |        | <i>fluphenazine decanoate</i> .....        | 63            | <i>glatiramer</i> .....                    | 90          |
| C.....                                     | 62     | <i>fluphenazine hcl</i> .....              | 63            | <i>glatopa</i> .....                       | 90          |
| FASENRA.....                               | 188    | <i>flurbiprofen</i> .....                  | 6             | <i>glimepiride</i> .....                   | 51          |
| FASENRA PEN.....                           | 188    | <i>flurbiprofen sodium</i> .....           | 156           | <i>glipizide</i> .....                     | 51          |
| <i>febuxostat</i> .....                    | 54     | <i>fluticasone propionate</i>              |               | <i>glipizide-metformin</i> .....           | 51, 52      |
| <i>feirza</i> .....                        | 94     | .....                                      | 103, 156, 186 | <i>glucagon emergency kit</i>              |             |
| <i>felbamate</i> .....                     | 38     | <i>fluticasone propion-salmeterol</i> ..   | 186           | <i>(human)</i> .....                       | 181         |
| <i>felodipine</i> .....                    | 84     | <i>fluvastatin</i> .....                   | 86            | <i>glutamine (sickle cell)</i> .....       | 181         |
| <i>fenofibrate</i> .....                   | 86     | <i>fluvoxamine</i> .....                   | 44            | <i>glyburide</i> .....                     | 52          |

|                                          |          |                                         |               |                                             |        |
|------------------------------------------|----------|-----------------------------------------|---------------|---------------------------------------------|--------|
| <i>glyburide micronized</i> .....        | 52       | HUMIRA PEN.....                         | 169           | <i>imatinib</i> .....                       | 23     |
| <i>glyburide-metformin</i> .....         | 52       | HUMIRA PEN CROHNS-UC-                   |               | IMBRUVICA.....                              | 23, 24 |
| <i>glycopyrrolate</i> .....              | 158      | HS START.....                           | 169           | IMDELLTRA.....                              | 24     |
| <i>glydo</i> .....                       | 6        | HUMIRA(CF).....                         | 170           | <i>imipenem-cilastatin</i> .....            | 13     |
| GLYXAMBI.....                            | 46       | HUMIRA(CF) PEDI CROHNS                  |               | <i>imipramine hcl</i> .....                 | 44     |
| GOMEKLI.....                             | 23       | STARTER.....                            | 169           | <i>imiquimod</i> .....                      | 101    |
| <i>griseofulvin microsize</i> .....      | 53       | HUMIRA(CF) PEN.....                     | 170           | IMJUDO.....                                 | 24     |
| <i>griseofulvin ultramicrosize</i> ..... | 53       | HUMIRA(CF) PEN CROHNS-                  |               | IMKELDI.....                                | 24     |
| <i>guanfacine</i> .....                  | 78, 90   | UC-HS.....                              | 169           | IMOVAX RABIES VACCINE                       |        |
| GVOKE.....                               | 182      | HUMIRA(CF) PEN                          |               | (PF).....                                   | 176    |
| GVOKE HYPOPEN 2-PACK..                   | 181      | PEDIATRIC UC.....                       | 170           | IMPAVIDO.....                               | 58     |
| GVOKE PFS 1-PACK                         |          | HUMIRA(CF) PEN PSOR-UV-                 |               | <i>incassia</i> .....                       | 94     |
| SYRINGE.....                             | 182      | ADOL HS.....                            | 170           | INCONTROL ALCOHOL                           |        |
| HADLIMA.....                             | 169      | HUMULIN R U-500 (CONC)                  |               | PADS.....                                   | 124    |
| HADLIMA PUSHTOUCH.....                   | 169      | INSULIN.....                            | 49            | INCONTROL PEN NEEDLE..                      | 124    |
| HADLIMA(CF).....                         | 169      | HUMULIN R U-500 (CONC)                  |               | INCRELEX.....                               | 164    |
| HADLIMA(CF) PUSHTOUCH                    |          | KWIKPEN.....                            | 49            | <i>indapamide</i> .....                     | 85     |
| .....                                    | 169      | <i>hydralazine</i> .....                | 83            | <i>indomethacin</i> .....                   | 6      |
| HAEGARDA.....                            | 76       | <i>hydrochlorothiazide</i> .....        | 85            | INFANRIX (DTAP) (PF).....                   | 176    |
| <i>hailey 24 fe</i> .....                | 94       | <i>hydrocodone-acetaminophen</i> .....  | 4             | <i>infliximab</i> .....                     | 170    |
| <i>hailey fe 1.5/30 (28)</i> .....       | 94       | <i>hydrocortisone</i> .....             | 103, 163, 180 | INGREZZA.....                               | 90     |
| <i>hailey fe 1/20 (28)</i> .....         | 94       | <i>hydrocortisone valerate</i> .....    | 103           | INGREZZA INITIATION                         |        |
| <i>halobetasol propionate</i> .....      | 103      | <i>hydrocortisone-acetic acid</i> ..... | 154           | PK(TARDIV).....                             | 90     |
| <i>haloette</i> .....                    | 94       | <i>hydromorphone</i> .....              | 4             | INGREZZA SPRINKLE.....                      | 90     |
| <i>haloperidol</i> .....                 | 63       | <i>hydroxychloroquine</i> .....         | 58            | INLEXZO.....                                | 24     |
| <i>haloperidol decanoate</i> .....       | 63       | <i>hydroxyurea</i> .....                | 23            | INLURIYO.....                               | 24     |
| <i>haloperidol lactate</i> .....         | 63       | <i>hydroxyzine hcl</i> .....            | 54            | INLYTA.....                                 | 24     |
| HARVONI.....                             | 73       | <i>hydroxyzine pamoate</i> .....        | 182           | INPEN (FOR HUMALOG)                         |        |
| HAVRIX (PF).....                         | 175      | HYRNUO.....                             | 23            | BLUE.....                                   | 124    |
| HEALTHWISE INSULIN                       |          | <i>ibandronate</i> .....                | 180           | INPEN (FOR HUMALOG)                         |        |
| SYRINGE.....                             | 123      | IBRANCE.....                            | 23            | GREY.....                                   | 124    |
| HEALTHWISE PEN NEEDLE                    |          | IBTROZI.....                            | 23            | INPEN (FOR HUMALOG)                         |        |
| .....                                    | 123, 124 | <i>ibu</i> .....                        | 6             | PINK.....                                   | 124    |
| HEALTHY ACCENTS                          |          | <i>ibuprofen</i> .....                  | 6             | INPEN (NOVOLOG OR                           |        |
| UNIFINE PENTIP.....                      | 124      | <i>icatibant</i> .....                  | 83            | FIASP) BLUE.....                            | 124    |
| <i>heather</i> .....                     | 94       | <i>iclevia</i> .....                    | 94            | INPEN (NOVOLOG OR                           |        |
| <i>heparin (porcine)</i> .....           | 75       | ICLUSIG.....                            | 23            | FIASP) GREY.....                            | 124    |
| HEPLISAV-B (PF).....                     | 175      | <i>icosapent ethyl</i> .....            | 86            | INPEN (NOVOLOG OR                           |        |
| HERCEPTIN HYLECTA.....                   | 23       | IDHIFA.....                             | 23            | FIASP) PINK.....                            | 125    |
| HERNEXEOS.....                           | 23       | IDVYNOS.....                            | 69            | INQOVI.....                                 | 24     |
| HIBERIX (PF).....                        | 175      | <i>ifosfamide</i> .....                 | 23            | INREBIC.....                                | 24     |
| HUMIRA.....                              | 169      | ILEVRO.....                             | 156           | <i>insulin asp prt-insulin aspart</i> ..... | 49     |



|                                          |                         |                                   |        |                                            |        |
|------------------------------------------|-------------------------|-----------------------------------|--------|--------------------------------------------|--------|
| <i>insulin aspart u-100</i> .....        | 49                      | JARDIANCE.....                    | 46     | KOMZIFTI.....                              | 25     |
| <i>insulin glargine-yfgn</i> .....       | 50                      | JASCAYD.....                      | 188    | KOSELUGO.....                              | 25, 26 |
| <i>insulin lispro</i> .....              | 50                      | <i>javygtor</i> .....             | 152    | <i>kosher prenatal plus iron</i> .....     | 192    |
| INSULIN SYR/NDL U100                     |                         | JAYPIRCA.....                     | 24, 25 | KRAZATI.....                               | 26     |
| HALF MARK.....                           | 125                     | JEMPERLI.....                     | 25     | <i>kurvelo (28)</i> .....                  | 95     |
| INSULIN SYRINGE                          |                         | <i>jencycla</i> .....             | 94     | KYLEENA.....                               | 95     |
| MICROFINE.....                           | 107                     | JENTADUETO.....                   | 47     | <i>labetalol</i> .....                     | 81     |
| INSULIN SYRINGE-NEEDLE                   |                         | JENTADUETO XR.....                | 47     | <i>lacosamide</i> .....                    | 38     |
| U-100.....                               | 122, 125, 126, 134, 138 | <i>jolessa</i> .....              | 94     | <i>lactulose</i> .....                     | 158    |
| INSULIN U-500 SYRINGE-                   |                         | <i>juleber</i> .....              | 94     | <i>lamivudine</i> .....                    | 69, 70 |
| NEEDLE.....                              | 126                     | JULUCA.....                       | 69     | <i>lamivudine-zidovudine</i> .....         | 70     |
| INSUPEN PEN NEEDLE.....                  | 126                     | <i>junel 1.5/30 (21)</i> .....    | 94     | <i>lamotrigine</i> .....                   | 38     |
| INTELENCE.....                           | 69                      | <i>junel 1/20 (21)</i> .....      | 94     | <i>lanreotide</i> .....                    | 164    |
| <i>introvale</i> .....                   | 94                      | <i>junel fe 1.5/30 (28)</i> ..... | 94     | <i>lansoprazole</i> .....                  | 157    |
| INVEGA HAFYERA.....                      | 63                      | <i>junel fe 1/20 (28)</i> .....   | 95     | LANTUS SOLOSTAR U-100                      |        |
| INVEGA SUSTENNA.....                     | 63, 64                  | <i>junel fe 24</i> .....          | 95     | INSULIN.....                               | 50     |
| INVEGA TRINZA.....                       | 64                      | JYLAMVO.....                      | 25     | LANTUS U-100 INSULIN.....                  | 50     |
| INVELTYS.....                            | 156                     | JYNARQUE.....                     | 85     | <i>lapatinib</i> .....                     | 26     |
| IPOLE.....                               | 176                     | JYNNEOS (PF).....                 | 176    | <i>larin 1.5/30 (21)</i> .....             | 95     |
| <i>ipratropium bromide</i> .....         | 153, 187                | KALETRA.....                      | 69     | <i>larin 1/20 (21)</i> .....               | 95     |
| <i>ipratropium-albuterol</i> .....       | 187                     | KALYDECO.....                     | 188    | <i>larin 24 fe</i> .....                   | 95     |
| <i>irbesartan</i> .....                  | 78                      | <i>kariva (28)</i> .....          | 95     | <i>larin fe 1.5/30 (28)</i> .....          | 95     |
| <i>irbesartan-hydrochlorothiazide</i> .. | 78                      | <i>kelnor 1/35 (28)</i> .....     | 95     | <i>larin fe 1/20 (28)</i> .....            | 95     |
| ISENTRESS.....                           | 69                      | <i>kelnor 1/50 (28)</i> .....     | 95     | <i>latanoprost</i> .....                   | 183    |
| ISENTRESS HD.....                        | 69                      | KERENDIA.....                     | 87     | LAZCLUZE.....                              | 26     |
| <i>isibloom</i> .....                    | 94                      | KESIMPTA PEN.....                 | 90     | <i>leflunomide</i> .....                   | 170    |
| <i>isoniazid</i> .....                   | 56                      | <i>ketoconazole</i> .....         | 53     | <i>lenalidomide</i> .....                  | 26     |
| <i>isosorbide dinitrate</i> .....        | 87, 88                  | <i>ketorolac</i> .....            | 6, 156 | LENTOCILIN S.....                          | 14     |
| <i>isosorbide mononitrate</i> .....      | 88                      | KEYTRUDA.....                     | 25     | LENVIMA.....                               | 26     |
| ITOVEBI.....                             | 24                      | KEYTRUDA QLEX.....                | 25     | <i>lessina</i> .....                       | 95     |
| <i>itraconazole</i> .....                | 53                      | KIMMTRAK.....                     | 25     | <i>letrozole</i> .....                     | 26     |
| IV PREP WIPES.....                       | 126                     | KINERET.....                      | 170    | <i>leucovorin calcium</i> .....            | 182    |
| <i>ivabradine</i> .....                  | 83                      | KINRIX (PF).....                  | 176    | LEUKERAN.....                              | 26     |
| <i>ivermectin</i> .....                  | 58                      | <i>kionex</i> .....               | 158    | <i>leuprolide</i> .....                    | 26     |
| IWILFIN.....                             | 24                      | KISQALI.....                      | 25     | <i>leuprolide acetate (3 month)</i> .....  | 26     |
| IXIARO (PF).....                         | 176                     | KISQALI FEMARA CO-                |        | <i>levetiracetam</i> .....                 | 38, 39 |
| JAKAFI.....                              | 24                      | PACK.....                         | 25     | <i>levobunolol</i> .....                   | 183    |
| JAKAFI XR.....                           | 24                      | KLISYRI (250 MG).....             | 101    | <i>levocetirizine</i> .....                | 54     |
| <i>jantoven</i> .....                    | 75                      | <i>klor-con m10</i> .....         | 184    | <i>levofloxacin</i> .....                  | 15     |
| JANUMET.....                             | 46                      | <i>klor-con m15</i> .....         | 184    | <i>levofloxacin in d5w</i> .....           | 15     |
| JANUMET XR.....                          | 46                      | <i>klor-con m20</i> .....         | 184    | <i>levonest (28)</i> .....                 | 95     |
| JANUVIA.....                             | 46                      | KLOXXADO.....                     | 7      | <i>levonorgest-eth.estradiol-iron</i> .... | 95     |

|                                              |                                    |                                             |
|----------------------------------------------|------------------------------------|---------------------------------------------|
| <i>levonorgestrel-ethinyl estrad</i> 95, 96  | <i>loxapine succinate</i> ..... 64 | MAXI-COMFORT INSULIN                        |
| <i>levonorg-eth estrad triphasic</i> .....96 | <i>lubiprostone</i> ..... 158      | SYRINGE..... 128                            |
| <i>levora-28</i> .....96                     | <i>luizza</i> .....96              | MAXICOMFORT SAFETY                          |
| <i>levothyroxine</i> ..... 166               | LUMAKRAS.....27                    | PEN NEEDLE..... 128                         |
| LEXIVA..... 70                               | LUMIGAN..... 183                   | MAYZENT.....91                              |
| LIBERVANT.....39                             | LUNSUMIO..... 27                   | MAYZENT STARTER(FOR                         |
| <i>lidocaine</i> ..... 7                     | LUNSUMIO VELO..... 27              | 1MG MAINT)..... 91                          |
| <i>lidocaine hcl</i> ..... 6, 7              | LUPRON DEPOT..... 27, 164          | MAYZENT STARTER(FOR                         |
| <i>lidocaine-prilocaine</i> .....7           | LUPRON DEPOT (3 MONTH)             | 2MG MAINT)..... 91                          |
| <i>lidocan iii</i> .....7                    | ..... 27, 164                      | <i>meclizine</i> ..... 57                   |
| LILETTA.....96                               | LUPRON DEPOT (4 MONTH).27          | <i>medroxyprogesterone</i> ..... 166        |
| <i>linezolid</i> ..... 10                    | LUPRON DEPOT (6 MONTH).27          | <i>mefloquine</i> ..... 58                  |
| <i>linezolid in dextrose 5%</i> ..... 10     | LUPRON DEPOT-PED..... 164          | <i>megestrol</i> ..... 28, 166              |
| LINZESS..... 158                             | LUPRON DEPOT-PED (3                | MEKINIST..... 28                            |
| <i>liomny</i> ..... 166                      | MONTH)..... 164                    | MEKTOVI.....28                              |
| <i>liothyronine</i> .....166                 | <i>lurasidone</i> ..... 64         | <i>meleya</i> .....96                       |
| LISCO.....127                                | <i>luteru (28)</i> .....96         | <i>meloxicam</i> .....6                     |
| <i>lisinopril</i> ..... 80                   | LUTRATE DEPOT (3                   | <i>memantine</i> .....42                    |
| <i>lisinopril-hydrochlorothiazide</i> ....80 | MONTH)..... 27                     | MENACTRA (PF).....176                       |
| LITE TOUCH INSULIN PEN                       | LYBALVI.....64                     | MENQUADFI (PF)..... 176                     |
| NEEDLES..... 127                             | <i>lyleq</i> ..... 96              | MENVEO A-C-Y-W-135-DIP                      |
| LITE TOUCH INSULIN                           | LYNOZYFIC.....27                   | (PF)..... 176                               |
| SYRINGE..... 127, 128                        | LYNPARZA.....28                    | <i>mercaptopurine</i> .....28               |
| <i>lithium carbonate</i> .....90             | LYSODREN.....28                    | <i>meropenem</i> .....13                    |
| <i>lithium citrate</i> ..... 90              | LYTGOBI.....28                     | <i>mesalamine</i> ..... 180                 |
| LIVTENCITY..... 72                           | <i>lyza</i> .....96                | <i>mesna</i> ..... 182                      |
| LOKELMA.....158                              | <i>macitentan</i> ..... 191        | <i>metformin</i> .....47                    |
| <i>lomustine</i> .....26                     | MAGELLAN INSULIN                   | <i>methadone</i> .....4                     |
| LONSURF.....26                               | SAFETY SYRNG..... 128              | <i>methazolamide</i> ..... 183              |
| <i>loperamide</i> ..... 158                  | MAGELLAN SYRINGE..... 128          | <i>methenamine hippurate</i> ..... 10       |
| <i>lopinavir-ritonavir</i> ..... 70          | <i>magnesium sulfate</i> ..... 184 | <i>methimazole</i> ..... 166                |
| LOQTORZI..... 27                             | <i>malathion</i> ..... 104         | <i>methocarbamol</i> ..... 190              |
| <i>lorazepam</i> ..... 9                     | <i>maraviroc</i> .....70           | <i>methotrexate sodium</i> .....28          |
| <i>lorazepam intensol</i> .....9             | MARGENZA.....28                    | <i>methotrexate sodium (pf)</i> .....28     |
| LORBRENA.....27                              | <i>marlissa (28)</i> .....96       | <i>methoxsalen</i> ..... 101                |
| <i>losartan</i> .....78                      | <i>marnatal-f</i> ..... 192        | <i>methsuximide</i> ..... 39                |
| <i>losartan-hydrochlorothiazide</i> ..... 78 | MARPLAN.....44                     | <i>methylphenidate hcl</i> .....91          |
| LOTEMAX.....156                              | MATULANE.....28                    | <i>methylprednisolone</i> .....163          |
| LOTEMAX SM..... 156                          | MAXICOMFORT II PEN                 | <i>methylprednisolone acetate</i> ..... 163 |
| <i>loteprednol etabonate</i> ..... 156, 157  | NEEDLE.....128                     | <i>metoclopramide hcl</i> ..... 159         |
| <i>lovastatin</i> ..... 86                   | MAXICOMFORT INSULIN                | <i>metolazone</i> .....85                   |
| <i>low-gestrel (28)</i> .....96              | SYRINGE..... 128                   | <i>metoprolol succinate</i> .....81         |

|                                               |                                              |                                              |
|-----------------------------------------------|----------------------------------------------|----------------------------------------------|
| <i>metoprolol ta-hydrochlorothiaz</i> ..81    | MONOJECT ULTRA                               | <i>neomycin-polymyxin b-</i>                 |
| <i>metoprolol tartrate</i> ..... 81           | COMFORT INSULIN..... 145                     | <i>dexameth</i> ..... 154                    |
| <i>metronidazole</i> ..... 10, 55, 101, 102   | <i>mono-lynyah</i> .....97                   | <i>neomycin-polymyxin-gramicidin</i>         |
| <i>metronidazole in nacl (iso-os)</i> .... 10 | <i>montelukast</i> .....186                  | ..... 154                                    |
| <i>metryrosine</i> .....83                    | <i>morphine</i> .....4                       | <i>neomycin-polymyxin-hc</i> .... 154, 155   |
| <i>micafungin</i> ..... 53                    | MORPHINE..... 4                              | <i>neo-polycin</i> ..... 155                 |
| <i>miconazole-3</i> .....53                   | <i>morphine concentrate</i> .....4           | <i>neo-polycin hc</i> .....155               |
| MICRODOT INSULIN PEN                          | MOUNJARO.....47                              | NERLYNX..... 29                              |
| NEEDLE.....128, 129                           | MOVANTIK..... 159                            | <i>nevirapine</i> ..... 70                   |
| MICRODOT READYGARD                            | <i>moxifloxacin</i> .....15, 154             | <i>newgen</i> ..... 192                      |
| PEN NEEDLE..... 129                           | <i>moxifloxacin-sod.ace,sul-water</i> .. 15  | NEXLETOL..... 86                             |
| <i>microgestin 1.5/30 (21)</i> .....96        | <i>moxifloxacin-sod.chloride(iso)</i> ... 15 | NEXLIZET.....87                              |
| <i>microgestin 1/20 (21)</i> .....96          | MRESVIA (PF)..... 176                        | NEXPLANON.....97                             |
| <i>microgestin 24 fe</i> ..... 96             | MULTAQ..... 80                               | <i>niacin</i> ..... 87                       |
| <i>microgestin fe 1.5/30 (28)</i> .....96     | <i>mupirocin</i> .....102                    | NICOTROL NS.....8                            |
| <i>microgestin fe 1/20 (28)</i> .....96       | <i>mycophenolate mofetil</i> ..... 170       | <i>nifedipine</i> ..... 84                   |
| <i>midodrine</i> .....78                      | <i>mycophenolate mofetil (hcl)</i> .... 170  | NIKTIMVO..... 170                            |
| MIEBO (PF)..... 153                           | <i>mycophenolate sodium</i> ..... 170        | <i>nilotinib hcl</i> .....29                 |
| <i>mifepristone</i> ..... 47                  | <i>mynatal</i> ..... 192                     | <i>nilutamide</i> ..... 29                   |
| <i>mili</i> .....96                           | <i>mynatal advance</i> .....192              | NINLARO..... 29                              |
| <i>mimvey</i> .....163                        | <i>mynatal plus</i> .....192                 | <i>nintedanib</i> ..... 188                  |
| MINI ULTRA-THIN II..... 129                   | <i>mynatal-z</i> ..... 192                   | <i>nitazoxanide</i> .....58                  |
| <i>minocycline</i> ..... 16                   | <i>mynate 90 plus</i> ..... 192              | <i>nitisinone</i> ..... 152                  |
| <i>minoxidil</i> ..... 88                     | MYRBETRIQ.....160                            | <i>nitrofurantoin macrocrystal</i> ..... 10  |
| MIPLYFFA..... 152                             | <i>nabumetone</i> .....6                     | <i>nitrofurantoin monohyd/m-cryst</i> .11    |
| MIRENA..... 97                                | <i>nafcellin</i> .....14                     | <i>nitroglycerin</i> ..... 88, 182           |
| <i>mirtazapine</i> ..... 44, 45               | <i>naloxone</i> .....7, 8                    | <i>niva-plus</i> ..... 192                   |
| <i>misoprostol</i> ..... 157                  | <i>naltrexone</i> ..... 8                    | NIVESTYM.....76                              |
| <i>mitoxantrone</i> .....28                   | NANO 2ND GEN PEN                             | NORDITROPIN FLEXPOR... 165                   |
| M-M-R II (PF).....176                         | NEEDLE.....130                               | <i>norelgestromin-ethin.estradiol</i> ... 97 |
| <i>m-natal plus</i> ..... 192                 | NANO PEN NEEDLE.....130                      | <i>norethindrone (contraceptive)</i> ....97  |
| <i>modafinil</i> .....190                     | <i>naproxen</i> ..... 6                      | <i>norethindrone acetate</i> ..... 166       |
| MODEYSO..... 28                               | <i>naratriptan</i> .....55                   | <i>norethindrone-e.estradiol-iron</i> ...97  |
| <i>moexipril</i> .....80                      | NATACYN.....154                              | <i>norgestimate-ethinyl estradiol</i> ....97 |
| <i>molindone</i> ..... 64                     | <i>nateglinide</i> .....47                   | <i>nortrel 1/35 (21)</i> ..... 97            |
| <i>mometasone</i> ..... 103, 157              | NAYZILAM.....39                              | <i>nortrel 1/35 (28)</i> ..... 97            |
| MONOJECT INSULIN                              | <i>nebivolol</i> ..... 81                    | <i>nortrel 7/7/7 (28)</i> ..... 97           |
| SAFETY SYRING..... 130                        | <i>nefazodone</i> .....45                    | <i>nortriptyline</i> .....45                 |
| MONOJECT INSULIN                              | <i>neomycin</i> .....9                       | NORVIR..... 70                               |
| SYRINGE..... 129, 130                         | <i>neomycin-bacitracin-poly-hc</i> .... 154  | NOVOFINE 32..... 130                         |
| MONOJECT SYRINGE.....129                      | <i>neomycin-bacitracin-polymyxin</i> 154     | NOVOFINE AUTOCOVER.... 130                   |
|                                               |                                              | NOVOFINE PLUS..... 130                       |

|                                            |                                            |                                         |
|--------------------------------------------|--------------------------------------------|-----------------------------------------|
| NOVOLIN 70/30 U-100                        | OJJAARA.....                               | ORSERDU .....                           |
| INSULIN..... 50                            | <i>olanzapine</i> .....64, 65              | <i>oseltamivir</i> ..... 72             |
| NOVOLIN 70-30 FLEXPEN                      | <i>olmesartan</i> ..... 79                 | OSEVELT.....181                         |
| U-100.....50                               | <i>olmesartan-amlodipin-hcthiiazid</i> .79 | OTEZLA.....171                          |
| NOVOLIN N FLEXPEN.....50                   | <i>olmesartan-hydrochlorothiazide</i> 79   | OTEZLA STARTER.....171                  |
| NOVOLIN N NPH U-100                        | <i>olopatadine</i> ..... 153               | OTEZLA XR..... 171                      |
| INSULIN..... 50                            | <i>omega-3 acid ethyl esters</i> ..... 87  | OTEZLA XR INITIATION..... 171           |
| NOVOLIN R FLEXPEN.....50                   | <i>omeprazole</i> .....157                 | <i>oxandrolone</i> ..... 161            |
| NOVOLIN R REGULAR U100                     | OMNIPOD 5 (G6/LIBRE 2                      | <i>oxcarbazepine</i> .....39            |
| INSULIN..... 50                            | PLUS)..... 130                             | <i>oxybutynin chloride</i> ..... 160    |
| NOVOLOG FLEXPEN U-100                      | OMNIPOD 5 G6-G7 INTRO                      | <i>oxycodone</i> .....4, 5              |
| INSULIN..... 50                            | KT(GEN5)..... 130                          | <i>oxycodone-acetaminophen</i> ..... 5  |
| NOVOLOG MIX 70-30 U-100                    | OMNIPOD 5 G6-G7 PODS                       | OZEMPIC.....47                          |
| INSULN.....51                              | (GEN 5)..... 131                           | <i>pacerone</i> ..... 80                |
| NOVOLOG MIX 70-                            | OMNIPOD 5                                  | <i>paclitaxel protein-bound</i> .....30 |
| 30FLEXPEN U-100..... 51                    | INTRO(G6/LIBRE2PLUS)..... 131              | <i>paliperidone</i> .....65             |
| NOVOLOG PENFILL U-100                      | OMNIPOD CLASSIC PODS                       | PANRETIN..... 101                       |
| INSULIN..... 51                            | (GEN 3)..... 131                           | <i>pantoprazole</i> ..... 158           |
| NOVOLOG U-100 INSULIN                      | OMNIPOD DASH INTRO KIT                     | <i>paricalcitol</i> ..... 181           |
| ASPART.....51                              | (GEN 4)..... 131                           | <i>paroxetine hcl</i> ..... 45          |
| NUBEQA.....29                              | OMNIPOD DASH PDM KIT                       | PAXLOVID.....72, 73                     |
| NUCALA.....188, 189                        | (GEN 4)..... 131                           | <i>pazopanib</i> ..... 30               |
| NULOJIX..... 170                           | OMNIPOD DASH PODS                          | PEDIARIX (PF)..... 176                  |
| NUPLAZID..... 64                           | (GEN 4)..... 131                           | PEDVAX HIB (PF)..... 176                |
| NURTEC ODT.....55                          | ONAPGO.....59                              | <i>peg 3350-electrolytes</i> .....159   |
| <i>nyamyc</i> .....53                      | <i>ondansetron</i> ..... 57                | PEGASYS..... 73                         |
| <i>nylia 1/35 (28)</i> ..... 97            | <i>ondansetron hcl</i> ..... 57            | <i>peg-electrolyte soln</i> .....159    |
| <i>nylia 7/7/7 (28)</i> ..... 97           | ONUREG.....29                              | PEMAZYRE.....30                         |
| <i>nymyo</i> .....98                       | OPDIVO.....29                              | <i>pemetrexed disodium</i> ..... 30     |
| <i>nystatin</i> ..... 53                   | OPDIVO QVANTIG.....30                      | PEMRYDI RTU..... 30                     |
| <i>nystatin-triamcinolone</i> .....53, 54  | OPDUALAG..... 30                           | PEN NEEDLE..... 131                     |
| <i>nystop</i> .....54                      | OPIPZA..... 65                             | PEN NEEDLE, DIABETIC                    |
| NYVEPRIA..... 76                           | OPSUMIT.....191                            | ..... 111, 123, 129, 131, 133, 134      |
| <i>obstetrix dha</i> ..... 192             | ORENCIA..... 171                           | PEN NEEDLE, DIABETIC,                   |
| <i>obstetrix dha prenatal duo</i> .....192 | ORENCIA (WITH MALTOSE)                     | SAFETY ..... 135                        |
| <i>octreotide acetate</i> ..... 165        | ..... 170                                  | PENBRAYA (PF)..... 177                  |
| ODEFSEY..... 70                            | ORENCIA CLICKJECT..... 171                 | PENBRAYA MENACWY                        |
| ODOMZO.....29                              | ORFADIN..... 152                           | COMPONENT(PF)..... 177                  |
| <i>ofloxacin</i> ..... 155                 | ORGOVYX..... 165                           | PENBRAYA MENB                           |
| OGIVRI..... 29                             | ORLISSA..... 165                           | COMPONENT (PF)..... 177                 |
| OGSIVEO.....29                             | ORKAMBI..... 189                           | <i>penicillamine</i> ..... 161          |
| OJEMDA.....29                              | <i>orquidea</i> .....98                    | <i>penicillin g potassium</i> ..... 15  |

|                                         |          |                                            |     |                                         |          |
|-----------------------------------------|----------|--------------------------------------------|-----|-----------------------------------------|----------|
| <i>penicillin v potassium</i> .....     | 15       | <i>pomalidomide</i> .....                  | 30  | PRIORIX (PF).....                       | 177      |
| PENMENVY MEN A-B-C-W-Y (PF).....        | 177      | POMALYST.....                              | 30  | PRO COMFORT ALCOHOL                     |          |
| PENMENVY MENACWY COMPONENT(PF).....     | 177      | <i>portia 28</i> .....                     | 98  | PADS.....                               | 132      |
| PENMENVY MENB COMPONENT (PF).....       | 177      | <i>posaconazole</i> .....                  | 54  | PRO COMFORT INSULIN                     |          |
| PENTACEL (PF).....                      | 177      | <i>potassium chloride</i> .....            | 184 | SYRINGE.....                            | 132      |
| <i>pentamidine</i> .....                | 58, 59   | <i>potassium citrate</i> .....             | 185 | PRO COMFORT PEN                         |          |
| PENTIPS PEN NEEDLE.....                 | 132      | <i>pr natal 400</i> .....                  | 192 | NEEDLE.....                             | 132, 133 |
| <i>pentoxifylline</i> .....             | 77       | <i>pr natal 400 ec</i> .....               | 193 | <i>probenecid</i> .....                 | 54       |
| <i>perampanel</i> .....                 | 39       | <i>pr natal 430</i> .....                  | 193 | <i>probenecid-colchicine</i> .....      | 54       |
| <i>perindopril erbumine</i> .....       | 80       | <i>pr natal 430 ec</i> .....               | 193 | <i>prochlorperazine</i> .....           | 57       |
| <i>periogard</i> .....                  | 100      | <i>pramipexole</i> .....                   | 59  | <i>prochlorperazine edisylate</i> ..... | 57       |
| <i>permethrin</i> .....                 | 104      | <i>prasugrel hcl</i> .....                 | 77  | <i>prochlorperazine maleate</i> .....   | 57       |
| <i>perphenazine</i> .....               | 65       | <i>pravastatin</i> .....                   | 87  | PRO-COMFORT ALCOHOL                     |          |
| <i>perphenazine-amitriptyline</i> ..... | 45       | <i>praziquantel</i> .....                  | 59  | PADS.....                               | 133      |
| PERSERIS.....                           | 65       | <i>prazosin</i> .....                      | 78  | <i>procto-med hc</i> .....              | 104      |
| <i>phenelzine</i> .....                 | 45       | <i>prednisolone</i> .....                  | 163 | <i>proctosol hc</i> .....               | 104      |
| <i>phenobarbital</i> .....              | 39       | <i>prednisolone acetate</i> .....          | 157 | <i>proctozone-hc</i> .....              | 104      |
| <i>phenytek</i> .....                   | 39       | <i>prednisolone sodium phosphate</i> ..... | 163 | PRODIGY INSULIN                         |          |
| <i>phenytoin</i> .....                  | 39       | <i>prednisone</i> .....                    | 164 | SYRINGE.....                            | 133      |
| <i>phenytoin sodium</i> .....           | 40       | <i>pregabalin</i> .....                    | 40  | <i>progesterone micronized</i> .....    | 166      |
| <i>phenytoin sodium extended</i> .....  | 40       | PREMARIN.....                              | 163 | PROGRAF.....                            | 171      |
| PIFELTRO.....                           | 70       | PREMPHASE.....                             | 163 | PROLASTIN-C.....                        | 189      |
| <i>pilocarpine hcl</i> .....            | 100, 183 | PREMPRO.....                               | 163 | <i>promethazine</i> .....               | 57       |
| <i>pimecrolimus</i> .....               | 103      | <i>prenal true</i> .....                   | 193 | <i>promethegan</i> .....                | 58       |
| <i>pimozide</i> .....                   | 65       | <i>prenaissance</i> .....                  | 193 | <i>propafenone</i> .....                | 81       |
| <i>pimtree (28)</i> .....               | 98       | <i>prenaissance plus</i> .....             | 193 | <i>propranolol</i> .....                | 81, 82   |
| <i>pioglitazone</i> .....               | 47       | <i>prenatabs fa</i> .....                  | 193 | <i>propylthiouracil</i> .....           | 166      |
| <i>pioglitazone-metformin</i> .....     | 47       | <i>prenatal 19</i> .....                   | 193 | PROQUAD (PF).....                       | 177      |
| PIP PEN NEEDLE.....                     | 132      | <i>prenatal 19 (with docusate)</i> .....   | 193 | <i>protiptyline</i> .....               | 45       |
| <i>piperacillin-tazobactam</i> .....    | 15       | <i>prenatal plus</i> .....                 | 193 | PULMOZYME.....                          | 152      |
| PIQRAY.....                             | 30       | <i>prenatal plus (calcium carb)</i> ....   | 192 | PURE COMFORT ALCOHOL                    |          |
| <i>pirfenidone</i> .....                | 189      | <i>prenatal vitamin plus low iron</i> ..   | 193 | PADS.....                               | 133      |
| <i>pitavastatin calcium</i> .....       | 87       | <i>prenatal-u</i> .....                    | 193 | PURE COMFORT PEN                        |          |
| PLEGRIDY.....                           | 91       | <i>prevalite</i> .....                     | 87  | NEEDLE.....                             | 133      |
| <i>pnv-dha + docusate</i> .....         | 192      | PREVENT DROPSAFE PEN                       |     | PURE COMFORT SAFETY                     |          |
| <i>pnv-omega</i> .....                  | 192      | NEEDLE.....                                | 132 | PEN NEEDLE.....                         | 133      |
| <i>podofilox</i> .....                  | 101      | PREVYMIS.....                              | 73  | <i>pyrazinamide</i> .....               | 56       |
| <i>polycin</i> .....                    | 155      | PREZCOBIX.....                             | 70  | <i>pyridostigmine bromide</i> .....     | 182      |
| <i>polymyxin b sulf-trimethoprim</i> .. | 155      | PREZISTA.....                              | 70  | <i>pyrimethamine</i> .....              | 59       |
|                                         |          | PRIFTIN.....                               | 56  | QINLOCK.....                            | 30       |
|                                         |          | PRIMAQUINE.....                            | 59  | QUADRACEL (PF).....                     | 177, 178 |
|                                         |          | <i>primidone</i> .....                     | 40  | <i>quetiapine</i> .....                 | 65       |



|                                          |        |                                     |          |                                          |          |
|------------------------------------------|--------|-------------------------------------|----------|------------------------------------------|----------|
| <i>quinapril</i> .....                   | 80     | <i>ritonavir</i> .....              | 71       | SELZENTRY.....                           | 71       |
| <i>quinapril-hydrochlorothiazide</i> ... | 80     | RITUXAN HYCELA.....                 | 31       | <i>se-natal 19 chewable</i> .....        | 193      |
| <i>quinidine sulfate</i> .....           | 81     | <i>rivaroxaban</i> .....            | 75       | SEREVENT DISKUS.....                     | 187      |
| <i>quinine sulfate</i> .....             | 59     | <i>rivastigmine</i> .....           | 42       | SEROSTIM.....                            | 165      |
| QULIPTA.....                             | 55     | <i>rivastigmine tartrate</i> .....  | 42       | <i>sertraline</i> .....                  | 45       |
| RABAVERT (PF).....                       | 178    | <i>rizatriptan</i> .....            | 55, 56   | <i>setlakin</i> .....                    | 98       |
| <i>rabeprazole</i> .....                 | 158    | <i>r-natal ob</i> .....             | 193      | <i>sevelamer carbonate</i> .....         | 160      |
| RALDESY.....                             | 45     | ROCKLATAN.....                      | 183      | <i>sevelamer hcl</i> .....               | 160      |
| <i>raloxifene</i> .....                  | 163    | <i>roflumilast</i> .....            | 189      | SEZABY.....                              | 40       |
| <i>ramipril</i> .....                    | 80     | ROMVIMZA.....                       | 31       | <i>sf 5000 plus</i> .....                | 100      |
| <i>ranolazine</i> .....                  | 83     | <i>ropinirole</i> .....             | 60       | <i>sharobel</i> .....                    | 98       |
| <i>rasagiline</i> .....                  | 60     | <i>rosadan</i> .....                | 102      | SHINGRIX (PF).....                       | 178      |
| RASUVO (PF).....                         | 171    | <i>rosuvastatin</i> .....           | 87       | SIGNIFOR.....                            | 165      |
| RAYALDEE.....                            | 181    | ROTARIX.....                        | 178      | <i>sildenafil</i> .....                  | 191      |
| <i>reclipsen (28)</i> .....              | 98     | ROTATEQ VACCINE.....                | 178      | <i>sildenafil (pulm.hypertension)</i> .. | 191      |
| RECOMBIVAX HB (PF).....                  | 178    | ROZLYTREK.....                      | 31       | <i>silver sulfadiazine</i> .....         | 102      |
| RELENZA DISKHALER.....                   | 73     | RUBRACA.....                        | 31       | SIMBRINZA.....                           | 183      |
| <i>repaglinide</i> .....                 | 48     | <i>rufinamide</i> .....             | 40       | <i>simliya (28)</i> .....                | 98       |
| REPATHA PUSHTRONEX.....                  | 87     | RUKOBIA.....                        | 71       | SIMPLI PEN NEEDLE.....                   | 123      |
| REPATHA SURECLICK.....                   | 87     | RYBELSUS.....                       | 48       | <i>simvastatin</i> .....                 | 87       |
| REPATHA SYRINGE.....                     | 87     | RYBREVANT.....                      | 32       | <i>sirolimus</i> .....                   | 172      |
| RETACRIT.....                            | 76     | RYBREVANT FASPRO.....               | 31       | SIRTURO.....                             | 57       |
| RETEVMO.....                             | 31     | RYDAPT.....                         | 32       | <i>sitagliptin phos-metformin</i> .....  | 48       |
| RETROVIR.....                            | 71     | RYKINDO.....                        | 66       | <i>sitagliptin phosphate</i> .....       | 48       |
| REVCovi.....                             | 152    | RYTELO.....                         | 32       | SKY SAFETY PEN NEEDLE.....               | 135      |
| REVUFORJ.....                            | 31     | <i>sacubitril-valsartan</i> .....   | 79       | SKYLA.....                               | 98       |
| REXULTI.....                             | 65     | SAFESNAP INSULIN.....               |          | SKYRIZI.....                             | 172      |
| REYATAZ.....                             | 71     | SYRINGE.....                        | 134      | <i>sodium chloride 0.45 %</i> .....      | 185      |
| REZDIFFRA.....                           | 166    | SAFETY PEN NEEDLE.....              | 135      | <i>sodium chloride 0.9 %</i> .....       | 185      |
| REZLIDHIA.....                           | 31     | SANTYL.....                         | 101      | <i>sodium fluoride-pot nitrate</i> ..... | 100      |
| REZUROCK.....                            | 171    | <i>sapropterin</i> .....            | 152      | <i>sodium oxybate</i> .....              | 190      |
| RHOPRESSA.....                           | 183    | SCSEMBLIX.....                      | 32       | <i>sodium polystyrene sulfonate</i> .... | 159      |
| <i>ribavirin</i> .....                   | 74     | <i>scopolamine base</i> .....       | 58       | <i>sodium,potassium,mag sulfates</i>     |          |
| <i>rifabutin</i> .....                   | 56     | SECUADO.....                        | 66       | .....                                    | 159, 160 |
| <i>rifampin</i> .....                    | 56     | SECURESAFE INSULIN.....             |          | <i>solifenacin</i> .....                 | 160      |
| <i>rilpivirine</i> .....                 | 71     | SYRINGE.....                        | 135      | SOLQUA 100/33.....                       | 51       |
| <i>rilpivirine hcl</i> .....             | 71     | SECURESAFE PEN NEEDLE.....          | 135      | SOLTAMOX.....                            | 32       |
| <i>riluzole</i> .....                    | 91     | SELARSDI.....                       | 171, 172 | SOMATULINE DEPOT.....                    | 165      |
| RINVOQ.....                              | 171    | <i>select-ob</i> .....              | 193      | SOMAVERT.....                            | 165      |
| RINVOQ LQ.....                           | 171    | <i>select-ob (folic acid)</i> ..... | 193      | <i>sorafenib</i> .....                   | 32       |
| <i>risperidone</i> .....                 | 65, 66 | <i>selegiline hcl</i> .....         | 60       | <i>sorine</i> .....                      | 82       |
| <i>risperidone microspheres</i> .....    | 65     | <i>selenium sulfide</i> .....       | 102      | <i>sotalol</i> .....                     | 82       |

|                                          |          |                                      |                                            |          |
|------------------------------------------|----------|--------------------------------------|--------------------------------------------|----------|
| <i>sotalol af</i> .....                  | 82       | SURE COMFORT SAFETY                  | <i>telmisartan-hydrochlorothiazid</i> ..   | 79       |
| SPIRIVA RESPIMAT .....                   | 187      | PEN NEEDLE .....                     | <i>temazepam</i> .....                     | 9        |
| <i>spironolactone</i> .....              | 85       | SURE-FINE PEN NEEDLES ..             | TENIVAC (PF) .....                         | 178      |
| <i>spironolacton-hydrochlorothiaz</i> .. | 85       | SURE-JECT INSULIN                    | <i>tenofovir disoproxil fumarate</i> ..... | 71       |
| SPRAVATO .....                           | 45       | SYRINGE .....                        | TEPMETKO .....                             | 33       |
| <i>sprintec (28)</i> .....               | 98       | SURE-PREP ALCOHOL PREP               | <i>terazosin</i> .....                     | 161      |
| SPRITAM .....                            | 40       | PADS .....                           | <i>terbinafine hcl</i> .....               | 54       |
| <i>sps (with sorbitol)</i> .....         | 159      | SYMPAZAN .....                       | <i>terconazole</i> .....                   | 55       |
| <i>sronyx</i> .....                      | 98       | SYMTUZA .....                        | <i>teriparatide</i> .....                  | 181      |
| <i>ssd</i> .....                         | 102      | SYNJARDY .....                       | TERUMO INSULIN                             |          |
| <i>stavudine</i> .....                   | 71       | SYNJARDY XR .....                    | SYRINGE .....                              | 138, 139 |
| STERILE PADS .....                       | 122      | SYNRIBO .....                        | <i>testosterone</i> .....                  | 161, 162 |
| STIOLTO RESPIMAT .....                   | 187      | SYRINGE WITH NEEDLE,                 | <i>testosterone cypionate</i> .....        | 161      |
| STIVARGA .....                           | 32       | SAFETY .....                         | <i>testosterone enanthate</i> .....        | 161      |
| STOBOCLO .....                           | 181      | TABLOID .....                        | <i>tetrabenazine</i> .....                 | 91       |
| STRENSIQ .....                           | 152      | TABRECTA .....                       | <i>tetracycline</i> .....                  | 16       |
| <i>streptomycin</i> .....                | 9        | <i>tacrolimus</i> .....              | TEVIMBRA .....                             | 33       |
| STRIBILD .....                           | 71       | ..... 104, 172                       | THALOMID .....                             | 182      |
| STRIVERDI RESPIMAT .....                 | 187      | <i>tadalafil</i> .....               | <i>theophylline</i> .....                  | 187, 188 |
| SUBVENITE .....                          | 40       | TAFINLAR .....                       | THINPRO INSULIN                            |          |
| <i>subvenite</i> .....                   | 40       | TAGRISIO .....                       | SYRINGE .....                              | 139      |
| <i>sucralfate</i> .....                  | 158      | TALVEY .....                         | <i>thioridazine</i> .....                  | 66       |
| <i>sulfacetamide sodium</i> .....        | 155      | TALZENNA .....                       | <i>thiothixene</i> .....                   | 66       |
| <i>sulfacetamide-prednisolone</i> .....  | 155      | <i>tamoxifen</i> .....               | <i>tiadylt er</i> .....                    | 82       |
| <i>sulfadiazine</i> .....                | 15       | <i>tamsulosin</i> .....              | <i>tiagabine</i> .....                     | 40       |
| <i>sulfamethoxazole-trimethoprim</i>     |          | <i>tarina 24 fe</i> .....            | TIBSOVO .....                              | 33       |
| ..... 15, 16                             |          | <i>tarina fe 1-20 eq (28)</i> .....  | <i>ticagrelor</i> .....                    | 77       |
| <i>sulfasalazine</i> .....               | 180      | <i>taron-c dha</i> .....             | TICE BCG .....                             | 33       |
| <i>sulindac</i> .....                    | 6        | <i>taron-prex prenatal-dha</i> ..... | TICOVAC .....                              | 178, 179 |
| <i>sumatriptan</i> .....                 | 56       | TAVNEOS .....                        | <i>tigecycline</i> .....                   | 16       |
| <i>sumatriptan succinate</i> .....       | 56       | <i>tazarotene</i> .....              | <i>tilia fe</i> .....                      | 98       |
| <i>sunitinib malate</i> .....            | 32       | <i>tazicef</i> .....                 | <i>timolol</i> .....                       | 183      |
| SUNLENCA .....                           | 71       | <i>taztia xt</i> .....               | <i>timolol maleate</i> .....               | 82, 183  |
| SURE COMFORT ALCOHOL                     |          | TDVAX .....                          | <i>tinidazole</i> .....                    | 59       |
| PREP PADS .....                          | 136      | TECHLITE INSULIN                     | <i>tiotropium bromide</i> .....            | 188      |
| SURE COMFORT INS. SYR.                   |          | SYRINGE .....                        | TIVDAK .....                               | 33       |
| U-100 .....                              | 135      | TECHLITE INSULN                      | TIVICAY .....                              | 71       |
| SURE COMFORT INSULIN                     |          | SYR(HALF UNIT) .....                 | TIVICAY PD .....                           | 71       |
| SYRINGE .....                            | 135, 136 | TECHLITE PEN NEEDLE .....            | <i>tizanidine</i> .....                    | 190      |
| SURE COMFORT PEN                         |          | TECHLITE PLUS PEN                    | TOBI PODHALER .....                        | 10       |
| NEEDLE .....                             | 136      | NEEDLE .....                         | <i>tobramycin</i> .....                    | 155      |
|                                          |          | TECVAYLI .....                       | <i>tobramycin in 0.225 % nacl</i> .....    | 10       |
|                                          |          | <i>telmisartan</i> .....             |                                            |          |

|                                             |               |                                |               |                            |               |
|---------------------------------------------|---------------|--------------------------------|---------------|----------------------------|---------------|
| <i>tobramycin sulfate</i> .....             | 10            | TRIJARDY XR.....               | 48            | TRUMENBA.....              | 179           |
| <i>tobramycin-dexamethasone</i> .....       | 155           | TRIKAFTA.....                  | 189           | TRUQAP.....                | 33            |
| <i>tobramycin-lotepred</i> .....            | 155           | <i>tri-legest fe</i> .....     | 98            | TRUXIMA.....               | 33            |
| <i>tofacitinib</i> .....                    | 172           | <i>tri-linyah</i> .....        | 98            | TUKYSA.....                | 33            |
| <i>tolterodine</i> .....                    | 160           | <i>tri-lo-estarylla</i> .....  | 98            | TURALIO.....               | 33            |
| <i>tolvaptan (polycys kidney dis)</i> ....  | 85            | <i>tri-lo-marzia</i> .....     | 99            | <i>turqoz (28)</i> .....   | 99            |
| <i>topiramate</i> .....                     | 40, 41        | <i>tri-lo-mili</i> .....       | 99            | TWINRIX (PF).....          | 179           |
| <i>toremifene</i> .....                     | 33            | <i>tri-lo-sprintec</i> .....   | 99            | <i>tyblume</i> .....       | 99            |
| <i>torpenz</i> .....                        | 33            | <i>trimethoprim</i> .....      | 11            | TYBOST.....                | 182           |
| <i>torse mide</i> .....                     | 85            | <i>tri-mili</i> .....          | 99            | TYENNE.....                | 173           |
| TOUJEO MAX U-300                            |               | <i>trimipramine</i> .....      | 45            | TYENNE AUTOINJECTOR... 173 |               |
| SOLOSTAR.....                               | 51            | TRINTELLIX.....                | 45            | TYMLOS.....                | 181           |
| TOUJEO SOLOSTAR U-300                       |               | <i>tri-nymyo</i> .....         | 99            | TYPHIM VI.....             | 179           |
| INSULIN.....                                | 51            | <i>tri-sprintec (28)</i> ..... | 99            | UBRELVY.....               | 56            |
| TRADJENTA.....                              | 48            | TRIUMEQ.....                   | 72            | UDENYCA ONBODY.....        | 76            |
| <i>tramadol</i> .....                       | 5             | TRIUMEQ PD.....                | 72            | ULTICARE.....              | 142, 143      |
| <i>tramadol-acetaminophen</i> .....         | 5             | <i>trivora (28)</i> .....      | 99            | ULTICARE INSULIN           |               |
| <i>trandolapril</i> .....                   | 80            | <i>tri-vylibra</i> .....       | 99            | SYRINGE.....               | 142           |
| <i>tranexamic acid</i> .....                | 76            | <i>tri-vylibra lo</i> .....    | 99            | ULTICARE INSULN            |               |
| <i>tranylcypromine</i> .....                | 45            | TRIZIVIR.....                  | 72            | SYR(HALF UNIT).....        | 142           |
| <i>travoprost</i> .....                     | 183           | TROGARZO.....                  | 72            | ULTICARE PEN NEEDLE        |               |
| <i>trazodone</i> .....                      | 45            | <i>trosipium</i> .....         | 160           | .....                      | 142, 143      |
| TRECATOR.....                               | 57            | TRUE COMFORT ALCOHOL           |               | ULTICARE SAFETY PEN        |               |
| TRELEGY ELLIPTA.....                        | 188           | PADS.....                      | 140           | NEEDLE.....                | 143           |
| TRELSTAR.....                               | 33            | TRUE COMFORT INSULIN           |               | ULTIGUARD SAFEPAK-         |               |
| TREMFYA.....                                | 172, 173      | SYRINGE.....                   | 140           | INSULIN SYR.....           | 143, 144      |
| TREMFYA ONE-PRESS.....                      | 173           | TRUE COMFORT PEN               |               | ULTIGUARD SAFEPAK-         |               |
| TREMFYA PEN.....                            | 173           | NEEDLE.....                    | 140           | PEN NEEDLE.....            | 143, 144      |
| TREMFYA PEN INDUCTION                       |               | TRUE COMFORT PRO               |               | ULTILET ALCOHOL SWAB. 144  |               |
| PK(2PEN).....                               | 173           | ALCOHOL PADS.....              | 140           | ULTILET INSULIN SYRINGE    |               |
| <i>tretinoin</i> .....                      | 104           | TRUE COMFORT PRO INS           |               | .....                      | 125, 144      |
| <i>tretinoin (antineoplastic)</i> .....     | 33            | SYRINGE.....                   | 139, 140, 141 | ULTILET PEN NEEDLE.....    | 144           |
| <i>triamcinol ac (pf) in 0.9%nacl</i> ..104 |               | TRUE COMFORT SAFE              |               | ULTRA CMFT INS SYR         |               |
| <i>triamcinolone acetamide</i>              |               | INSULIN SYRG.....              | 139, 140, 141 | (HALF UNIT).....           | 123, 142      |
| .....                                       | 100, 104, 164 | TRUE COMFORT SAFETY            |               | ULTRA COMFORT INSULIN      |               |
| <i>triamterene-hydrochlorothiazid</i> ..85  |               | PEN NEEDLE.....                | 139           | SYRINGE.....               | 123, 144, 145 |
| <i>tridacaine iii</i> .....                 | 7             | TRUE-COMFORT PRO PEN           |               | ULTRA FLO INSUL            |               |
| <i>trientine</i> .....                      | 161           | NEEDLE.....                    | 141           | SYR(HALF UNIT).....        | 145           |
| <i>tri-estarylla</i> .....                  | 98            | TRUEPLUS INSULIN.....          | 141, 142      | ULTRA FLO INSULIN          |               |
| <i>trifluoperazine</i> .....                | 66            | TRUEPLUS PEN NEEDLE.....       | 141           | SYRINGE.....               | 146           |
| <i>trifluridine</i> .....                   | 155           | TRULANCE.....                  | 159           |                            |               |
| <i>trihexyphenidyl</i> .....                | 60            | TRULICITY.....                 | 48            |                            |               |



|                                   |                                               |                                  |
|-----------------------------------|-----------------------------------------------|----------------------------------|
| ULTRA FLO PEN NEEDLE              | <i>valproic acid (as sodium salt)</i> .... 41 | VIMKUNYA..... 179                |
| ..... 145, 146                    | <i>valsartan</i> ..... 79                     | <i>vinorelbine</i> ..... 34      |
| ULTRA THIN PEN NEEDLE. 146        | <i>valsartan-hydrochlorothiazide</i> ... 79   | <i>violele (28)</i> ..... 99     |
| ULTRACARE INSULIN                 | VALTOCO..... 41                               | VIRACEPT..... 72                 |
| SYRINGE..... 146                  | <i>valtya</i> ..... 99                        | VIREAD..... 72                   |
| ULTRACARE PEN NEEDLE              | <i>vancomycin</i> ..... 11                    | <i>virt-pn dha</i> ..... 193     |
| ..... 146, 147                    | VANFLYTA..... 33                              | <i>vitafol gummies</i> ..... 194 |
| ULTRA-FINE INS SYR                | VANISHPOINT INSULIN                           | <i>vitafol-ob+dha</i> ..... 194  |
| (HALF UNIT)..... 147              | SYRINGE..... 150                              | VITRAKVI..... 34                 |
| ULTRA-FINE INSULIN                | VANISHPOINT SYRINGE.... 150                   | VIVIMUSTA..... 34                |
| SYRINGE..... 147, 148             | VAQTA (PF)..... 179                           | VIVOTIF..... 179                 |
| ULTRA-FINE PEN NEEDLE.. 147       | <i>varenicline tartrate</i> ..... 8           | VIZIMPRO..... 34                 |
| ULTRA-THIN II (SHORT)             | VARIVAX (PF)..... 179                         | VOCABRIA..... 72                 |
| INS SYR..... 148                  | VAXCHORA VACCINE..... 179                     | <i>volnea (28)</i> ..... 99      |
| ULTRA-THIN II (SHORT)             | VELTASSA..... 159                             | VONJO..... 34                    |
| PEN NDL..... 148                  | VEMLIDY..... 72                               | VOQUEZNA..... 158                |
| ULTRA-THIN II INS PEN             | VENCLEXTA..... 34                             | VORANIGO..... 34                 |
| NEEDLES..... 148                  | VENCLEXTA STARTING                            | <i>voriconazole</i> ..... 54     |
| ULTRA-THIN II INSULIN             | PACK..... 34                                  | VOSEVI..... 73                   |
| SYRINGE..... 148                  | <i>venlafaxine</i> ..... 46                   | VOWST..... 182                   |
| UNIFINE OTC PEN NEEDLE 148        | VEOZAH..... 182                               | <i>vp-ch-pnv</i> ..... 194       |
| UNIFINE PENTIPS..... 148, 149     | <i>verapamil</i> ..... 82, 83                 | VRAYLAR..... 67                  |
| UNIFINE PENTIPS                   | VERIFINE INSULIN                              | VUMERITY..... 91                 |
| MAXFLOW..... 149                  | SYRINGE..... 150, 151                         | VYALEV..... 60                   |
| UNIFINE PENTIPS PLUS              | VERIFINE PEN NEEDLE                           | <i>vylibra</i> ..... 99          |
| ..... 149, 151                    | ..... 150, 151                                | VYLOY..... 34                    |
| UNIFINE PENTIPS PLUS              | VERIFINE PLUS PEN                             | VYNDAMAX..... 83                 |
| MAXFLOW..... 149                  | NEEDLE..... 151                               | VYZULTA..... 183                 |
| UNIFINE PROTECT..... 149          | VERIFINE PLUS PEN                             | <i>warfarin</i> ..... 75         |
| UNIFINE SAFECONTROL               | NEEDLE-SHARP..... 151                         | WEBCOL..... 151                  |
| PEN NEEDLE..... 149, 150          | VERQUVO..... 83                               | WELIREG..... 34                  |
| UNIFINE ULTRA PEN                 | VERSACLOZ..... 67                             | WINREVAIR..... 189               |
| NEEDLE..... 150                   | VERSALON..... 151                             | <i>wixela inhub</i> ..... 186    |
| UPTRAVI..... 191                  | VERZENIO..... 34                              | XALKORI..... 34, 35              |
| <i>ursodiol</i> ..... 159         | V-GO 20..... 151                              | <i>xarah fe</i> ..... 99         |
| <i>ustekinumab-aauz</i> ..... 173 | V-GO 30..... 151                              | XARELTO..... 75                  |
| UZEDY..... 66, 67                 | V-GO 40..... 151                              | XARELTO DVT-PE TREAT             |
| <i>valacyclovir</i> ..... 74      | <i>vienva</i> ..... 99                        | 30D START..... 75                |
| VALCHLOR..... 101                 | <i>vigabatrin</i> ..... 41                    | XATMEP..... 35                   |
| <i>valganciclovir</i> ..... 74    | <i>vigadrone</i> ..... 41                     | XCOPRI..... 41                   |
| <i>valproate sodium</i> ..... 41  | <i>vigpoder</i> ..... 41                      | XCOPRI MAINTENANCE               |
| <i>valproic acid</i> ..... 41     | <i>vilazodone</i> ..... 46                    | PACK..... 41                     |

|                                   |                              |     |
|-----------------------------------|------------------------------|-----|
| XCOPRI TITRATION PACK             | ZIRGAN.....                  | 155 |
| ..... 41, 42                      | ZOLADEX.....                 | 36  |
| XDEMVOY.....                      | ZOLINZA.....                 | 36  |
| XELJANZ.....                      | <i>zolpidem</i> .....        | 190 |
| XELJANZ XR.....                   | ZONISADE.....                | 42  |
| XERMELO.....                      | <i>zonisamide</i> .....      | 42  |
| XIFAXAN.....                      | <i>zovia 1-35 (28)</i> ..... | 100 |
| XIGDUO XR.....                    | ZTALMY.....                  | 42  |
| XIIDRA.....                       | ZTLIDO.....                  | 7   |
| XOLAIR..... 189, 190              | ZURZUVAE.....                | 46  |
| XOSPATA.....                      | ZYDELIG.....                 | 36  |
| XPOVIO.....                       | ZYKADIA.....                 | 36  |
| XTANDI.....                       | ZYNLONTA.....                | 36  |
| <i>xulane</i> .....               | ZYNYZ.....                   | 36  |
| XULTOPHY 100/3.6.....             | ZYPREXA RELPREVV.....        | 67  |
| YERVOY.....                       |                              |     |
| YESINTEK..... 173, 174            |                              |     |
| YF-VAX (PF).....                  |                              |     |
| YONSA.....                        |                              |     |
| YUFLYMA(CF).....                  |                              |     |
| YUFLYMA(CF) AI CROHN'S-           |                              |     |
| UC-HS.....                        |                              |     |
| YUFLYMA(CF)                       |                              |     |
| AUTOINJECTOR.....                 |                              |     |
| <i>yulithira</i> .....            |                              |     |
| YUTREPIA.....                     |                              |     |
| <i>yuvaferm</i> .....             |                              |     |
| <i>zafemy</i> .....               |                              |     |
| <i>zafirlukast</i> .....          |                              |     |
| <i>zaleplon</i> .....             |                              |     |
| <i>zatean-pn dha</i> .....        |                              |     |
| <i>zatean-pn plus</i> .....       |                              |     |
| ZEJULA.....                       |                              |     |
| ZELBORAF.....                     |                              |     |
| <i>zenatane</i> .....             |                              |     |
| ZENPEP.....                       |                              |     |
| <i>zidovudine</i> .....           |                              |     |
| ZIIHERA.....                      |                              |     |
| <i>zingiber</i> .....             |                              |     |
| <i>ziprasidone hcl</i> .....      |                              |     |
| <i>ziprasidone mesylate</i> ..... |                              |     |
| ZIRABEV.....                      |                              |     |